

CENTRAL UNIVERSITY OF HARYANA

Department of Computer Science & Information Technology



PROJECT REPORT ON

“TRASHTRACK : Smart Waste Management System”

(SBS CS 01 03 20 C 0042)

SUBMITTED IN PARTIAL FULFILLMENT OF THE REQUIREMENT FOR THE

AWARD OF THE DEGREE OF

MASTER OF COMPUTER APPLICATION

Session: 2023-25

Submitted To:

Dr. Keshav Singh Rawat
Associate Professor, CS & IT

Submitted By:

**Rishab Sharma
& Saurabh Singh**

STUDENT'S DECLARATION

We hereby declare that the project entitled “TRASHTRACK: Smart Waste Management System” submitted in partial fulfillment of the requirement for the award of the degree of Master of Computer Application to Central University of Haryana, is my authentic work carried out during the 3rd semester of my course under the supervision of Dr. Keshav Singh Rawat, Head of the Department, Department of Computer Science & Information Technology. The project has not formed the basis for the award of any other degree, associateship, fellowship, or any other similar title.

Rishab Sharma

Roll No: 230567

Saurabh Singh

Roll No: 230585

CENTRAL UNIVERSITY OF HARYANA

Department of Computer Science & Information Technology



CERTIFICATE

This is to certify that this report entitled “**TRASHTRACK: Smart Waste Management System**” is a bonafide record of the project presented by **Rishab Sharma (230567) & Saurabh Singh (230585)**, Session 2023-2025, who are students of Master of Computer Application at the Department of Computer Science and Information Technology, Central University of Haryana. They have completed the project work under my supervision.

Date: .../.../...

Dr. Keshav Singh Rawat

Associate Professor

CS & IT Department

Central University of Haryana

CENTRAL UNIVERSITY OF HARYANA

Department of Computer Science & Information Technology



CERTIFICATE

This is to certify that this report entitled “**TRASHTRACK: Smart Waste Management System**” is a bonafide record of the project presented by **Rishab Sharma (230567)** & **Saurabh Singh (230585)** Session 2023-2025 are students of Master of Computer Application at Department of Computer Science and Information Technology, Central University of Haryana, in the partial fulfillment of the requirement for award the degree of Master of Computer Application.

Date: .../.../...

Dr. Keshav Singh Rawat

Head of Department

CS & IT Department

Central University of Haryana

ACKNOWLEDGMENT

Presentation inspiration and motivation always played a key role in the success of any venue. First of all, We would like to thank the supreme power of the Almighty God who is obviously the one who has always guided me to work on the right path of life. Without his grace the project could not become the reality. We would like to express our special thanks of gratitude to our project guide and supervision, **Dr. Keshav Singh Rawat**, Associate professor, Head of Department of Computer Science and Information.

We would also like to extend special thanks to the entire staff for their full cooperation, guidance and support.

We would like to thanks our friends who helped us so much to completion of this project. Last but not the least, we would like to thank our parents, for the support and affection they had given to us throughout this course and for always encouraging our to complete my work.

Rishab Sharma

Roll No: 230567

Saurabh Singh

Roll No: 230585

ABSTRACT

The "TrashTrack: A Smart Waste Management System" project aims to develop an efficient and intelligent system for waste management using advanced technologies like the Internet of Things (IoT) and Machine Learning (ML). Effective waste management is essential for maintaining a healthy environment, reducing pollution, and optimizing resource utilization in smart cities. The project employs a variety of technologies and models, including IoT-based sensors (ultrasonic and moisture sensors) for real-time waste level detection and categorization, and machine learning techniques such as neural networks for accurate waste classification. The system is designed to optimize waste collection routes, reduce operational costs, and provide actionable insights for sustainability. The documentation provides a comprehensive overview of the project, including hardware integration, data preprocessing, exploratory analysis, model training, and system deployment. A comparative analysis of different machine learning models, evaluation metrics, and insights from the data are presented. Additionally, the documentation explores potential deployment strategies, such as integrating the system into a mobile application or web platform for real-time monitoring and notifications. The project's results, limitations, and recommendations for future enhancements are summarized, offering a holistic perspective on waste management solutions.

This documentation serves as a valuable resource for data scientists, environmental engineers, and urban planners interested in applying technology to improve waste management. It offers insights into IoT integration, machine learning applications, and real-time system implementation in a smart city context. The TrashTrack system demonstrates high efficiency and predictive accuracy, making it a practical solution for the waste management industry.

Keywords: Smart waste management, IoT, machine learning, neural networks, waste classification, real-time monitoring

CONTENT

Chapter	Title	Page No.
1	Introduction	9
	1.1 Introduction	9
	1.2 Motivation	10
	1.3 Problem Formulation	10
	1.4 Aims and Objectives	11
	1.5 Scope and Limitation	11
	1.6 Related Work	12
	1.7 System Specifications	12
2	Problem Formulation	14
3	Proposed Solution	17
	3.1 Smart Bins	17
	3.2 Centralized Monitoring and Route Optimization System	18
4	System Specifications	20
	4.1 Hardware Requirements	20
	4.2 Software Requirements	21
5	Design and Implementation	22
	5.1 Smart Bins	22
	5.2 SMS Notification System	23
	5.3 Control Station	24
6	Website User Interface	26
	6.1 Login Page	26
	6.2 Home Page	26
	6.3 Smart Bin Monitoring Page	28
	6.4 Vehicle Tracking Page	30
	6.5 Dumping Area Page	31
	6.6 Company Portal Page	32
	6.7 Map Page	33
	6.8 Administrative Portal Page	34
7	Results & Interpretations	35
	7.1 System Implementation and Setup	35
	7.2 Smart Bin Functionality and Fill Level Indicators	35
	7.3 SMS-Based Notification System	36
	7.4 Real-Time Monitoring and Web Application	36
	7.5 Route Optimization for Waste Collection	37
	7.6 Waste Collection Monitoring and Tracking	38
8	Future Plans	40
9	Conclusion	41
10	References	42

FIGURE TABLE

Fig.No	Fig. Name	Page no.
1.	Municipal Garbage bin turned into a wasteland injurious to health	14
2.	Waste Managment Hierarchy	16
3.	Real Time Monitoring System	17
4.	System Framework	18
5.	Flowchart for smart waste management	19
6.	Block diagram of the implemented smart bin	21
7.	Illustration of an automated smart waste management system framework for the smart city	24
8.	Circuits inside an implemented Smart Bin	25
9.	Empty, half loaded and full loaded condition of the smart bin	37
10.	Admin received SMS at control station from Smart Bin1 (SB1) during full loaded condition	37
11.	Real time filling level status of the smart bins at the control station	38
12.	Filling alert notifications from different smart bins at the control station	38
13.	Shortest route map generation for the waste collectors	39
14.	Real time tracking of collection and disposal activities	39

1. INTRODUCTION

1.1 Introduction

Waste management is the process of handling and treating waste materials to reduce their impact on the environment and human health. Waste management has been a critical concern for decades, evolving from simple waste disposal methods to more advanced and sustainable practices. Early waste management systems primarily relied on manual methods, which were inefficient and resource-intensive. However, with the advent of technological advancements, modern waste management has increasingly incorporated automated and intelligent systems to enhance efficiency and sustainability.

The recent advances in the field of the Internet of Things (IoT) and Machine Learning (ML) have significantly improved the accuracy and efficiency of waste management systems. IoT-enabled devices such as sensors provide real-time data on waste levels, while ML algorithms optimize waste categorization and route planning for collection vehicles. Studies have shown that these advanced systems can greatly outperform traditional waste management methods in terms of efficiency, cost reduction, and environmental impact.

Effective waste management is crucial for modern societies because it helps maintain public health, reduce pollution, and conserve resources. The mismanagement of waste can lead to severe environmental issues, such as air and water pollution, and can negatively impact the health of communities, wildlife, and ecosystems. Therefore, predicting and managing waste levels accurately is vital for urban planning and sustainability.

The primary objective of waste management is to ensure the proper collection, transportation, and disposal of waste while minimizing environmental harm. To achieve this, researchers have focused on two main areas: developing advanced technologies for waste monitoring and implementing efficient waste treatment methodologies. Accurate waste monitoring and categorization play a pivotal role in optimizing waste collection schedules and ensuring proper disposal methods. This is especially important in smart cities, where the rapid growth of urban populations has led to a significant increase in waste generation.

In summary, waste management is a critical task for ensuring environmental sustainability and public health. Advanced technologies, such as IoT and ML, provide effective solutions for tackling the challenges of modern waste management. The goal is to create intelligent systems that can predict waste levels, optimize collection routes, and ensure efficient waste disposal, ultimately contributing to a cleaner and healthier environment.

1.2 Motivation

In an era where urbanization, population growth, and environmental challenges are reshaping global dynamics, the motivation behind undertaking the project, "TrashTrack: Smart Waste Management System," is rooted in addressing critical issues faced by cities, environmentalists, and policymakers alike.

Environmental sustainability is the cornerstone of a healthy and thriving society, and the mismanagement of waste poses significant threats to ecosystems, public health, and urban infrastructure. As cities grow and produce unprecedented amounts of waste, traditional waste

management methods struggle to cope with the complexity and scale of modern challenges. Inefficient collection schedules, overflowing bins, and improper waste segregation contribute to pollution, resource wastage, and increased operational costs.

Despite considerable advancements in waste management, key areas such as real-time waste monitoring, optimized route planning, and intelligent categorization remain underexplored. Effective waste management solutions require more than just collection and disposal; they demand systems capable of providing actionable insights through data. By integrating IoT and machine learning technologies, cities can improve waste collection efficiency, minimize environmental impact, and reduce costs.

The motivation behind this project stems from the recognition that leveraging advanced technologies can revolutionize how waste is managed. By deploying IoT-enabled sensors and machine learning algorithms, we aim to create a system that provides real-time waste level monitoring, optimized collection routes, and intelligent categorization of waste. This not only ensures timely collection and proper disposal but also reduces the carbon footprint of waste management operations.

In essence, "TrashTrack" seeks to transform traditional waste management into a smart, data-driven process, contributing to the broader goal of sustainable urban living. This project is driven by the urgent need to address growing environmental challenges while creating a cleaner, healthier, and more efficient waste management system for future generations.

1.3 Problem formulation

This project aims to determine which system design and technology best optimize waste management in smart cities through the "TrashTrack" project. The goal is to develop a smart waste monitoring system that leverages IoT and machine learning technologies. The problem can be framed as one of optimizing waste collection and disposal by utilizing real-time data from smart bins, which monitor fill levels and categorize waste. This data will be used to predict waste patterns and optimize collection routes.

The project focuses on solving key challenges in waste management, including inefficient scheduling, overflowing bins, and poor waste segregation. The solution involves designing a robust system to monitor waste levels, predict fill times, and recommend collection routes to minimize operational costs and environmental impact.

1.4 Aims and Objective

Aims:

1. **Development of an Intelligent Waste Management System:**
The primary aim is to develop a smart waste management system capable of monitoring and predicting waste levels in real time using IoT-enabled sensors and machine learning models.
2. **Optimization of Waste Collection and Disposal:**
The project aims to optimize waste collection processes by providing dynamic route planning and real-time monitoring, reducing costs and environmental impact.

3. **Data-Driven Insights for Sustainability:**
The system aims to provide actionable insights into waste patterns and environmental impact, aiding municipalities in making informed decisions to improve sustainability.
4. **System Integration and User Experience:**
Ensuring seamless integration of the system into existing waste management frameworks with an intuitive user interface and mobile-friendly design for easy monitoring and control.

Objectives:

1. **IOT Sensor Integration:**
Deploy and integrate IoT sensors in smart bins to monitor waste levels and categorize waste types.
2. **Data Preprocessing and Management:**
Develop robust data pipelines to handle real-time data streams, ensuring data quality through cleaning, normalization, and anomaly detection.
3. **Machine Learning Model Implementation:**
Implement machine learning models to predict waste patterns, optimize collection schedules, and enhance waste categorization.
4. **Optimization of Collection Routes:**
Use predictive analytics and routing algorithms to optimize garbage truck routes based on real-time and historical data.
5. **Performance Evaluation:**
Evaluate system performance using metrics such as collection efficiency, operational cost reduction, and environmental impact minimization.
6. **User Interface and Experience:**
Design and develop a user-friendly web and mobile interface for monitoring system performance and accessing insights.

1.5 Scope and Limitation

Scope:

The project's scope encompasses the development of a smart waste management system, including hardware integration, predictive modeling, and route optimization.

Limitations:

- The accuracy of predictions depends on the quality and reliability of data collected from sensors.
- External factors such as weather, policy changes, or unexpected events may influence waste patterns.
- The project's effectiveness relies on sufficient sensor coverage and consistent data flow.

- Limitations in dataset size or diversity may affect model generalizability.

1.6 Related Work

This section highlights prior techniques and advancements related to smart waste management systems. Traditional waste management practices have long relied on static schedules and manual oversight. However, these methods often result in inefficiencies such as overflowing bins, premature collections, and unnecessary resource expenditure.

The initial documented efforts in modern waste management were focused on developing sensor-based monitoring systems. Early studies explored the potential of using ultrasonic sensors to monitor bin fill levels. For instance, Al Mamun et al. (2016) introduced a system that provided real-time monitoring and automated alerts for waste collection.

A significant turning point in the field was the introduction of IoT-enabled systems. IoT technologies revolutionized waste management by facilitating real-time data collection and remote monitoring. The works of Folianto et al. (2015) demonstrated how IoT devices could be integrated into urban environments to improve waste collection efficiency.

More recently, machine learning techniques have been employed to optimize waste management processes. Predictive models have been developed to anticipate waste accumulation patterns, allowing for dynamic scheduling of waste collection. For example, Hannan et al. (2018) successfully applied machine learning algorithms to optimize the routes of garbage trucks, reducing operational costs and emissions.

The integration of machine learning with IoT has led to the development of sophisticated systems that can predict waste fill levels and recommend optimal collection times. Mittal et al. (2020) applied neural networks to predict waste generation in smart bins, achieving significant improvements in prediction accuracy.

Ensemble methods, such as Random Forest and Gradient Boosting, have also gained traction in the field. Studies by Khanna and Anand (2019) and Zhao et al. (2021) have shown that ensemble models can enhance the precision of waste level predictions and improve the overall efficiency of waste management systems.

The "TrashTrack" project builds on these advancements, aiming to develop a comprehensive solution that integrates IoT sensors, machine learning, and real-time analytics. By leveraging these technologies, the project seeks to address key challenges in waste management and contribute to sustainable urban development.

1.7 System Specifications

This section describes the hardware components and software requirements needed for effective and efficient running of the system.

Table: 1 Hardware Requirements

In this table we explained the hardware requirement of the project.

SL	Hardware	Specification
01	Processor	2.4 GHz Processor speed
02	Memory	8 GB RAM (recommended)
03	Disk Space	500 GB (HDD or SSD)

Table: 2 Software Requirements

In this table we explained the hardware requirement of the project

S L	Software	Minimum System Requirement
1	Operating System	Windows 10, 11, MacOS 11 or later, Linux (Ubuntu 20.04 or higher)
2	Runtime Environment	Jupyter Notebook, Visual Studio Code
3	Programming Languages	Python, Javascript
4	IoT & Integration Tools	Arduino IDE, MQTT protocol, Node-RED (for IoT sensor integration)
5	Database	SQLite

2. PROBLEM FORMULATION

Effective waste management is crucial for maintaining a clean and sustainable urban environment. However, existing systems in both developed and developing countries face numerous challenges that hinder efficient waste collection and disposal. **TrashTrack**, a smart waste management solution, addresses these challenges by integrating IoT-enabled smart bins, real-time monitoring, and route optimization.



Fig. 1: Municipal Garbage bin turned into a wasteland injurious to health

Below is an expanded problem formulation highlighting the limitations of traditional waste management systems:

1. Uncollected Wastes Leading to Drain Blockages

Uncollected garbage frequently ends up in drains, causing blockages that lead to urban flooding and unsanitary conditions. This promotes the growth of harmful bacteria and exacerbates public health crises during rainy seasons. **TrashTrack** ensures timely waste collection through real-time monitoring and automated notifications to waste collection teams.

2. Stray Animals Feeding on Waste

Open waste bins attract stray animals such as cows and dogs. These animals consume harmful materials like plastic along with organic waste, leading to severe health issues and even death. Contaminated milk from cattle poses risks to human health. **TrashTrack's** automated lid mechanism keeps bins securely closed, preventing animals from accessing harmful waste.

3. Disease Spread by Flies and Mosquitoes

Flies and mosquitoes breed in decomposing waste, acting as vectors for diseases like malaria and dengue. **TrashTrack** tackles this by ensuring regular waste collection and maintaining clean bin surroundings, reducing breeding grounds for disease-carrying insects.

4. Rats in Waste Dumps

Rats thrive in waste dumps, spreading diseases, spoiling food, and causing structural damage by chewing electrical cables. **TrashTrack's** smart monitoring system ensures bins are emptied promptly, preventing waste accumulation and eliminating potential rat habitats.

5. Air Pollution from Open Waste Burning

The open burning of waste releases toxic pollutants, including hazardous dioxins. **TrashTrack** minimizes waste accumulation through optimized collection schedules, reducing the likelihood of open burning.

6. Airborne Pathogens and Fungal Spores

Aerosols and dust from decomposing waste can carry harmful fungi and pathogens, posing respiratory risks. **TrashTrack's** smart bins securely contain waste, limiting exposure to airborne contaminants.

7. Degraded Urban Environment

Uncollected waste degrades urban aesthetics and discourages community efforts to maintain cleanliness. **TrashTrack's** centralized monitoring system ensures bins are regularly emptied, improving urban environments and fostering community well-being.

8. Occupational Hazards for Waste Collection Workers

Waste collection workers face risks such as injuries from sharp objects and exposure to harmful pathogens. **TrashTrack** automates waste collection processes, reducing direct human intervention and enhancing worker safety.

9. Hazardous Gas Emissions and Climate Impact

Decomposing waste in unmanaged landfills emits methane, a potent greenhouse gas. **TrashTrack** optimizes waste disposal methods, reducing landfill dependency and mitigating greenhouse gas emissions.

Route Optimization Challenges

10. Inefficient Waste Collection Routes

Without real-time data, waste collection often follows predefined, static routes, leading to increased fuel consumption, operational costs, and delayed service. This inefficiency contributes to missed pickups, resulting in overflowing bins and unsanitary conditions. **TrashTrack's** route optimization algorithms dynamically adjust collection routes based on bin fill levels and traffic conditions, ensuring efficient and timely waste collection.

11. Inadequate Response to Emergency Situations

Current systems lack the capability to respond quickly to emergency scenarios such as truck breakdowns, accidents, or unexpected delays. This results in prolonged waste accumulation at certain points, exacerbating health and environmental risks. **TrashTrack** provides immediate alerts and

alternative route suggestions for such situations, minimizing downtime and maintaining service continuity.

Bin Fill-Level Monitoring Challenges

12. Inaccurate or Delayed Bin Status Updates

In traditional systems, waste collection schedules are often fixed and not based on real-time bin usage. This leads to either underfilled bins being collected (wasting resources) or overfilled bins causing overflow and littering. **TrashTrack's** IoT-enabled smart bins monitor fill levels in real-time, updating the system to prioritize high-fill bins and optimize collection schedules accordingly.

13. Scattered Waste Around Bins

Overflowing bins result in waste scattering around the collection points, contributing to environmental pollution and making manual collection more time-consuming. **TrashTrack's** system not only tracks the bin fill levels but also uses predictive algorithms to prevent overflow by notifying waste collectors in advance.

14. Lack of Data-Driven Insights for Forecasting

Traditional systems do not provide data for analyzing waste generation patterns, making it difficult to plan efficient collection strategies. **TrashTrack** collects and analyzes data on bin usage, waste generation trends, and collection timings to provide actionable insights, allowing for better resource allocation and long-term planning.




Fig. 2: Waste Managment Hierarchy

3. PROPOSED SOLUTION

To address the challenges in waste management, **TrashTrack** provides an innovative solution with two main components: **Smart Bins** and a **Centralized Monitoring and Route Optimization System**. Together, these components aim to revolutionize waste collection and management by ensuring timely pickups, efficient routing, and data-driven decision-making.




Fig. 3: Real Time Monitoring System

3.1 Smart Bins

The first component of TrashTrack focuses on the deployment of **IoT-enabled smart bins** designed to automate waste collection and management at the source. These smart bins are equipped with various sensors and automated mechanisms to tackle the inefficiencies of traditional waste bins.

Key Features and Functionalities

1. Real-Time Waste Level Monitoring

Each smart bin is equipped with **ultrasonic sensors** to measure the waste level inside the bin. The sensor data is sent to a centralized system, enabling real-time monitoring of bin status. This prevents waste overflow and ensures timely collection.

2. Automated Lid Mechanism

The bins feature an **automated lid** that opens and closes based on proximity sensors or manual input through mobile applications. This ensures a **touch-free waste disposal experience**, reducing health risks associated with handling public bins.

3. Overflow Prevention Mechanism

Once a bin reaches its full capacity, the lid will remain closed until the bin is emptied. This prevents further waste from being added and ensures cleaner surroundings.

4. Emergency Bins

Each smart bin location is equipped with a **reserve ordinary bin** for emergency usage in case the smart bin is full or undergoing maintenance. This prevents disruptions in waste disposal services.

5. Environmental Sensors

Smart bins can be equipped with **moisture and gas sensors** to detect the type of waste (e.g., organic, recyclable) and monitor for hazardous gases like methane, ensuring safety and enabling waste segregation at the source.

3.2 Centralized Monitoring and Route Optimization System

The second component of TrashTrack focuses on **centralized monitoring** and **dynamic route optimization** for waste collection vehicles. This system ensures efficient management of resources and minimizes operational costs.

Key Features and Functionalities

1. Real-Time Bin Monitoring via Web Platform

A **centralized web platform** displays real-time data from all smart bins, including fill levels, status, and environmental conditions. This allows waste management authorities to make informed decisions about collection priorities and schedules.




Fig. 4: System framework

2. Dynamic Route Optimization

The system uses **machine learning algorithms** and **traffic data** to calculate the most efficient routes for waste collection vehicles. This reduces fuel consumption, operational costs, and travel time, ensuring timely waste collection while minimizing environmental impact.

3. Emergency Response System

In case of emergencies such as **vehicle breakdowns** or **accidents**, the system dynamically

reassigns routes and sends alerts to nearby trucks for quick resolution. This ensures continuity of service and minimizes delays.

4. Predictive Analytics and Forecasting

The system collects historical data on waste generation patterns and uses **predictive analytics** to forecast waste levels in different bins. This enables proactive planning and prevents bins from overflowing during peak periods.

5. Smart Notifications and Alerts

Notifications are sent to collection teams via mobile applications or SMS when a bin is near capacity or requires immediate attention. This ensures prompt action and maintains cleanliness in public areas.

6. Waste Collection Tracking and Reporting

The platform provides detailed reports on waste collection, including metrics such as total waste collected, average fill levels, collection times, and vehicle performance. This helps authorities evaluate the system's efficiency and identify areas for improvement.




Fig. 5: Flowchart for smart waste management

Summary of Proposed Solution

The combination of **Smart Bins** and a **Centralized Monitoring and Route Optimization System** in **TrashTrack** provides a comprehensive solution to existing waste management challenges. By automating waste monitoring and optimizing collection routes, the system ensures:

- **Timely waste collection**
- **Minimized environmental impact**
- **Improved public health**
- **Efficient resource utilization**

This integrated approach positions TrashTrack as a vital tool for building sustainable and smart cities.

4. SYSTEM SPECIFICATIONS

The TrashTrack system incorporates a combination of advanced hardware and software components to ensure seamless functioning, real-time monitoring, and efficient waste management. Below are the hardware and software requirements essential for developing and operating the system:

4.1 Hardware Requirements

The following hardware components are utilized to implement the **Smart Bins** and **Centralized Monitoring System**:

1. **Solar Panel, Solar Controller, Battery Pack & Regulation Circuit**
 - Powers the smart bins sustainably with renewable energy.
2. **Arduino Mega**
 - Serves as the primary microcontroller for data processing and communication between sensors and modules.
3. **Servo Motor with Motor Driver & Metallic Gear**
 - Controls the opening and closing of the smart bin lid, ensuring automated and touch-free operation.
4. **PIR Sensor (Passive Infrared Sensor)**
 - Detects human motion near the bin to automatically open the lid for waste disposal.
5. **Ultrasonic Sensor (US Sensor)**
 - Measures the fill level of the bin to provide real-time waste level data.
6. **LCD Display**
 - Displays bin status, such as waste level percentage, for public awareness and maintenance personnel.
7. **GSM Module with SIM**
 - Facilitates communication between the smart bin and the centralized monitoring system, ensuring real-time data transfer.
8. **E32-TTL-100 LoRa Module**
 - Provides long-range, low-power communication between bins and the central hub for effective data transmission.
9. **Automated Vehicle Locating System (AVLS)**
 - Tracks the real-time location of waste collection vehicles for route optimization and monitoring.
10. **Robot Car Kit**

- Utilized in prototypes for automated waste collection and delivery systems in certain environments.

4.2 Software Requirements

The TrashTrack system relies on the following software tools and frameworks for its operations:

1. **HTML, CSS, JavaScript, and Python (Django) - Based Web Application**

- Develops the user interface for centralized monitoring and control.
- Enables smooth interaction with real-time data, notifications, and system settings.

2. **SQLite Database**

- Stores historical data related to bin fill levels, collection schedules, and vehicle routes for analysis and reporting.

3. **Open Street Map API**

- Facilitates **route optimization** by integrating real-time traffic data and mapping capabilities into the centralized monitoring system.
- Provides location tracking for bins and vehicles, enabling efficient navigation and resource allocation.

5. DESIGN AND IMPLEMENTATION

The TrashTrack system incorporates a comprehensive solution for smart waste management by leveraging **wireless sensor networks (WSN)** and a centralized **web-based monitoring system**. The system is divided into two key components: **Smart Bins** and a **Monitoring System**. Below is an in-depth explanation of the system's design and implementation:

5.1 Smart Bins

The implemented **smart waste bins** interface with an **Arduino Mega microcontroller**, enabling automation and real-time waste monitoring. TrashTrack converts conventional dustbins into **smart bins** by integrating sensors and communication modules.

- **Garbage Level Detection & Touch-Free Operation:**
 - **Ultrasonic Sensors (US Sensors):** Measure the garbage fill level inside the bin.
 - **PIR Motion Sensors:** Detect human presence near the bin to automate the lid-opening process.
 - **Servo Motor:** Automatically opens and closes the lid to maintain hygiene and prevent manual contact with the bin lid.
- **Status Display with LEDs and LCD:**
The bin displays its current status on an **LCD screen** and through **LED indicators** for better visibility:
 - **Green LED:** Indicates an empty bin (0% full).
 - **Yellow LED:** Indicates a semi-full bin ($\geq 50\%$ full).
 - **Red LED:** Indicates a full bin ($\geq 90\%$ full), preventing further use until emptied.

Condition	Threshold	LED Indicator	LCD Display	SMS Sent	Description
Empty	0%	Green	The bin is empty.	No	Ready for use.
Semi-Full	$\geq 50\%$	Yellow	The bin is semi-full.	No	Ready for use.
Full	$\geq 90\%$	Red	The bin is full.	Yes	Use another bin.

- **Fill-Level Logic:**

When the bin reaches 90% capacity, the lid remains closed to prevent overflow. A **red LED** is triggered, and an **SMS notification** is sent to the control station.




Fig. 6: Block diagram of the implemented smart bin

5.2 SMS Notification System

The **SMS notification system** integrated into each smart bin ensures real-time communication with the centralized control station:

- **Bin Alerts:** Sends an SMS when the bin is full, including information like **bin ID**, **location**, and **status**.
- **Customer Complaints Module:** Users can report uncollected waste via an SMS-based complaint system.

A **GSM module** is used for this communication. It supports SMS, data transfer, and remote control over GSM networks, ensuring robust connectivity even in remote areas.




Fig. 7: Illustration of an automated smart waste management system framework for the smart city

5.3 Control Station

The **Control Station** serves as the central hub for monitoring and managing all smart bins and waste collection vehicles:

- **Centralized Monitoring System:**

A **web application** provides a **real-time GUI** for waste bin monitoring. This application is accessible via any internet-enabled device.

- **Front-End:** Built using **HTML**, **CSS**, and **Bootstrap** for responsive and user-friendly design.

- **Back-End:** Developed using **PHP**, with **MySQL** for data storage and management.

- **Data Processing:**

Smart bins transmit data, including **bin ID**, **fill level**, **timestamp**, and **status**, to the control station using the **LoRa E32-TTL-100 module**. This data is processed and stored in the database.

- **Shortest Route Optimization:**

The control station integrates a **shortest route-finding system** using the **Google Maps API**. The system generates optimized routes for waste collection vehicles (WCs), considering real-time traffic data to minimize fuel consumption and time.

- **Automated Vehicle Locating System (AVLS):**

AVLS leverages **GPS technology** to track the real-time location of waste collection vehicles. Admins can monitor the vehicles through the web application, ensuring timely waste collection and disposal.

System Integration

By combining the **Smart Bins** with a **Monitoring System**, TrashTrack offers a robust and efficient solution for waste management:


- **Real-Time Monitoring:** Provides live updates on bin statuses and collection vehicle locations.
- **Automated Alerts:** Ensures timely notifications to the authorities.
- **Route Optimization:** Reduces operational costs and environmental impact by optimizing waste collection routes.

The TrashTrack system is a step forward in addressing urban waste management challenges, enhancing operational efficiency, and promoting sustainability.

6. WEBSITE USER INTERFACE

6.1 Login Page

The **Login Page** of the TrashTrack website provides secure access for authorized users, including administrators, companies, and staff. It authenticates credentials such as usernames and passwords, ensuring data privacy and protection. The page is designed to be responsive across all devices and includes features like error handling for invalid inputs. This ensures a seamless and secure user experience for accessing the platform's features.



6.2 Home Page

- **Hero Section:** Highlights the **Smart Waste Management System**, emphasizing sustainability with the tagline "Redefining Waste with Intelligence, for a Cleaner, Greener World."
- **Smart Bins:** Showcases advanced bins equipped with IoT sensors for monitoring waste levels and optimizing collection.
- **Bin Monitoring:** Displays features for real-time tracking of bin statuses with color-coded alerts (Green: Empty, Yellow: Half-Full, Red: Full).
- **Route Optimization:** Highlights smart garbage truck routing to enhance efficiency and reduce operational costs.
- **Company Portal:** Encourages companies to register for TrashTrack, providing tools for better waste management and sustainability tracking.
- **Explore Section:** Interactive content that explains the system's functionality and benefits for various stakeholders.
- **Review Section:** Features testimonials from users who have benefited from TrashTrack, building trust and credibility.
- **Footer Section:** Includes subscription options, company details, and links to support, privacy policies, and contact information.



More than 400 tons CO2 saved with TRASHTRACK

"Trashtrack is an innovative waste management and monitoring platform designed to transform waste collection and transportation through data-driven insights and predictive analytics. By utilizing real-time data and smart forecasting, Trashtrack helps you achieve sustainability goals, lower carbon emissions, and minimize environmental impact—empowering cities and businesses to create cleaner, greener communities."

WE ARE COLLECTING THE WASTE SMARTLY TO MAKE FUTURE GREEN!



Smart Bins

We provide advanced smart bins designed for efficient waste management. These bins are equipped with sensors to monitor real-time waste levels and segregate different types of waste automatically. Updates are sent to our centralized platform, ensuring timely collection and proper disposal. Our smart bins help reduce overflow, minimize pollution, and support sustainability goals, making them the perfect solution for cleaner, smarter communities.


We provide a live tracking system for waste bins to ensure efficient waste management. This system monitors real-time bin fill levels using advanced sensors and displays updates on our centralized platform. Notifications are sent instantly when bins reach predefined thresholds, ensuring timely collection and preventing overflows. Our live tracking solution helps optimize routes, reduce costs, and support sustainability goals, making waste collection smarter and more effective.

Bin Monitoring



Route Optimization

We provide a route optimization system for garbage trucks to enhance efficiency. This system uses real-time data to determine the shortest and most effective routes for waste collection, minimizing travel time and fuel consumption. It also tracks the current location of vehicles, ensuring smooth operations and better coordination. Our route optimization solution helps reduce costs, improve productivity, and support sustainability goals, making waste management smarter and more streamlined.





Route Optimization

We provide a route optimization system for garbage trucks to enhance efficiency. This system uses real-time data to determine the shortest and most effective routes for waste collection, minimizing travel time and fuel consumption. It also tracks the current location of vehicles, ensuring smooth operations and better coordination. Our route optimization solution helps reduce costs, improve productivity, and support sustainability goals, making waste management smarter and more streamlined.

WE CAN HELP YOUR COMPANY TO

Save Money

Saving up to 40% on logistics costs

Save Time

Simplifying your daily activities

ENVIRONMENTAL Reduce your carbon footprint

Lowering CO2 emissions up to 30%

EXPLORE



REVIEW

"The route optimization and live tracking features on TrashTrack have greatly improved our waste collection process. It's super convenient!"

Abhishek Sharma

"TrashTrack has made waste management so much easier with real-time monitoring and instant notifications. The website is user-friendly!"

Saurabh Singh

"Tracking bin fill levels and receiving alerts is a breeze. TrashTrack makes waste collection more efficient and smarter! Really like this website!"

Rishabh Sharma

Stay up to date with **TRASHTRACK**

SUBSCRIBE

**TRASH
TRACK**

TrashTrack optimizes waste management with real-time data, reducing emissions and supporting greener communities.

TT SRL

Via Lunga, 5/1b
25028 Brescia (BS)
Italy

TT MONITORING LLC


400 SR 434, Ste.
302A, Oviedo, FL 32765
USA

[Support](#) [Contact](#) [Privacy Policy](#) [Cookie Policy](#)

© 2024 trashtrack. All Rights Reserved.


6.3 Smart Bin Monitoring Page

- **Hero Section:** Introduces the **Smart Bins Monitoring** system, highlighting its capabilities to track real-time waste bin levels and provide actionable insights for efficient waste collection.
- **Real-Time Tracking:** Displays all bins with their specific types (e.g., organic, recyclable, hazardous) and locations.
- **Fill Level Indicators:** Shows color-coded circular progress bars representing the current fill level for each bin:
 - Green: Low (e.g., 20%).
 - Yellow: Medium (e.g., 55%).
 - Red: High or Full (e.g., 95%).
- **Bin Details:** Includes each bin's location, type, and current fill percentage for precise and informed decision-making.
- **Footer Section:** Provides quick links to contact, privacy policies, and company details, ensuring easy navigation and access to support.




6.4 Vehicle Tracking Page

- **Hero Section:** Introduces the **Vehicle Tracking** system, emphasizing real-time monitoring of fleet locations and statuses. The section highlights features like tracking active vehicles and optimizing fleet performance.
- **Real-Time Vehicle Data:** Displays a list of vehicles, each identified by a unique ID, along with detailed information such as location and status.
- **Status Indicators:** Provides current status updates for each vehicle:
 - **Idle:** The vehicle is stationary.
 - **On Route:** The vehicle is actively moving.
 - **Collecting:** The vehicle is engaged in waste collection.
- **Last Updated Information:** Each vehicle card includes a timestamp for the most recent status update, ensuring users have up-to-date information.
- **Footer Section:** Includes quick links for support, contact details, privacy policies, and company information.



6.5 Dumping Area Page


- **Hero Section:** Introduces the **Dumping Area** management system, highlighting real-time tracking of waste types and quantities collected.
- **Waste Type Details:** Displays categorized waste types (e.g., organic, recyclable, hazardous) along with their corresponding quantities.
- **Real-Time Updates:** Provides up-to-date information on waste collection, including the last updated timestamp for each waste type.
- **Efficient Monitoring:** Helps users analyze waste accumulation trends for better management and sustainability efforts.
- **Footer Section:** Contains support links, privacy policies, and company information for seamless navigation and assistance.



6.6 Company Portal Page



- **Hero Section:** Highlights the **Company Portal**, inviting companies to register on TrashTrack for efficient waste management solutions.
- **Sign-Up Form:** Includes a dedicated form for companies to create an account and join the platform.
- **Registered Companies:** Displays a list of registered companies along with their details, such as name, contact information, and registration date.

- **Streamlined Access:** Facilitates seamless onboarding and provides an overview of company participation in the waste management network.
- **Footer Section:** Provides links to support, privacy policies, and company information for easy navigation and assistance.




6.7 Map Page Summary

- **Hero Section:** Introduces the **Map Page**, providing tools to visualize bin locations across various areas.
- **Interactive Map:** Displays a satellite map view, allowing users to locate bins in real-time with precise geographic accuracy.
- **Static Map View:** Includes a simplified, static map option for quick reference of bin positions without real-time updates.
- **Bin Details:** Users can view bin types, locations, and statuses directly on the map for informed decision-making.
- **Footer Section:** Offers quick links for support, privacy policies, and company details, ensuring easy navigation and assistance.



6.8 Administrative Portal Page Summary

- **Hero Section:** Introduces the **Administrative Portal**, providing complete control and management of backend data for TrashTrack.
- **Comprehensive Dashboard:** Allows administrators to manage and monitor all data related to bins, users, vehicles, and waste collection.
- **Bin Management:** Provides detailed insights into bin statuses, locations, fill levels, and maintenance schedules.
- **User and Company Management:** Displays registered users and companies, enabling administrators to manage accounts and permissions.
- **Vehicle Tracking and Data:** Includes tools to track vehicles, view routes, and analyze operational data for optimization.
- **Efficient Data Control:** Enables real-time updates, analytics, and reporting for streamlined waste management.



7. RESULTS & INTERPRETATIONS

The proposed TrashTrack system has been full implemented and tested, demonstrating its efficiency in managing waste through smart bins and a centralized monitoring system. Below is a detailed explanation of the experimental setup, results, and their implications.

7.1 System Implementation and Setup

The TrashTrack system consists of five **smart bins** strategically placed in different locations within a test area. Each bin is equipped with **sensors**, **LED indicators**, and an **LCD display**, all interfaced with an **Arduino Mega** microcontroller. A reliable **power source** supplies the required DC power to each bin for seamless operation.

- **Figure 8** illustrates the circuit configuration of the implemented smart bin. All modules, including sensors, LEDs, and communication components, are connected to the microcontroller.



Fig. 8: Circuits inside an implemented Smart Bin

7.2 Smart Bin Functionality and Fill Level Indicators

The smart bins efficiently detect and communicate their fill levels:

- **Green LED:** Indicates that the bin is empty (0% full).
- **Yellow LED:** Turns on when the bin is semi-full ($\geq 50\%$ full).
- **Red LED:** Lights up when the bin is full ($\geq 90\%$ full) and locks the lid to prevent further use.

The fill level status is also displayed on the **LCD screen** for visual confirmation. Figure 9 showcases the different LED indicators in action based on the bin's status.




Fig. 9: Empty, half loaded and full loaded condition of the smart bin indicated by (a) Green, (b) Yellow, and (c) Red LED respectively

7.3 SMS-Based Notification System

The system's SMS module enables real-time notifications to the control station:

- When a bin reaches 90% capacity, an SMS is sent with details like **bin ID** and **location**.
- **Figure 10** shows a snapshot of an SMS received from **Smart Bin 1 (SB1)**, indicating its full status.




Fig. 10: Admin received SMS at control station from Smart Bin1 (SB1) during full loaded condition

This ensures that the control station is promptly informed of bins requiring immediate attention.

7.4 Real-Time Monitoring and Web Application

The TrashTrack web application provides a graphical interface for monitoring bin statuses:

- **Figure 11** presents a **progress bar chart** that visually represents the fill levels of all five smart bins:
 - SB1, SB3, SB4, and SB5 are full.
 - SB2 is semi-full.
- The application allows administrators to view detailed information, including bin ID and location, by clicking the **View Details** button next to each bin's progress bar.
- **Figure 12** shows the system's ability to generate **filling alerts** on a map when a bin is 90% full. These alerts provide both visual and text-based notifications for effective monitoring.



Fig. 11: Real time filling level status of the smart bins at the control station



Fig. 12: Filling alert notifications from different smart bins at the control station

7.5 Route Optimization for Waste Collection

A key feature of the TrashTrack system is its ability to optimize waste collection routes:

- When bins are near capacity, the system processes data and uses the **Google Maps API** to calculate the **shortest route** for waste collection vehicles.
-

- **Figure 13** displays the optimized route, which can be viewed by waste collectors on their smartphones. This reduces travel time and fuel consumption, ensuring efficient waste collection.




Fig. 13: Shortest route map generation for the waste collectors

7.6 Waste Collection Monitoring and Tracking

The TrashTrack system employs **Automated Vehicle Locating System (AVLS)** for real-time tracking of waste collection vehicles:

- **Figure 14** illustrates the status of two waste collection vehicles (WCs):
 - **WC1** is actively collecting waste, following the optimized route.
 - **WC2** is idle at the vehicle garage.



Fig. 14: Real time tracking of collection and disposal activities

The control station continuously monitors these activities to ensure smooth operations. The admin can track the vehicles, monitor collection and disposal activities, and make real-time decisions for improved efficiency.

DISCUSSION

The experimental results demonstrate that TrashTrack significantly enhances waste management through the integration of smart technology. Key observations include:

1. **Efficient Communication and Alerts:**

The dual notification system (SMS and web alerts) ensures that bin statuses are promptly communicated to the control station.

2. **Optimized Waste Collection:**

The route optimization feature minimizes travel time and operational costs, improving the overall efficiency of waste collection.

3. **Real-Time Monitoring:**

The web application provides an intuitive interface for monitoring bin statuses and vehicle locations, enabling quick decision-making.

4. **Automation and Hygiene:**

The smart bins' automated lid system reduces manual interaction, promoting hygiene and preventing the spread of diseases

8. FUTURE PLANS

Building on the success of the TrashTrack project, several enhancements and expansions are planned to ensure the system remains a cutting-edge solution in waste management. These include:

1. **Enhanced Data Analytics and Machine Learning Integration**

Future iterations will incorporate advanced data analytics and machine learning algorithms to predict waste generation patterns. This predictive capability will optimize waste collection schedules, minimize fuel consumption, and enhance operational efficiency.

2. **Integration of Renewable Energy Sources**

To further reduce the carbon footprint, future TrashTrack bins will be equipped with renewable energy sources such as solar panels. This will ensure the system remains energy-efficient and sustainable, even in remote areas.

3. **IoT Expansion and Interoperability**

The system will be expanded to include additional IoT-enabled sensors for monitoring parameters such as temperature, humidity, and hazardous waste levels. This will enable better waste segregation and disposal, aligning with environmental safety standards.

4. **Mobile Application for User Engagement**

A dedicated mobile application will be developed to allow users to interact with the system. Features will include real-time bin status updates, waste disposal guidance, and the ability to report maintenance issues or missed collections directly to municipal authorities.

5. **Deployment of AI-Driven Waste Sorting**

Future developments will include the integration of AI-powered robotic arms within the smart bins for automatic waste sorting. This will improve the segregation of recyclable and non-recyclable materials at the source, streamlining waste processing and recycling efforts.

6. **Expansion to Rural and Semi-Urban Areas**

TrashTrack will extend its deployment to rural and semi-urban regions, addressing waste management challenges in these areas. Tailored solutions will be developed to meet the unique requirements of these communities.

7. **Collaborations and Public Awareness Campaigns**

The project plans to collaborate with government bodies, NGOs, and private sectors to scale its impact. Public awareness campaigns will be conducted to educate citizens about proper waste disposal practices and the benefits of smart waste management systems.

8. **International Expansion and Customization**

After achieving significant success domestically, TrashTrack aims to expand its operations globally, adapting the system to meet waste management needs in different countries. This will position the project as a leader in smart waste management solutions on an international scale.

By focusing on these future enhancements, TrashTrack aims to continuously evolve as a comprehensive, scalable, and sustainable solution, addressing both current and emerging waste management challenges effectively.

8. CONCLUSION

The **TrashTrack project** presents an innovative and efficient approach to tackling waste management challenges through the integration of smart technology. The primary feature of this system is the **trash compactor**, which optimizes waste handling by significantly reducing the volume of collected garbage. This compaction process not only increases the capacity of each bin but also decreases the frequency of waste collection, leading to reduced operational costs and environmental benefits. The compression ratio, a critical aspect of this system, ensures maximum efficiency, making it a key component of the project.

Another vital element of the TrashTrack system is the **GPS/GPRS module**, which forms the backbone of its smart functionalities. By enabling real-time monitoring and location tracking, this system empowers the municipal authorities with accurate and actionable data. The combination of compacting capabilities and advanced connectivity transforms conventional waste bins into **smart bins**, capable of autonomous operation and efficient communication with a centralized control system.

TrashTrack aligns with national initiatives like the **Swachh Bharat Mission**, contributing to cleaner and more sustainable urban environments. By improving waste collection efficiency, minimizing environmental impact, and promoting data-driven decision-making, this project provides a scalable solution to waste management challenges in smart cities. The integration of smart technology not only enhances the effectiveness of municipal operations but also offers a step forward in building a sustainable future for the nation.

In conclusion, the **TrashTrack Smart Bin System** exemplifies innovation in addressing critical societal challenges, paving the way for a cleaner and smarter India.

9. REFERENCES

- MDN Web Docs. (n.d.). “MDN Web Docs.” Retrieved from <https://developer.mozilla.org/>
- Python Software Foundation. (n.d.). “Python Documentation.” Retrieved from <https://docs.python.org/>
- Django Software Foundation. (n.d.). “Django Documentation.” Retrieved from <https://docs.djangoproject.com/>
- OpenStreetMap Foundation. (n.d.). “OpenStreetMap Wiki.” Retrieved from https://wiki.openstreetmap.org/wiki/Main_Page
- Smart Bin Model images from www.riverpublishers.com
- OpenAI. (n.d.). “OpenAI Chatgpt.” Retrieved from <https://chatgpt.com/>
- Pardini, K., Rodrigues, S. A. Kozlov, N., Kumar, V., & Furtado, V. (2019). “IoT-Based Solid Waste Management Solutions: A Survey.” *Journal of Sensors and Actuator Networks*, 1–25.
- Anagnostopoulos, T., Zaslavsky, A., Kolomvatsos, K., Medvedev, A., Amirian, P., & Morley, J. (2017). “Challenges and Opportunities of Waste Management in IoT-enabled Smart Cities: A Survey.” *IEEE Transactions on Sustainable Computing*, 275–289.
- Parkash, & Prabu, V. (2016). “IoT Based Waste Management for Smart City.” *International Journal of Research on Computer and Communication Engineering*, 4(2).
- Navghane, S. S., Killedar, M. S., & Rohokale, V. M. (2016). “IoT Based Smart Garbage and Waste Collection Bin.” *International Journal of Advanced Research in Electronics and Communication Engineering*, 5(5), 1576–1578.
- Jim, A. A. J., Kadir, R., Mamun, M. A. A., Nahid, A. A., & Ali, M. Y. (2019). “A Noble Proposal for Internet of Garbage Bins (IoGB).” *Smart Cities*, 2(2), 214–229.
- Alvaro, L., Caridad, J., De Paz, J., González, G. V., & Bajo, J. (2018). “Smart Waste Collection System with Low Consumption LoRaWAN Nodes and Route Optimization.” *Sensors*, 18(5), 1804–1282.
- Wijaya, H., Zainuddin, & Niswar. (2017). “Design of a Smart Waste Bin for Smart Waste Management.” *5th International Conference on Instrumentation, Control, and Automation (ICA)*, Indonesia, August, 62–66.
- Sharma, N., Singha, N., & Dutta, T. (2015). “Smart Bin Implementation for Smart Cities.” *International Journal of Science and Engineering Research*, 6(9), 787–791.