


SMART INDIA HACKATHON 2025




TITLE PAGE

- **Problem Statement ID –** 26202
- **Problem Statement Title-** Student Innovation (Open Innovation) — Ideas focused on the intelligent use of resources for transforming and advancements of technology with combining the artificial intelligence to explore more various sources and get valuable insights.
- **Theme-** Smart Automation
- **PS Category- Software/Hardware** Software
- **Team ID-**
- **Team Name (Registered on portal)** Code Blooded



Disha — it points, you click, and then it fades

Proposed Solution · Detailed explanation of the proposed solution




● How it addresses the problem

- Finishes the task without knowing the word “withdraw”.
- No paid intermediary, no travel, no second visit.
- Points instead of clicking — safe on Aadhaar and banking.

● Innovation and uniqueness of the solution

Two independent judgements must agree before you see green:

- **GREEN** model ≥ 0.80 and page ≥ 0.75
- **AMBER** best guess — check before clicking
- **RED** not sure — verify this one



Live capture — four dots, three screens, one goal typed in plain words.

Microsoft Copilot Vision already points at things. We do not claim to have invented that. Ours is the combination — exposed confidence, DOM + ARIA grounding, a scaffold that removes itself.

Technologies to be used

Manifest V3 extension

Vanilla JS · no build

DOM + ARIA

not the a11y tree

Model is pluggable

Gemini · OpenRouter · local

Vision fallback

GUI-Actor (MIT), documented

Methodology and process for implementation

1

Read the page

every control, its name and role

2

Ask the model

a compact text list, never a screenshot

3

Score it ourselves

on-device, from the page evidence

4

Both must agree

the weaker number becomes the colour

5

Draw one dot

the human clicks; we wait for the DOM


●

Working prototype, verified in a browser

- live grounding, colour bands, contingent fading, on-page ask bar, screen share with a real pause, offline mode. Vision fallback and the live-model green dot are next.

HOW DISHA DECIDES WHERE TO POINT

Two independent judgements must agree before the learner is shown a confident marker.



Runs on the learner's device The decision layer — our contribution Privacy boundary

The one thing to take from this diagram: everyone else asks a model where to click and believes the answer. Disha scores the page independently and requires both to agree — which is why its confidence means something, and why it can honestly say "I'm not sure."

Two independent judgements, and the boundary nothing crosses: only control names leave the device.

Analysis of the feasibility of the idea

Technical

running today, on portals
we do not control

Financial

free-tier model;
a local one costs zero

Operational

an extension — no
ministry
integration, no portal
change

Market

\$1,000 Azure credits
already in hand

Potential challenges and risks → Strategies for overcoming these challenges

Unlabelled / icon-only controls

→ page score drops → the dot goes red, never a silent guess

The model picks the wrong element

→ a glance wasted, not a transaction — the human always clicks

Users over-trust a confident dot

→ the fade removes the dot once they can do it alone

Copilot Vision already points

→ nobody else shows the confidence, or takes it away

The measured run · “i want to take my money out”

64%

Wallet

57%

Withdraw


51%

Amount field


75%

Confirm

Offline matcher, no model — capped below green by design. Accuracy is unmeasured; these four numbers are the only ones we quote.



The near-tie it refuses to guess — red at 51%, and the card saying why.



IMPACT AND BENEFITS

21%

of rural Indians 15–24 can
search, email and bank online
MoSPI CAMS 2022–23

11.4%

of connected households use
the internet for gov services
NCAER, June 2026

1 in 5

households using digital services
depend on help from outside
NCAER, June 2026

Potential impact on the target audience

Today

- Pays someone at a shop to click
- Travels, waits, comes back next week
- Learns nothing — same again next time



With Disha

- Finishes it themselves, at home
- One dot, in their own words
- After five clean runs the dot is gone

Benefits of the solution (social, economic, environmental, etc.)

Social

independence on services
people already qualify for


Economic

no per-visit intermediary,
no travel (CSC studies)


Educational

+0.47 SD active learning,
g = 0.74 spaced retrieval

Both learning figures validate the mechanism, not our product. It needs a browser and one install — that is the adoption cost.



The same task three times until the dot is gone.



Vidya Setu — the student practice portal, safe to fail in.

Details / Links of the reference and research work

1

The problem is real

MoSPI CAMS 2022–23

NSS 78th Round

NCAER, June 2026

PIB · MeitY

*21% ICT-skill · 1 in 5 households need
outside help*

2

The mechanism works

Freeman, PNAS 2014

Adesope 2017 · Latimier 2021

Renkl et al. — fading

Fitts 1954 · Wobbrock 2009

*+0.47 SD · $g = 0.74$ — validates the
mechanism, not our product*

3

The prior art

MS Copilot Vision

microsoft/GUI-Actor (MIT)

SeeClick · CogAgent · OSWorld

Lazar 2015 · Trewin 2014

*Pointing already ships. Exposed confidence
does not.*

4

Our own evidence

github.com/Saurabh0003M/SIH[deck/real-site-run.md](#)

Red Bull Basement 2026

*Code, recorded runs, licences — including
the ones we got wrong.*

● What these sources do NOT say

- **Accuracy is unmeasured.** 48.54 crore counts transactions, not citizens. 21% is a combined ICT-skill measure, not “cannot use a government website”. The learning figures validate the mechanism.

github.com/Saurabh0003M/SIH

the working prototype, the practice portal, every recorded run, and CONTRIBUTION.md — every borrowed repository with its licence and commit hash