

28th Feb
pastebin.com/raw/nffQZ67U

Basic Commands:

PATH:

- + Absolute [/home/natasha/Desktop]
- + Relative [Desktop]

pwd [print working dir]

cd [Change Dir]

cd path

cd .. [eg: cd ../../]

ls [List of dir contents]

pwd

/

ls /root/Desktop

mkdir dirname [Make Dir]

touch filename [To create a blank file]

cat > filename [To create a new file with text]

e.g: # cat > marvels

TEXT

[ctrl+d]-> save & exit

> [Standard output to the program]

< [Standard input to the program]

cat filename [To show the text of file]

cat >> file [Append the text in existing file.]

e.g: # cat >> marvels

TEXT2

[ctrl+d]-> exit

date

clear [To clear the screen/terminal] OR ctrl+I

COPY:

a) File to File:

cp srcFilename dstFilename

OR

cp -fv srcFilename dstFilename

[-f : Forcefully]

[-v : Verbose]View the process in detail.

b) File/Dir to Dir

cp -rfv srcFile/Dir dstDir

[-r : Recursive]*

-f : forcefully

-v : verbose

man cmd [Manual of command

e.g: # man mkdir



Edit with WPS Office

REMOVE:

a) A file:

rm filename
rm -fv filename

b) A dir:

rm -rfv dirname

MOVE: [cut n paste]

mv src dst

mv oldname newname

mkdir .dirname [Hidden Content]

ls -a [Show all content with hidden data]

whoami

echo "msg" : Print the msg on terminal

tty
/dev/pts/0

echo "LOL" > /dev/pts/1
echo "Darlings" > kiki
echo "Darlingssssss" >> kiki

alias: [command redirection]

check current alias:

alias

Create :

alias money='whoami'

Remove:

unalias money
=====

Variables:

- User defined var
- System Defined var

a=8

echo "\$a"

env variable:



Edit with WPS Office

```

-----
# env

# echo $HISTTIMEFORMAT

%d [Day]
%m [Month]
%y [Year]
%T [Time]

# export HISTTIMEFORMAT="%d-%m-%y %T "

-----
# history

=====
=====
28th Feb - pastebin.com/raw/gQL9mjtM

Find Data:
~~~~~
Syntax:
~~~~~
# find <where_to_find> -<attrib> <what_to_find>

1) NAME
~~~~~
# find . -name natasha
# find . -iname natasha
# find /home/edbda/ -iname "*.png"

2) SIZE:
~~~~~
k : KB
G : GB
M : MB

# find /home/edbda -size 2k
# find /home/edbda -size +2k
# find /home/edbda -size -2k
# find /home/edbda -size +2M -size -10M

3) TYPE:
~~~~~
# find /home/edbda -type f
# find /home/edbda -type d
# find /home/edbda -type f -iname "abc"

4) INDEX NUMBER:
~~~~~
# find /home/edbda -inum 45645456456

=====
=====
28th Feb - https://pastebin.com/raw/rrJLVkES

| (pipe sign)

```



.....

```
# cmd1 | cmd2
-o/p--->i/p
```

```
# cat filename
# wc -l filename
```

```
# cat data | wc -l
grep :
.....
```

To search string/pattern/regex

Syntax:
.....

```
# grep "string" filename
# grep "string1\|string2" filename
```

inverse grep:
.....

```
# grep -v "string1" filename
```

```
# grep -i "s" data
```

Metachar
.....

^ : Start of line
\$: End of line

```
# grep -i "^s" data
# grep -i "s$" data
```

Only Match
.....

```
# grep -o "string" filename
```

Before & After match
.....

```
# grep -B 1 "^i" data
# grep -A 1 "^i" data
# grep -A 1 -B 1 "^i" data
```

Pattern/Regex:
.....

[] : char class

```
[a-z]
[A-Z]
[0-9]
[a-zA-Z0-9]
```

Extended grep
grep -E
OR
egrep

[] : char class



```
{ } : range  
[a-z]{10}  
[a-z]{10,20}  
[a-z]{10,}
```

```
=====
```

28th Feb - <https://pastebin.com/raw/Lb4rVUpu>

1. How do you print the lines between 5 and 10, both inclusive

Answer: # head -10 filename | tail -6

2. Create a new file "new.txt" that is a concatenation of "file1.txt" and "file2.txt"

```
# cat file1.txt file2.txt > new.txt
```

3. What is the output of the following code:

```
os=Unix  
echo 1.$os 2."$os" 3.'$os' 4.$os
```

4. To feed standard output of one command to standard input of another in a single shell session. example?

|



Edit with WPS Office

5. Output of this command:

```
cat < file1 >> file2 | file3
```

Syntax error

update:

~~~~~

# apt update

Upgrade:

~~~~~

apt upgrade

Install:

~~~~~

# apt install package\_name

Uninstall:

~~~~~

apt autoremove package_name

\

Command line mode commands:

~~~~~

i : Take you to insert mode

Esc : Go back to command line mode

G : Take you to end of file.

yy : yanked (copy) the current line

nyy : yanked ( copy) n number of lines

p : paste

dd : cut the current line

ndd : cut n number of lines

u : undo

ctrl + r : redu

Last line actions:

~~~~~

:set nu : show line numbers

:set nonu : remove line numbers

:line_number : take you to specific line

/word : search a word

:%s/old_word/new_word : search and replace

:%s/old_word/new_word/g : search and replace

:w : save

:wq : save and quit

:q : quit

:w! :save forcefully

:q! :quit forcefully

:wq! :save and quit forcefully

=====



Edit with WPS Office

=====

1st Mar - <https://pastebin.com/raw/ABPdKE4B>

Basic Permissions: [File based]

1) Symbolic Method

=====

read: r

write : w

execute : x

user owner : u

group owner : g

Others : o

All : a

Assign : +

Remove : -

Overwrite : =

Permission Area:

--- : user owner

--- : group owner

--- : Others

ls -l

-rw-r--r-- 1 root root 43 Sep 23 01:56 file1

Default permissions for file:

read & write : u

read : g

read : o

Default permissions for dir:

read, write & execute : u

read & execute : g

read & execute : o

Change permissions in Symbolic method:

chmod u+rx file/dir

chmod u-r,g+rw,o-rwx file/dir

chmod u=rw file/dir

chmod ugo=r file/dir

chmod a=r file/dir

chmod +x file/dir



Edit with WPS Office

2) Numeric Method

read: 4
write : 2
execute : 1
Full : 7
No : 0

-- 000 0
r-- 100 4
-w- 010 2
-x 001 1
rwx 111 7

chmod 711 file/dir
chmod 111 dir -R
[-R : recursively]

