

Assignment 01

Name= Saurabh Bramhankar

Q.1 Hide all the paragraph elements having class='raman'.

```
<html>

<head><title>A1Q1</title>

<script src="jquery-3.6.1.min.js"></script>

<script>

$(document).ready(function(){

    $("button").click(function(){

        $("#raman").hide();

    });

});

</script>

</head>

<body bgcolor="lightblue">


<h><b>This is jquery program</b></h><br>

<p id="raman">Press following button to show how much u have knowledge
about jquery</p><br>

<button >click here</button>

</body>

</html>
```



Q.2 Write a jquery code to

1. Set the color of textbox as red when textbox gets focus.
2. Set the color of textbox as white when textbox lost focus.

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<script src="jquery-3.6.1.min.js"></script>
```


```
<script>
```

```
$(document).ready(function(){
```

```
    $("#p").on({
```

```
        mouseenter: function(){
```

```
        $(this).css("background-color", "red");
    },
    mouseleave: function(){
        $(this).css("background-color", "white");
    },
    });
});
</script>
</head>
<body bgcolor="lightblue">
<h><b>Text Box</b></h><br>
<input id="p" type="text"><br>
<input type="button" value="submit">
</body>
</html>
```



Q.3 Write a jquery code to

1. Set an alert with some message when you enter an element.
2. Set an alert with some message when you leave that element.

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<script src="jquery-3.6.1.min.js"></script>
```

```
<script>
```

```
$(document).ready(function(){
```

```
$("#sau").on({
```

```
    mouseenter: function(){
```

```
        alert("you are enter here");
```

```
    },
```

```
    mouseleave: function(){
```

```
        alert("you are exited");

    },

});

});

</script>


</head>

<body bgcolor="pink">

<p id="sau"><b> See the alert message </b></p>

</body>

</html>
```



Q.4 Write a jquery code to attach multiple events to a paragraph element.

- 1. mousedown:lightgray**
- 2. mouseup:lightblue**
- 3. mouseenter:yellow.**

```
<!Doctype html>

<head><title>A1Q4</title>

<script src="jquery-3.6.1.min.js"></script>

<script>

$(document).ready(function(){

    $("p").on({

        mouseenter : function(){

            $(this).css("background-color","lightgray");

        },

        mouseup: function(){

            $(this).css("background-color", "lightblue");

        },

        mousedown: function(){

            $(this).css("background-color", "yellow");

        },

    });

});


$(document).ready(function(){

    $("p1").on({

        mouseenter : function(){

            $(this).css("background-color","lightblue");
```

```
    },
    mouseup: function(){
        $(this).css("background-color", "red");
    },
    mousedown: function(){
        $(this).css("background-color", "green");
    },
});
});
</script>
</head>
<body bgcolor="pink">
<h><b>Hello Everyone this is mousefunction program</b></h>
<p>Enter your mouse here,please up the mouse,please down your mouse to
show some magic</p>
<p1>Same things do here as u perform on above paragraph</p1>
</body>
</html>
```



Q.5 Write a jquery code to animate a div section such that it should have:

1. Properties before animation: background: Red, height: 100px, width: 100px, position: absolute.

2. Properties after animation: left: 250px, opacity: 0.5, height: 150px, width: 150px

```
<!Doctype html>
```

```
<head><title>A1Q5</title>
```

```
<script src="jquery-3.6.1.min.js"></script>
```

```
<script>
```

```
$(document).ready(function(){
```

```
    $("button").click(function(){
```

```
        var sb = $("div");
```

```
        sb.animate({left:'250px', opacity:'0.5', height:'150px', width:'150px'}, "slow");
```



```
});
```

```
});
```

```
</script>
```

```
</head>
```

```
<body bgcolor="lightblue">
```

```
<button>Start Animation</button>
```

```
<p>This is animation program!</p>
```

```
<div style="background:red;height:100px;width:100px;position:absolute;"></div>
```

```
</body>
```

```
</html>
```

