ASSIGNMENT – 2

1.From datafile find the name age and department of all employees whose name starts with ‘s’ and ends with ‘a’.

Example:- awk '/^J/{ print $0 }' datafile

2. Print all records where the record ends with n.

3. Print all records that start with J and ends with n.

4. from ifconfig output find all IP addresses.

5. Replace all occurrences of 'll' with a single 'l'.
6. Replace a word that starts with H.
7. From the text TestT100String only extract the digits.

Bash Scripts

1.Write a Bash script to find the latest file in any given folder. The folder should be presented as a command line argument. Make a copy of the file and find the most occurring word in the file.

```
Jul 3  15:07
student@iteradmin-Vostro-3268: ~/Desktop/Saurav_2241013209
  GNU nano 7.2                    latest_file_word.sh
#!/bin/bash

# Take folder path from user input
folder=$1

# Find the latest modified file
latest_file=$(ls -t "$folder" | head -n 1)

# Copy the file to current directory
cp "$folder/$latest_file" latest_copy.txt

# Find the most repeated word in the file
tr -s '[:space:][:punct:]' '\n' < latest_copy.txt | grep -v '^$' | sort | uniq -c | sort -nr | head -n 1

^G Help      ^O Write Out   ^W Where Is   ^K Cut       ^T Execute    ^C Location   M-U Undo
^X Exit      ^R Read File   ^\ Replace    ^U Paste     ^J Justify    ^/ Go To Line M-E Redo
```

2. Write a Bash script to print the name of the the person who last logged into the system. From the home folder find out (if any) files for which this person is the owner. Can you find the total login time of this user?

```
Jul 3  15:22
student@iteradmin-Vostro-3268: ~/Desktop/Saurav_2241013209
/home/student/snap/snapd-desktop-integration/common/.cache/immodules/im-ti-er.so
/home/student/snap/snapd-desktop-integration/common/.cache/immodules/im-ipa.so
/home/student/snap/snapd-desktop-integration/common/.cache/immodules/im-ibus.so
/home/student/snap/snapd-desktop-integration/common/.cache/immodules/im-viqr.so
/home/student/snap/snapd-desktop-integration/common/.cache/immodules/im-ti-et.so
/home/student/snap/snapd-desktop-integration/common/.cache/immodules/im-fcitx.so
/home/student/snap/snapd-desktop-integration/common/.cache/immodules/im-xim.so
/home/student/snap/snapd-desktop-integration/common/.cache/immodules/im-cedilla.so
/home/student/snap/snapd-desktop-integration/common/.cache/immodules/im-cyrillic-translit.so
/home/student/snap/snapd-desktop-integration/common/.cache/immodules/im-inuktitut.so
/home/student/snap/snapd-desktop-integration/common/.cache/immodules/immodules.cache
/home/student/snap/snapd-desktop-integration/common/.cache/immodules/im-multipress.so
/home/student/snap/snapd-desktop-integration/common/.cache/immodules/im-waylandgtk.so
/home/student/snap/snapd-desktop-integration/common/.cache/immodules/im-broadway.so
/home/student/snap/snapd-desktop-integration/common/.cache/immodules/im-thai.so
/home/student/.bash_logout
/home/student/Downloads
/home/student/.ssh
/home/student/.ssh/authorized_keys
/home/student/Public
Total login time for student:
awk: run time error: negative field index $-1
        FILENAME="-" FNR=75 NR=75
3528 minutes
student@iteradmin-Vostro-3268:~/Desktop/Saurav_2241013209$
```

3. Write a Bash script to use find command to find the path of conf.d file. From the path replace all “/” symbols and replace them with “-” and print the path.



Jul 3 15:28
student@iteradmin-Vostro-3268: ~/Desktop/Saurav_2241013209
GNU nano 7.2
find_conf_d.sh
#!/bin/bash
# Find the conf.d file (first match)
path=$(find / -type f -name "conf.d" 2>/dev/null | head -n 1)
# Replace slashes with dashes
echo "$path" | sed 's/\//-/g'
[Read 7 lines]
^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location M-U Undo
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line M-E Redo