

src / Addnum / main



Project ▾
Addnum
Add C:\Users\LENOVO\IdeaProjects\Add
 > .idea
 > out
 > src
 Addnum
 Add.iml
 > External Libraries
 > Scratches and Consoles



Addnum.java
1 public class Addnum {
2 public static void main(String[] args)
3 {
4 //print the result
5 System.out.println("Output is :");
6
7 //loop to print 1 to 10.
8 for(int i = 1; i <= 6; i++)
9 {
10 System.out.println(i);
11 }
12 }
13 }
14


Run: Addnum

↑ Output is :
1
2
3
4
5
6

Process finished with exit code 0







PC0

Physical Config Desktop Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 100.100.100.101

Pinging 100.100.100.101 with 32 bytes of data:

Reply from 100.100.100.101: bytes=32 time=8ms TTL=128
Reply from 100.100.100.101: bytes=32 time=3ms TTL=128
Reply from 100.100.100.101: bytes=32 time=4ms TTL=128
Reply from 100.100.100.101: bytes=32 time=3ms TTL=128

Ping statistics for 100.100.100.101:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 3ms, Maximum = 8ms, Average = 4ms

C:\>ping 100.100.100.102

Pinging 100.100.100.102 with 32 bytes of data:

Reply from 100.100.100.102: bytes=32 time<1ms TTL=128
Reply from 100.100.100.102: bytes=32 time=6ms TTL=128
Reply from 100.100.100.102: bytes=32 time<1ms TTL=128
Reply from 100.100.100.102: bytes=32 time<1ms TTL=128

Ping statistics for 100.100.100.102:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 6ms, Average = 1ms

C:\>
```

Top

Toggle PDU List Window