C, Java, C++, Python
3rd → DSA
12 Programs → LAB → VTU
Someshekhar TPO [CSE]
10 → Programming
Freshers Telegram → [0-1]

Companies
TCS/IBM
DBIT
Ashank David
Experience Question
Pattern
(ISE)
A → 6/10
D → 5/10
C → 4/10

Telegram → Freshers Off Campus → Join
I1+I2 . . . . I10 [learn]
* ECE ⇒ printf, scanf
TCS
2010 → Assam
[Real] How?
*Underestimate → Career
BS → Implementation
↳ Question?
↓ Skills ← Recession → Lay off
Cost Cutting

Data Structures & Algos: → Why? job → ||4 years||
2006 C
C language PPT VTU JS
How much? ? DSA ← prerequisite SY
SJBIT BTECH
Salary MTECH → RV
F
| C | C++ |
| J | P |

C Language (Apple)
- * History of Programming:
- * Data Types
- * Variables | Identifiers | Keywords & Rules
- * Naming Conventions
- * Operators
- * Conditional Statements
- * Looping Statements
- * Jump statements
[DSA]

- * Functions
- * Pointers
- * Arrays
- * Array Pointers
- * DMA ****
- * Structures & Unions
- * Enumeration
- * Storage Classes
- * File Handling

C++

Stack → array
LinkedList → struct Node {
[Judge]***
[malloc, calloc, realloc, free]
}
Level
Scratch: Basics

C → TI F2F 1·0, 1·1, 1·2
1838 → 1st Computer Program → Ada Lovelace [MC + MP] →1 & 0 MLL
1942 → Denis Ritchie + team → A
A + modifications → B + changes → C → 1972
DBIT → Affiliation → NBA ✓ NAAC ✓ AICTE ✓
eng. degree Founded
Programming Language → valid/world → 1989
1st Std Version → ANSI - C
[American National Standards Institute]
C + (SIMULA) = C++
[flowcharts] B F T a
Denmark Bjarne Stroustrup
[OOP] Class object
C++, Java, P, Js

Python → 1991 → Guido van Rossum → 16 days
↳ Logic / Syntax X → ";" → Film Show → Monty Python Flying Circus
Java → 1995 → James Gosling
↳ C + C++ = Java
↓
Sun Microsystems
↓
Oracle
GD → Round
5mins → PLH

Practice: ⇒ ? You Logic
Interview → TCS | Acc
6LPA [50K] A C D Scenario Based Questions:
Alic..
60mins
Sk
Careers
ST1 → &
ST2 → &
Patience ?
Maths 24
coding 9
1month 5
30 × ? 30m
900 mins code ?
3 months [Code]

Social Media
YT → 4 h
S → 30m
f → 30m
L → 30m
I → 30 m
T → 10m
OTT →
N → 2
H → 1

2:00 hrs + JS 2:00 + 2hr → practice
3 6 → 18 S
2 Duration
2,3
errors
debugging
[Clean correct]

History: E, A, H
Sawan 2006



A D C
Sachin Kannada
HLL → MLL ←
10
Translate Bin Compiler HLL

```
#include <stdio.h>
int main()
{
 printf("Coders Arcade");
 return 0;
}
```

header file library
standard I/O lib
english
Source Code

→ .c → VS Code
HLL
Compile → gcc
C software mingw
Run ← 10101100 0000110 object
×
lib → I/O operation
executable file
.exe
Run → Results Human language

Compiler → Source Code → Object [ML code]
↳ One Go ↗
[Whole code] → file
Interpreter → Line by line
✓✓ Compiled Languages → C and C++ ↑ System-level Pointers (*)
✓✓ Both Compiled & Interpreted → Java & Python ↓ Application - level
No Pointers

Data Types in C: [r, g, o]

Primary
Integer
short, int, long
Floating
float, double
Character
char

Void
void

Enumerated
mon - sun (0 - 6)
jan - dec (0 - 11)
'enum' int → 0 to n-1
Named Constants
Application → Bugs
Priority
H, M, L → 1week
24 hrs 2-3days

Derived
Arrays
Pointers
Structures
Unions

Size & Range

Name	Size in (byte)s	Range / Interval
short	2 bytes	-128 to 127 ✓
int	4 bytes	-2^{31} to $2^{31}-1$ ✓
		INT-MIN INT-MAX
float	4 bytes	· 6 decimal places
double	8 bytes	· 12 decimal places
pointers	8 bytes	

BS ⇓ long

Variables, Identifiers, Keywords, Naming Conventions: →
int a = 10;
keyword variable identifier value operator terminating semicolon
CLION
VS code
Variable → Memory location or a container where we can store data based on the type of data.

Rules for naming variables: →
① no identifier names should be based on 'keywords'
int int = 10;
invalid
② no var name should start with numbers.
int 1age = 20;
invalid
③ no space gaps between variable names:
int my age = 32;
invalid
④ Underscore in between, before the name or $ dollar symbol before or after is allowed.
int my_age = 23;
int _myage = 23;
int $myage;
int myage$;
Valid

* Naming Conventions: → Standards 8822185799
① Camel Case | Mixed Case → rateOfInterest(); variables, functions → methods.
② Pascal Case | Capital Case → RateOfInterest(); Classes, Interfaces, Constants
③ Snake Case | Underscore Case → rate_of_interest(); ↳ Python
④ All caps → Constants → DOB
⇒ 8150 022 022

VS-Code ✓ | C-LION ✓ → 1month

C
T + Programs
Implementation
Solve
C#