Normally String is "Immutable", to create "mutable" strings we use two special classes in Java

java.lang

- **StringBuffer**
  - Thread Safe
  - Takes more time
- **StringBuilder**
  - Not Thread Safe
  - Takes less time

programming

!= ch = r

res = "po "

Anagrams

ARTICLE	SILENT	NIGHT
RECITAL	LISTEN	THING

DORMITORY

DIRTY ROOM

Pangram: The Quick Brown Fox Jumps Over The Lazy Dog

(C & C++) (const) for constant:

```
const int x = 20;
x = 25;   (not possible)
```

(Not available in Java)

(final) can be used:

- final class → cannot be extended
- final method → cannot override
- final variable → cannot be changed
- final parameter → cannot be changed

1.6 → main() was not mandatory

Static Initializer Block

static { }

1.7 → main() is mandatory

[Serialization] "transient" keyword (F→O) DS

O→F (S)

Employee.java

name: Sam
age: 25
email: sam@gmail.com
pass: 12345

transient → pass

Application 1

Object e1 ⇒ file (.ser) → [this will not be serialized]

.txt
.doc
.xlsx

Data.java

Java Code
[Object]

Application 2

* The process of converting an object into an file is called "Serialization"
* The process of converting a file into an object is called "De serialization"