



FOREST VERIFICATION REPORT

ANALYZED ZONE INFORMATION

Latitude	50.8297048	Longitude	4.38527
Zone size (km)	10	Analysis date	2026-09-25

52

FOREST INTEGRITY SCORE / 100 Degraded Forest

DETAILED RESULTS

Indicator	Value	Interpretation
Current vegetation (NDVI)	0.458	Good
NDVI Trend 3 years (Sentinel-2)	+0.013	Stable
10-year trend (Landsat 8/9)	+0.265	Improving
40-year trend (Landsat 1984)	+0.294	Improving
Forest Status (FAO)	Forest recovery	Recuperation
Annual NDVI rate	+0.73% / year	Amelioration
NDVI change 5 years	+0.047	Stable
Leaf type	Broadleaf (Deciduous/Evergreen)	Flat leaves, high photosynthesis
Developmental stage	Growing forest (20-60 years)	Active growth phase
Above-ground biomass	~14.1 t/ha	Low biomass (<50 t/ha)
Canopy Height (GEDI+S2 10m)	5.6m max / 1.9m median	Tree height from LiDAR (ISS) fused with Sentinel-2 at 10m resolution
GEDI Tree Cover	13.5%	Percentage of the zone covered by trees according to NASA GEDI
AI Forest Type	Boreal/Coniferous Forest	Coniferous, cold climate
Sentinel-1 Radar (VV)	-4.415 dB	Dense forest (radar)
Forest cover	56.4%	Low
Fire pixels detected (FIRMS/year)	4646 pixels	~1162 events estimated
Overall trend	stable	
Satellites used	- ESA Sentinel-2 - NASA FIRMS - ESA Sentinel-1 - NASA Landsat 8/9 - NASA Landsat 4/5	
Deforestation Alert	POSITIVE — Forest recovery detected	

Area change (3 years)	+274.1 ha	+3.18%
Annual rate (area/yr)	+91.4 ha/yr	Recovery
Area change (10 years)	+8714.3 ha	+4531.02%
Annual rate 10yr (area)	+871.4 ha/yr	Recovery

SCORE BREAKDOWN

Component	Points	Maximum
Current vegetation (NDVI)	11	25
NDVI trend (3 years)	15	25
Forest cover	11	25
Sentinel-1 Radar (VV)	15	15
Fire score (0=many fires, 10=none)	0	10
TOTAL	52	100

FIRE DETECTION METHODOLOGY: Fire pixels are detected by NASA FIRMS using VIIRS (375m) and MODIS (1km) thermal anomaly sensors. Raw pixel count represents thermal detections over 12 months in the analysis zone. Estimated fire events are calculated using NASA clustering methodology (~4 pixels per fire event average). This is a statistical approximation. For precise fire event mapping, consult NASA FIRMS directly at firms.modaps.eosdis.nasa.gov

This report was automatically generated by CanopySat using real satellite data. contact@canopysat.org - canopysat.org