DOKUMENTACIJA - WEB PROGRAMIRANJE 1



Link: https://savadivljak.github.io/weldpro/index.html

Ime i prezime: Aleksa Savić

Indeks: 5/22

SADRŽAJ

UVOD	2
Korišćeni programski jezici	2
Opis funkcionalnosti	2
Template	
ORGANIZACIJA	
Organizaciona šema	4
Mapa sajta	4
Opis funkcionalnosti	
KODOVI	12
Index.html	
Author.html	16
Style.css	18
Main.js	24
,	

UVOD

Korišćeni programski jezici

Za izradu ovog sajta korišćene su sledeće tehnologije: HTML, CSS, XML, JavaScript, Bootstrap, Jquery.

Opis funkcionalnosti

Index.html

- Loader pri učitavanju stranice
- Modal sa formom i validacijom iste
- Dugme za povratak na vrh stranice JQUERY
- Promena pozadinske boje headera pri skrolovanju
- Dinamički ispis (od sad D.I.) linkova i dugmadi u Navu
- Dugme toggler koji menja izgled sajta u svetao/taman


- Hamburger u manjim rezolucijama klikom otvara/zatvara meni JQUERY
- Elementi se prikazuju prilikom skrolovanja sa animacijom. Svi naslovi u sekcijama u index.html izuzev Background sekcije imaju tu animaciju, kao i elementi koje ću kasnije navesti.
- Slider u sekciji Background sa 3 slajda
- D.I. slajdova, strelica i dugmadi u pomenutom Slideru
- D.I. teksta, slika, pitanja i odgovora i counter blokova u About sekciji
- Accordioni sa pitanjima i odgovorima JQUERY
- D.I. blokova u Servisi sekciji
- Tekst u blokovima u pomenutoj sekciji se prikazuje/sklanja klikom na dugme - JQUERY
- D.I. dugmadi i slika u Portfolio sekciji
- Klikom na određeno dugme se prikazuju slike odgovarajuće vrste u pomenutoj sekciji - JQUERY
- D.I. opcija, radio buttona, checkboxova i dugmadi za reset i submit u formi u Kontakt sekciji
- Obrada pomenute forme
- Slider u testimonals sekciji JQUERY PLUGIN SLICK
- D.I. slajdova u pomenutom slideru
- D.I. submit i reset dugmadi u Newsletter sekciji
- Obrada forme u Newsletter sekciji
- D.I. redova, blokova, navigacionih linkova, servisa, kontakt informacija, korisnih linkova i ikonica društvenih mreža u Footeru
- Ispis trenutne godine u copyright tekst u Footeru

Template

Za izradu ovog sajta nije korišćen nijedan template.

ORGANIZACIJA


Organizaciona šema




Mapa sajta

Opis funkcionalnosti

Loader se pojavljuje odmah pri otvaranju stranice i traje vreme dok se ne učita stranica + 3 sekunde, nakon toga nestaje. Skrol je onemogućen dok je vidljiv.



Modal se pojavljuje 5 sekundi nakon nestanka loadera. Može se zatvoriti klikom na X, submitovanjem forme, kada se zatvara 3 sekunde nakon submitovanja, ili klikom na dugme cancel. Obradu forme ću objasniti kasnije




na primeru kontakt forme, obrada svih formi na ovom sajtu se zasniva na istom skupu funkcija. Skrol je takođe onemogućen dok je modal na ekranu. Back to top dugme. Klikom na njega se vraća na vrh stranice. Pojavljuje se na skrol, kada je stranica skrolovana više od 1 visine ekrana (100vh) i nestaje kada nije skrolovano u toj meri. Jquery korišćen.




Dinamički ispisani linkovi u navigaciji kao i dugmad (hamburger je vidljiv samo na manjim rezolucijama). Za svaki dinamički ispis se koristi ista funkcija, kojoj se prosleđuje niz sa potrebnim podacima i element gde se ispisuju novostvoreni elementi.



Kada se skroluje više od visina stranice umanjene za visinu headera, header promeni boju, u suprotnom vraća se na prvobitno stanje.



Light/dark mode toggler. Klikom na njega menja izgled stranice, menja se i izgled ikonice u zavisnosti na temu (svetla ili tamna). Ovde je primer tamna teme, na sledećim slikama biće isključivo svetla tema. Promenjena ikonica u tamnoj temi je zaokružena crvenom bojom, u svetloj temi izgleda kao na prethodne 2 slike.




Hamburger, vidljiv na rezolucijama manjim od 992px, klikom na njega se prikazuje/sklanja meni sa linkovima. Menja se i ikonica hamburgera u zavisnosti da li su prikazani ili ne. Jquery korišćen.



Ovako izgleda hamburger kada meni nije prikazan.



Slider. Klikom na dugme ide se slajd napred/nazad, u zavisnosti koja je strelica kliknuta (u ovom slučaju za napred). Dugmići u obliku tački prikazuju koji slajd je aktivan i klikom na njih se prikazuje odgovarajući slajd. Zaokruženi elementi su ispisani dinamički, kao i sami slajdovi. Na svakih 5 sekundi slajder automatski pređe 1 slajd napred. Kada se klikne na neku strelicu/dugme taj tajmer se restartuje.



Dinamički ispisani pasusi i slike u About sekciji, sa fade-in efektom.

Welcome to WeldPro, where precision welding meets craftsmanship and excellence. Our highly skilled team is dedicated to delivering superior results, whether it's enhancing the security of your property with gate welding, improving energy efficiency with window welding, or customizing your motorcycle with bike welding. With a commitment to innovation and personalized service, we ensure that every project is executed with the utmost care and attention to detail. From initial consultation to project completion, you can trust WeldPro to exceed your expectations and deliver exceptional quality and reliability. Join us on the journey of precision welding excellence and experience the difference with WeldPro.

WeldPro began as a small workshop driven by a passion for welding and an unwavering commitment to quality craftsmanship. From its humble beginnings, the company focused on delivering reliable and precise welding solutions, quickly earning a reputation for excellence. Over the years, WeldPro grew steadily, expanding its range of services to meet the needs of homeowners, businesses, and industries alike. By embracing advanced technologies and innovative techniques, the company was able to refine its processes and deliver results that exceeded expectations. What started as a one-person operation has evolved into a trusted name in welding, with a team of skilled professionals dedicated to bringing durability, creativity, and precision to every project. Today, WeldPro remains true to its roots—providing exceptional service while continuing to push the boundaries of what's possible in the world of welding.



Dinamički ispisani pitanja i odgovori blokovi (accordioni) koji imaju fade-in animaciju. Klikom na pitanje se prikazuje/sklanja odgovor u zavisnosti da li je odgovor prikazan, jquery korišćen.

What types of welding services does WeldPro offer?


Troweld provides a comprehensive range of welding services including home welding, gate welding, window welding, machine welding, bike welding, and car welding.

- ▶ How does Troweld ensure the quality and reliability of its welding work?
- ▼ Can Troweld handle both small-scale repairs and large-scale fabrication projects?


Yes, Troweld is equipped to handle projects of all sizes, from minor repairs to major fabrication projects. Our skilled team has the expertise and capabilities to meet the diverse needs of our clients.

How can I get started with Troweld for my welding project?

Dinamički ispisani blokovi u Service sekciji. Klikom na plavo dugme se dodatni tekst prikazuj/sklanja, u zavisnosti da li je prikazan menja se i tekst na dugmetu, jquery korišćen i fade-in animacija.




Dinamički ispisana dugmad i slike u Portfolio sekciji, ceo taj deo ima fade-in animacija. Klikom na dugme se prikazuju i odgovarajuće slike, jquery korišćen. Pri učitavanje se prikazuju decorated slike, sada se prikazuju perforated.




Objašnjenje obrade forme. Da bi se omogućilo submit dugme, moraju se sva obavezna polja popuniti na valjan način. Pomenuto dugme se takođe neće omogućiti ako su neobavezna tekstualna polja popunjena na neodgovarajući način (u slučaju forme u Contact sekciji polje za broj telefona).

Tekstualna polja se proveravaju na blur i keyup, ostala na change. Ukoliko su pogrešno popunjena, prikazaće se poruka o grešci. Kod tekstualnih polja i select elementa za pravilan unos će bordura pozeleneti, a za pogrešan pocrveneti. Kod uspešno popunjenih neobaveznih tekstualnih polja bordura će biti uobičajena.


Dole je slika forme u sekciji Contact, koja ima fade-in animaciju. Opcije u selectu, radio dugmad, checkboxovi i dugmad za submit/reset su dinamički ispisani. Na slici dole je primer forme popunjen sa različitom "uspešnošću".



Primer uspešno popunjene forme. Submit je omogućen.




Klikom na reset dugme se, pored uobičajene fukcionalnosti, bordure vraćaju na staro, greške sklanjaju, a submit dugme onemogućuje.



Vizuelno se iste stvari dešavaju i prilikom submita forme i dodatno se ispisuje poruka za uspešan submit.



Slider u Testimonials sekciji napravljen pomoću slick jquery plugina. Sami slajdovi u dinamički ispisani, a sam slider ima fade-in animaciju. Promenom rezolucije se i menja broj prikazanih slajdova. Iste funkcionalnosti kao slider u sekciji Background, sem što slajdovi ne idu napred automatski i drugačija je animacija prilikom promene slajdova.




Dinamički ispisana dugmad u formi Newsletter sekcije. Ponavljam da forma funkcioniše po istom principu kao npr. bolje objašnjena forma u sekciji Contact i generalno svaka forma na sajtu. Sekcija (odvojeno naslov i sadržaj) imaju fade-in animaciju. Ponavljam da naslovi u svim sekcijama index.html stranice sem Background imaju tu animaciju.



U footeru je sve dinamički ispisano: redovi, blokovi i sadržaj neuređenih lista u tim blokovima sem u poslednjem bloku sa copyright tekstom. Dinamički ispisan sadržaj u blokovima, navigacioni linkovi, servisi, kontakt informacije, korisni linkovi, ikonice društvenih mreža.

U bloku sa copyright tekstom se prikazuje tekuća godina (podvučeno crnom bojom). Zbog preglednosti slike nisam zaokruživao redove i blokove u njima kao što je slučaj sa neuređenim listama sa sadržajem (crvenom bojom zaokruženo).



KODOVI

Index.html

```
meta name="author" content="Aleksa Savic",
        <meta name="copyright" content="Aleksa Savic 2025"/>
        <meta name="language" content="english"/>
        <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
       <link rel="shortcut icon" href="assets/img/icon.ico" alt="WeldPro logo"/>
        <!-- FONT AWESOME IKONICE -->
       <script src="https://kit.fontawesome.com/d7dfb3a573.js" crossorigin="anonymous"></script>
       <!-- FONT ROBOTO -->
       <link rel="preconnect" href="https://fonts.googleapis.com"/>
        k rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
href="https://fonts.googleapis.com/css2?family=Roboto:ital,wght@0,100;0,300;0,400;0,500;0,700;0,900;1,100;1,
rel="stylesheet" integrity="sha384-QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous"/>
       <link rel="stylesheet" href="assets/css/style-min.css" type="text/css"/>
       <!-- SLICK JOHERY PLUGIN CSS -->
       <link rel="stylesheet" href="assets\plugin\slick\slick\slick.css" type="text/css"/>
       <link rel="stylesheet" href="assets\plugin\slick\slick\slick-theme.css" type="text/css"/>
        <div id="loader" class="bg-light vw-100 vh-100 d-flex justify-content-center align-items-center</pre>
oosition-fixed top-0 start-0"
       <div id="back-to-top" class="strict-white shadow position-fixed rounded-circle text-center m-4</pre>
oottom-0 end-0"><i class="fa-solid fa-chevron-up fs-1 fw-bold"></i></div>
        <div id="modal-bg" class="z-3 d-none vw-100 vh-100 position-fixed top-0 start-0 d-flex justify-</pre>
            <div id="modal" class="border border-secondary rounded bg-dark-subtle col-lg-6 col-sm-8 col-11</pre>
                <div class="w-100"><button type="button" id="modal-x" class="close-modal border border-0</pre>
fw-bold bg-dark-subtle fs-1 text-dark position-relative"><i class="fa-solid fa-x"></i></i>/button></div>
                <h2 class="mx-5 mt-1 mb-5">Subscribe to our newsletter</h2>
                <form action="index.php" method="POST" class="mt-5 w-100 d-flex flex-wrap flex-column</pre>
justify-content-center align-items-center":
                    <label class="fs-5 text-dark" for="modal-email">Enter your email:</label>
                    <input class="rounded my-1 w-75 p-1 border border-2 border-secondary" type="text"</pre>
id="modal-email" name="modal-email" placeholder="Ex: jonjonson@gmail.com"/>
                    <small id="modal-input-small" class="invisible text-danger">Email must contain @
and .</small>
                        <input type="submit" id="modal-submit" name="modal-submit" value="SUBMIT"</pre>
class="strict-white rounded py-1 px-2 my-1 mx-2"/>
                        <button type="button" id="modal-cancel" class="close-modal strict-white rounded py-</pre>
 px-2 my-1 mx-2">CANCEL</button>
```

```
<small id="modal-form-small" class="invisible text-success mb-3">Successfuly submited,
please wait...</small>
           <nav class="d-flex justify-content-between w-100 flex-wrap p-2">
               <a href="index.html" class="strict-white fs-3 fw-bold d-flex align-items-center">Weld<span</pre>
class="orange">Pro</span></a>
               <div id="nav-buttons" class="d-flex align-items-center"></div>
               <!-- MAIN POČETAK -->
       <main class="w-100 bg-light">
       <!-- BACKGROUND SEKCIJA -->
           <section id="background" class="vh-100 w-100 d-flex justify-content-between align-items-center</pre>
oosition-relative top-0 start-0"
               <div id="dots" class="position-absolute d-flex justify-content-between"></div>
           <section id="about" class="container fluid py-5">
               <h2 class="w-100 mt-5">About <span class="orange">us</span></h2>
               <div id="about-parts-container" class="row d-flex justify-content-evenly align-items-</pre>
               <!-- SERVISI SEKCIJA -->
           <section id="services" class="container fluid py-5">
               <h2 class="w-100 mt-5">Our <span class="orange">services</span></h2>
               <div id="service-blocks" class="fade-in row justify-content-between mt-5"></div>
           <section id="portfolio" class="mt-5 container-fluid bg-dark-subtle py-5">
               <h2 class="w-100">Our <span class="orange">work portfolio</span></h2>
           <section id="contact" class="container fluid py-5">
               <h2 class="w-100 mt-5">Contact <span class="orange">us</span></h2>
               <div class="d-flex mt-5">
                   <div id="contact-form-block" class="fade-in col-md-10 col-12 mx-auto bg-dark-subtle</pre>
text-dark border border-secondary rounded">
                       <form method="POST" action="index.php" id="contact-form" class="w-75 mx-auto mt-3</pre>
-100">
                                   <label class="w-100" for="name">Full name: <span class="text-</pre>
danger">*</span></label>
                                  <input class="contact-input w-100 p-1 border border-secondary border-2</pre>
rounded" type="text" id="name" name="name" placeholder="John Johnson"/
                                   <small id="small-name" class="text-danger invisible w-100 mt-1">Name
must start with a capital letter and contain 2-12 characters.</small>
                                  <label class="w-100" for="email">Email: <span class="text-</pre>
danger">*</span></label>
                                   <input class="contact-input w-100 p-1 border border-secondary border-2</pre>
 ounded" type="text" id="email" name="email" placeholder="john_123@example.ex"/>
```

```
small id="small-email" class="text-danger invisible w-100 mt-1">Email
must contain @ and .</small>
                            <div class="d-flex flex-wrap justify-content-between mx-auto">
                               <div class="col-md-5 col-12">
                                    <label for="phone">Phone:</label>
                                    <input class="contact-input w-100 p-1 border border-secondary border-2</pre>
rounded" type="text" id="phone" name="phone" placeholder="+1 2223334444"/>
                                    <small id="small-phone" class="text-danger invisible w-100 mt-1">Phone
must start with + and contain 11-15 digits.</small>
                               <div class="col-md-5 col-12">
                                    <label class="w-100" for="select">Select service: <span class="text-</pre>
danger">*</span></label>
rounded p-1" id="select" name="select"></select>
                                   <small id="small-select" class="text-danger invisible w-100 mt-</pre>
1">Please select a service.</small>
                                <label class="w-100" for="mssg">Write us: <span class="text-</pre>
danger">*</span></label>
ounded" id="mssg" name="mssg" placeholder="Message"></textarea>
                               <small id="small-mssg" class="text-danger invisible w-100 mt-1">Message
must contain 10-1000 characters.</small>
                               <label class="w-100" for="gen">Gender: <span class="text-</pre>
danger">*</span></label>
                               <div id="gens" class="d-flex justify-content-evenly flex-wrap w-100"></div>
                               <small id="small-gen" class="text-danger invisible w-100 mt-1">You must
select a gender</small>
                               <small id="small-check" class="text-danger invisible w-100 mt-1">Please
accept terms and services.</small>
                           <div class="d-flex flex-wrap my-1 mx-auto">
                                <span class="text-danger">*</span> - Mandatory
fields
text-center">Form successfuly submited!</small>
            <section id="testimonials" class="container py-5">
               <h2 class="w-100 my-5">Testimonials</h2>
           <!-- NEWSLETTER SEKCIJA -->
           <section id="newsletter" class="w-100 container-fluid bg-dark-subtle pt-5 px-3 mt-5">
               <div id="newsletter-title" class="row d-flex justify-content-evenly">
                   <div class="col-lg-6 col-md-8 col-sm-10 col-12 my-2";</pre>
                       <h2>Subscribe to <span class="orange">our newsletter</span></h2>
                        <form class="w-100" id="newsletter-form" method="POST" action="index.php">
                           <input type="text" class="w-100 p-1 border border-secondary border-2 rounded"</pre>
id="newsletter-email" name="newsletter-email" placeholder="john_123@example.ex"/>
                           <small id="newsletter-email-small" class="newsletter-small text-danger</pre>
 nvisible w-100">Email must contain @ and .</small>
```

Author.html

```
!DOCTYPE html>
<html lang="en-US">
       <title>WeldPro - author page</title>
       <meta name="description" content="Author of this website - Aleksa Savić, experienced and skillfull
       <meta name="keywords" content="weldpro, aleksa savic, author, website"/>
       <meta name="author" content="Aleksa Savic"/>
        <meta name="copyright" content="Aleksa Savic 2025"/>
       <meta name="language" content="english"/>
       <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
       <link rel="shortcut icon" href="assets/img/icon.ico" alt="WeldPro logo"/>
       <script src="https://kit.fontawesome.com/d7dfb3a573.js" crossorigin="anonymous"></script>
       <!-- FONT ROBOTO -->
       <link rel="preconnect" href="https://fonts.googleapis.com"/>
       <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
href="https://fonts.googleapis.com/css2?family=Roboto:ital,wght@0,100;0,300;0,400;0,500;0,700;0,900;1,100;1,
300;1,400;1,500;1,700;1,900&display=swap" rel="stylesheet"/>
```

```
clink href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css
rel="stylesheet" integrity="sha384-QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous"/>
       <link rel="stylesheet" href="assets/css/style-min.css" type="text/css"/>
       <!-- SLICK JOUERY PLUGIN CSS -->
       <link rel="stylesheet" href="assets\plugin\slick\slick.css" type="text/css"/>
       <link rel="stylesheet" href="assets\plugin\slick\slick\theme.css" type="text/css"/>
       <div id="loader" class="bg-light vw-100 vh-100 d-flex justify-content-center align-items-center</pre>
osition-fixed top-0 start-0":
           <div id="spinner" class="rounded-circle"></div>
       <!-- BACK TO TOP DUGME -->
oottom-0 end-0"><i class="fa-solid fa-chevron-up fs-1 fw-bold"></i></div>
        <div id="modal-bg" class="z-3 d-none vw-100 vh-100 position-fixed top-0 start-0 d-flex justify-</pre>
content-center align-items-center"
           <div id="modal" class="border border-secondary rounded bg-dark-subtle col-lg-6 col-sm-8 col-11</pre>
-flex flex-wrap flex-column justify-content-center align-items-center"
               <div class="w-100"><button type="button" id="modal-x" class="close-modal border border-0"</pre>
fw-bold bg-dark-subtle fs-1 text-dark position-relative"><i class="fa-solid fa-x"></i></button></div>
                <h2 class="mx-5 mt-1 mb-5">Subscribe to our newsletter</h2>
                <form action="index.php" method="POST" class="mt-5 w-100 d-flex flex-wrap flex-column</pre>
justify-content-center align-items-center">
                   <label class="fs-5 text-dark" for="modal-email">Enter your email:</label>
                   <input class="rounded my-1 w-75 p-1 border border-2 border-secondary" type="text"</pre>
id="modal-email" name="modal-email" placeholder="Ex: jonjonson@gmail.com"/
                   <small id="modal-input-small" class="invisible text-danger">Email must contain @
and .</small>
                   <div class="w-100 d-flex justify-content-center">
                       <input type="submit" id="modal-submit" name="modal-submit" value="SUBMIT"</pre>
class="strict-white rounded py-1 px-2 my-1 mx-2"/>
                       <button type="button" id="modal-cancel" class="close-modal strict-white rounded py-</pre>
1 px-2 my-1 mx-2">CANCEL</button>
                   <small id="modal-form-small" class="invisible text-success mb-3">Successfuly submited,
please wait...</small>
            <nav class="d-flex justify-content-between w-100 flex-wrap p-2">
               <a href="index.html" class="strict-white fs-3 fw-bold d-flex align-items-center">Weld<span</pre>
class="orange">Pro</span></a>
               <div id="nav-buttons" class="d-flex align-items-center"></div>
               <main class="w-100 bg-light">
           <!-- BACKGROUND SEKCIJA -->
```

Style.css

```
"{
    margin: 0px;
    padding: 0px;
    box-sizing: border-box;
}
:root{
    --blue: #1F4E79;
    --orange: #FF6F00;
}
html{
    scroll-behavior: smooth;
}
body{
    font-family: "Roboto", sans-serif !important;
    font-weight: 400;
    font-style: normal;
}
a{
    text-decoration: none !important;
}
li{
    list-style-type: none;
}
ul{
    padding-left: 0px;
}
input, textarea, button{
    border: none;
    outline: none;
}
```

```
input:focus, textarea:focus, button:focus, select:focus{
   border: none;
.orange{
   color: var(--orange) !important;
.strict-white{
    color: #FFF !important;
  opacity: 0;
   top: -30px;
   transition: opacity .7s ease-in, top .7s ease-in;
  opacity: 1;
   top: 0px;
   opacity: 1;
   top: 0px;
  background-color: var(--blue);
.disabled{
   background-color: #4E4E50;
#spinner{
   border: 15px solid #C0C0C0;
   width: 100px;
   height: 100px;
   border-top-color: var(--orange);
   animation: spin 1s linear infinite;
@keyframes spin{
       transform: rotate(0turn);
   100%{
       transform: rotate(1turn);
#loader{
   opacity: 1;
   z-index: 1000;
   transition: opacity 1s;
.loader-done{
   opacity: 0 !important;
/* BACK TO TOP */
#back-to-top{
  width: 4rem;
   height: 4rem;
   opacity: 0.7;
   display: none;
  background-color: var(--orange);
   z-index: 500;
#back-to-top:hover{
  opacity: 1 !important;
```

```
#back-to-top i{
   line-height: 4rem;
#modal-x{
   left: 90%;
#modal-cancel{
   background-color: var(--blue);
#modal i:hover{
#modal-bg{
   background-color: rgba(0,0,0,0.5);
header{
   background-color: rgba(0,0,0,0.3);
   position: fixed;
   transition: background-color 0.5s;
.blue-header{
   background-color: var(--blue);
   transition: background-color 0.5s;
#toggler{
   font-size: 20px;
   height: 30px;
   line-height: 30px;
.toggler-day{
   border: 2px solid var(--orange) !important;
   background-color: #FFF;
   color: var(--orange);
.toggler-night{
   border: 2px solid #000 !important;
   background-color: #000;
#hamburger{
   display: none;
   background-color: var(--blue);
   font-size: 30px;
   height: 30px;
   line-height: 30px;
nav a:hover, footer a:hover{
   color: var(--orange) !important;
nav ul{
   margin: 0px;
nav ul li{
   margin-left: 25px;
#background h1, #author-background h1{
   font-size: 70px;
#background a{
 width: 180px;
```

```
height: 40px;
    background-color: var(--orange);
#background a:hover{
    border: 1px solid var(--orange);
    color: var(--orange);
    background-color: transparent;
.bg-slider{
    background-size: cover;
    background-blend-mode: multiply;
   background-color: rgba(0,0,0,0.8);
   width: 60px;
   height: 100px;
    font-size: 40px;
   background-color: transparent;
   top: calc(50% - 50px);
.arrow:hover{
   background-color: rgba(218, 116, 38, 0.8);
#previous{
    left: 0px;
#next{
   right: 0px;
   display: flex !important;
.bg-slider{
   display: none;
#dots{
   width: 100px;
    left: calc(50% - 50px);
    height: 20px;
   background-color: var(--orange);
   opacity: 0.6;
   cursor: pointer;
   opacity: 1;
#qandas h3{
#qandas p{
   display: none;
   padding: 0;
#qandas p.show{
   padding: 10px;
.rotate-icon{
   transform: rotate(90deg);
transition: transform 0.3s;
#services img{
   height: 50px;
```

```
#services button{
   border: 1px solid var(--blue);
   background-color: var(--blue);
#services button:hover{
   background-color: transparent;
   color: var(--blue) !important;
#services p{
   display: none;
   background-color: var(--blue);
.port-active{
   background-color: var(--orange);
/* KONTAKT SEKCIJA */
textarea{
   height: 100px;
   margin: 0 10px;
.slick-list {
   margin: 0 -10px;
.card p{
   height: 150px;
#testimonials-slider img {
   width: 100%;
   object-fit: cover;
   bottom: -50px !important;
.slick-dots button::before{
   color: var(--orange) !important;
   font-size: 20px !important;
.slick-prev::before, .slick-next:before{
   color: var(--orange) !important;
/* FOOTER */
footer{
   background-color: var(--blue);
#author-figure, #author-figure img{
   width: 300px;
#author-background{
   background-image: url("../img/bg-author.jpg");
   background-size: cover;
background-blend-mode: multiply;
   background-color: rgba(0,0,0,0.8);
```

```
media screen and (max-width: 1200px){
   #back-to-top{
       width: calc(2.5rem + 1.5vw);
       height: calc(2.5rem + 1.5vw);
   #back-to-top i{
        line-height: calc(2.5rem + 1.5vw);
@media screen and (min-width: 992px){
   nav ul{
       display: block !important;
       line-height: 40px;
@media screen and (max-width: 991.98px){
        background-color: var(--blue) !important;
       display: none;
       width: 100%;
       margin-bottom: 10px;
       margin: 0px;
       width: 100%;
   nav ul a{
       margin-top: 10px;
       text-align: left;
       width: 100%;
   #background h1, #author-background h1{
       font-size: 50px;
   #hamburger{
       display: block;
   .card p{
       height: 200px;
@media screen and (max-width: 767.98px){
   .card p{
       height: 160px;
@media screen and (max-width: 575.98px){
   #background h1, #author-background h1{
   font-size: 30px;
       font-size: 20px;
       width: 30px;
       height: 70px;
       padding-left: 30px;
       padding-right: 30px;
    .card p{
       height: 150px;
```

Main.js

```
FUNKCIJE ZA ONESPOSOBLJAVANJE SKROLA PRILIKOM POJAVE LOADERA/MODALA //
function disableScroll() {
   document.body.style.overflow = "hidden";
function enableScroll() {
   document.body.style.overflow = "auto";
disableScroll();
const loader = document.getElementById("loader");
let doneLoading = false;
window.addEventListener("load", () => {
   setTimeout(() => {
        loader.classList.add("loader-done");
       doneLoading = true;
   }, 3000);
});
window.addEventListener("transitionend", (e) => {
   if (e.target === loader && e.propertyName === "opacity" && doneLoading) {
       document.body.removeChild(loader);
       enableScroll();
       setTimeout(() => {
           modalBg.classList.remove("d-none");
           modalBg.classList.add("d-flex");
           disableScroll();
        }, 5000);
});
$("#back-to-top").click(function(){
   $("html").animate({scrollTop: 0}, "fast");
});
$(window).scroll(function () {
   if ($(this).scrollTop() > window.innerHeight) {
       $("#back-to-top").fadeIn("slow");
       $("#back-to-top").fadeOut("slow");
});
window.addEventListener('scroll', () => {
   const header = document.querySelector('header');
   const headerHeight = header.offsetHeight;
   if (window.scrollY > window.innerHeight - headerHeight) {
        header.classList.add("blue-header");
   } else {
       header.classList.remove("blue-header");
});
function inputError(type, input, small){
   if (type === "input" || type === "select") {
        input.classList.remove("border-success",
                                                 "border-secondary", "border-light");
```

```
input.classList.add("border-danger");
   small.classList.remove("invisible");
   small.classList.add("visible");
function inputSuccess(required, type, input, small){
   if (type === "input" || type === "select") {
   input.classList.remove("border-danger", "border-light", "border-secondary");
        if(!required){
           dayNightInputModifier(input);
        } else input.classList.add("border-success");
   small.classList.remove("visible");
   small.classList.add("invisible");
function dayNightInputModifier(input){
   input.classList.remove("border-danger", "border-success");
    switch(togglerFlag) {
       case "day": input.classList.add("border-secondary"); break;
       case "night": input.classList.add("border-light"); break;
function initializeInputs(inputs) {
    inputs.forEach((input) => {
        input.touched = false;
        input.validate = () => inputCheck(input);
 / PROVERA VALIDNOSTI PODATAKA U FORMI //
function inputCheck(input) {
   switch(input.type) {
            if (!input.regEx.test(input.element.value) && input.element.value.trim() !== "") {
                inputError(input.type, input.element, input.small);
                input.small.innerHTML = input.errMssg;
            } else if (input.element.value.trim() === "") {
                if (input.required) {
                    inputError(input.type, input.element, input.small);
                    input.small.innerHTML = input.blankMssg;
                    inputSuccess(input.required, input.type, input.element, input.small);
                    return true;
            } else {
                inputSuccess(input.required, input.type, input.element, input.small);
            if (input.required && input.element.value === "0") {
                inputError(input.type, input.element, input.small);
                input.small.innerHTML = input.blankMssg;
                inputSuccess(input.required, input.type, input.element, input.small);
            if (input.required) {
```

```
const uncheckedRadios = Array.from(input.element).filter(radio => !radio.checked);
                if (uncheckedRadios.length === input.element.length) return false;
            } else return true;
            if (input.required && !input.element.checked) {
                inputError(input.type, input.element, input.small);
                input.small.innerHTML = input.blankMssg;
            } else {
                inputSuccess(input.required, input.type, input.element, input.small);
                return true;
 / DOGAĐAJI TOKOM POPUNJAVANJA ELEMENATA FORME //
function formEvents(inputs, submit, small) {
   inputs.forEach((input) => {
       const inputTouched = () => {
            input.touched = true;
            input.validate();
            submitEnabler(inputs, submit, small);
        switch(input.type) {
           case "input":
                input.element.addEventListener("blur", inputTouched);
input.element.addEventListener("keyup", inputTouched);
                break;
                input.element.addEventListener("change", inputTouched);
                break;
            case "radio":
                Array.from(input.element).forEach((radio) => {
                   radio.addEventListener("change", inputTouched);
function submitEnabler(inputs, submit, small) {
   let allTouched = true;
    inputs.forEach((input) => {
       if (!input.touched && input.required) {
            const isVallid = input.validate();
            allValid = allValid && isVallid;
    if (allValid && allTouched) {
        submit.disabled = false;
        submit.classList.remove("disabled");
        submit.classList.add("enabled");
        small.classList.remove("visible");
        small.classList.add("invisible");
        submit.disabled = true;
        submit.classList.remove("enabled");
        submit.classList.add("disabled");
        small.classList.remove("visible");
```

```
small.classList.add("invisible");
function submited(form, smallForm, inputs, smalls, submit) {
   form.addEventListener("submit", (e) => {
       e.preventDefault();
       resetForm(form, inputs, smalls, smallForm, submit);
       form.reset();
       smallForm.classList.remove("invisible");
       smallForm.classList.add("visible");
 / DOGAĐAJ NA RESET FORME //
function resetForm(form, inputs, smalls, smallForm, submit) {
   form.addEventListener("reset", () => {
       inputs.forEach((input) => {
           input.touched = false;
            if (input.type === "select" || input.type === "input") {
               dayNightInputModifier(input.element);
       Array.from(smalls).forEach((small) => {
           small.classList.remove("visible");
           small.classList.add("invisible");
        error = false;
        touchedFlag = false;
        submitEnabler(inputs, submit, smallForm)
 / FUNKCIJA ZA DINAMIČKI ISPIS (OD SAD D.I.) ELEMENATA //
function dynamicCreating(data, targetElement, generateContent) {
   data.forEach((text, index) => {
        targetElement.innerHTML += generateContent(text, index);
// POČETAK KODA SA FUNKCIONALNOSTIMA MODALA //
const modalBg = document.getElementById("modal-bg");
const modalForm = document.querySelector("#modal form");
const modalInputSmall = document.getElementById("modal-input-small");
const modalFormSmall = document.getElementById("modal-form-small");
const modalSubmit = document.getElementById("modal-submit");
const closeModalElements = document.getElementsByClassName("close-modal");
onst emailErrMssg = "Email must contain @ and .";
const emailBlankMssg = "Email field is required.";
       required: true,
       type: "input",
       regEx: emailRegEx,
       element: document.getElementById("modal-email"),
       small: modalInputSmall,
       errMssg: emailErrMssg,
       blankMssg: emailBlankMssg
];
initializeInputs(modalInputs);
```

```
FormEvents(modalInputs, modalSubmit, modalFormSmall);
submitEnabler(modalInputs, modalSubmit, modalFormSmall);
submited(modalForm, modalFormSmall, modalInputs, modalInputSmall, modalSubmit);
modalForm.addEventListener("submit", (e) => {
   e.preventDefault();
   modalFormSmall.classList.remove("invisible");
   modalFormSmall.classList.add("visible");
   setTimeout(closeModal, 3000);
});
function closeModal() {
   modalBg.classList.remove("d-flex");
   modalBg.classList.add("d-none");
   enableScroll();
Array.from(closeModalElements).forEach((element) => {
   element.addEventListener("click", closeModal);
});
 / KRAJ KODA SA FUNKCIONALNOSTIMA MODALA
$(document).ready(function() {
   $("h2").not("#modal h2, .footer-content-block h2").addClass("fade-in");
   $("h2").not("#newsletter-title h2").addClass("text-center");
   $("h2").not(".footer-content-block h2").addClass("text-dark fs-1");
   $(".footer-content-block h2").addClass("fs-5");
   $("h3").addClass("fs-5");
});
window.addEventListener("scroll", function () {
   const pageBottom = window.scrollY + window.innerHeight;
   const fadeInElements = document.getElementsByClassName("fade-in");
   Array.from(fadeInElements).forEach((element) => {
        const divTop = element.offsetTop + element.offsetHeight;
        const divHeight = element.offsetHeight;
        if (pageBottom > divTop - divHeight) {
            element.classList.add("fade-in-after");
});
        name: "Home",
       class: "orange"
       path: "#about",
        name: "About",
       path: "#services",
       name: "Services",
        class: "strict-white"
       path: "#portfolio",
name: "Portfolio",
```

```
class: "strict-white"
},
{
   path: "#contact",
   name: "Contact",
   class: "strict-white"
},
{
   path: "#testimonials",
   name: "Testimonials",
   class: "strict-white"
},
};
```

```
dynamicCreating(navLinks, document.getElementById("nav-links"),
          (text) => `
  nref="index.html${text.path}">${text.name}</a>
    / D.I. DUGMAD U NAV //
                     class: "rounded d-flex align-items-center toggler-night",
                     id: "hamburger",
                     class: "border border-0 strict-white",
];
dynamicCreating(navIcons, document.getElementById("nav-buttons"),
          (\texttt{text}) \implies \texttt{`<button type="button" id="$\{\texttt{text.id}\}" class="$\{\texttt{text.class}\} \ mx-1 \ px-2">}
);
  const toggler = document.getElementById("toggler");
 let togglerFlag = "day";
 function dayNightSwap(className, remove, add){
          Array.from(className).forEach((element) => {
                     element.classList.remove(`${remove}`);
                     element.classList.add(`${add}`);
  function togglerSwap(icon, remove, add){
          toggler.innerHTML = `${icon}`;
          toggler.classList.remove(`${remove}`);
          toggler.classList.add(`${add}`);
toggler.addEventListener("click", () => {
    if (togglerFlag === "day") {
                    togglerSwap(`<i class="fa-solid fa-sun"></i>`, "toggler-night", "toggler-day");
dayNightSwap(document.getElementsByClassName("text-dark"), "text-dark", "text-light");
dayNightSwap(document.getElementsByClassName("bg-light"), "bg-light", "bg-dark");
                     dayNightSwap(document.getElementsByClassName("bg-dark-subtle"), "bg-dark-subtle", "bg-black");
                     \label{thm:conditional} {\tt dayNightSwap(document.getElementsByClassName("border-secondary"), "border-secondary", "border-secondary, "
 light");
                    togglerFlag = "night";
          } else if (togglerFlag === "night") {
                     togglerSwap(`<i class="fa-solid fa-moon"></i>`, "toggler-day", "toggler-night");
dayNightSwap(document.getElementsByClassName("text-light"), "text-light", "text-dark");
                    dayNightSwap(document.getElementsByClassName("bg-dark"), "bg-dark", "bg-light");
```

```
dayNightSwap(document.getElementsByClassName("bg-black"), "bg-black", "bg-dark-subtle");
        dayNightSwap(document.getElementsByClassName("border-light"), "border-light", "border-secondary");
        togglerFlag = "day";
});
$("#hamburger").click(function(){
       $("#hamburger").html(`<i class="fa-solid fa-x"></i>`);
    $("nav ul").slideToggle("slow");
});
 / POČETAK KODA KOJI NE TREBA DA SE IZVRŠI U AUTHOR.HTML //
const url = window.location.href;
if(url.indexOf("author.html") === -1){
   // D.I. SLAJDOVA U CAROUSELU U POČETNOJ SEKCIJI SA ID BACKGROUND //
            title: "We build things architext dream up",
            linkName: "about us",
            title: "See projects we've done before",
            linkName: "our portfolio",
            link: "portfolio",
            title: "We are doing all kinds of welding services",
            linkName: "contact us",
   dynamicCreating(bgs, document.getElementById("background"),
    (text) => `<div class="bg-slider justify-content-center align-items-center h-100 w-100 mx-auto">
                            <a href="index.html#${text.link}" class="strict-white rounded d-flex justify-</pre>
content-center align-items-center mx-auto mt-5 text-uppercase fw-medium shadow">${text.linkName}</a>
    Array.from(document.getElementsByClassName("bg-slider")).forEach((slider, index) => {
        slider.style.backgroundImage = `url("./assets/img/bg-${bgs[index].link}.jpg")`;
   const arrowsData = [
           icon: "greater",
id: "next"
    dynamicCreating(arrowsData, document.getElementById("background");
```

```
`<button type="button" id="${text.id}" class="strict-white border border-0 position-absolute
-flex arrow justify-content-center align-items-center">
                   <i class="fa-solid fa-${text.icon}-than"></i>
  const threeElementsArray = Array.from({ length: 3 });
  {\tt dynamicCreating(three Elements Array, document.get Element By Id("dots"),}
       (_, index) => `<div id="dot${index + 1}" class="dot rounded-circle"></div>`
  let bgIndex = 1;
  const bgSlides = document.getElementsByClassName("bg-slider");
  const dotButtons = document.getElementsByClassName("dot");
  let bgChange;
  function showBgSlide(index) {
      Array.from(bgSlides).forEach((slide) => (slide.style.display = "none"));
      Array.from(dotButtons).forEach((dot) => dot.classList.remove("dot-active"));
bgSlides[index - 1].style.display = "flex";
      dotButtons[index - 1].classList.add("dot-active");
  function changeBg(direction) {
      bgIndex += direction;
       if (bgIndex > bgSlides.length) bgIndex = 1;
       if (bgIndex < 1) bgIndex = bgSlides.length;</pre>
       showBgSlide(bgIndex);
       resetBgTimer();
  function resetBgTimer() {
      clearInterval(bgChange);
      bgChange = setInterval(() => changeBg(1), 5000);
  showBgSlide(bgIndex);
  bgChange = setInterval(() => changeBg(1), 5000);
  document.getElementById("previous").addEventListener("click", () => changeBg(-1));
  document.getElementById("next").addEventListener("click", () => changeBg(1));
  Array.from(dotButtons).forEach((dot, index) =>
      dot.addEventListener("click", () => {
           bgIndex = index + 1;
           showBgSlide(bgIndex);
           resetBgTimer();
  // KRAJ F-JA ZA UREĐIVANJE CAROUSELA //
  const aboutParts = [
```

```
id: "about-img",
           class: "d-flex flex-column justify-content-center"
   dynamicCreating(aboutParts, document.getElementById("about-parts-container"),
   (text) => `<div id="${text.id}" class="fade-in col-lg-6 col-12 ${text.class}"></div>
   const aboutPages = ["Welcome to WeldPro, where precision welding meets craftsmanship and excellence.
Our highly skilled team is dedicated to delivering superior results, whether it's enhancing the security of
our property with gate welding, improving energy efficiency with window welding, or customizing your,
otorcycle with bike welding. With a commitment to innovation and personalized service, we ensure that
every project is executed with the utmost care and attention to detail. From initial consultation to
project completion, you can trust WeldPro to exceed your expectations and deliver exceptional quality and
eliability. Join us on the journey of precision welding excellence and experience the difference with
WeldPro.".
uality craftsmanship. From its humble beginnings, the company focused on delivering reliable and precise
elding solutions, quickly earning a reputation for excellence. Over the years, WeldPro grew steadily,
expanding its range of services to meet the needs of homeowners, businesses, and industries alike. By
mbracing advanced technologies and innovative techniques, the company was able to refine its processes and
deliver results that exceeded expectations. What started as a one-person operation has evolved into a
rusted name in welding, with a team of skilled professionals dedicated to bringing durability, creativity;
while continuing to push the boundaries of what's possible in the world of welding."];
   {\tt dynamicCreating(aboutPages, document.getElementById("about-txt"),}
   dynamicCreating(Array.from({ length: 2 }), document.getElementById("about-img"),
   (_, index) => `<img class="mt-5 w-75 mx-auto rounded border border-secondary
rc="./assets/img/about${index + 1}.jpg" alt="WeldPro doing welding project ${index + 1}"/>`
           question: "What types of welding services does WeldPro offer?",
           answer: "Troweld provides a comprehensive range of welding services including home welding,
gate welding, window welding, machine welding, bike welding, and car welding."
           question: "How does Troweld ensure the quality and reliability of its welding work?",
           answer: "At Troweld, we ensure quality and reliability by employing highly skilled welders,
nvesting in state-of-the-art equipment and techniques, and adhering to strict quality control measures
throughout every project."
           question: "Can Troweld handle both small-scale repairs and large-scale fabrication projects?",
abrication projects. Our skilled team has the expertise and capabilities to meet the diverse needs of our
           question: "How can I get started with Troweld for my welding project?",
to bring your welding project to life with precision and excellence."
   dynamicCreating(qandas, document.getElementById("qandas"),
       (text) => `
                      <h3 class="bg-dark-subtle text-dark w-100 m-0 border border-secondary p-2"><i</pre>
class="fa-solid fa-caret-right orange"></i> ${text.question}</h3>
                      ${text.answer}
```

```
TEKST SE PRIKAZUJE/SKLANJA KLIKOM NA PITANJE U POMENUTOJ SEKCIJI SA JQUERY //
   $("#qandas").on("click", "li", function() {
       const answer = $(this).find("p").first();
       answer.slideToggle("slow");
       answer.toggleClass("show")
       $(this).find(".fa-caret-right").toggleClass("rotate-icon");
           icon: "home",
           title: "Gate",
           text: "Enhance your home's energy efficiency and beauty with our window welding services,
crafted for durability and design."
           text: "Optimize machinery performance with our machine welding services, offering comprehensive
           title: "Bike",
text: "Personalize your ride with our bike welding services, providing custom modifications for
 unique and stylish motorcycle."
           text: "Revitalize your vehicle with our car welding services, combining precision repairs and
enhancements for optimal performance and aesthetics."
   dynamicCreating(services, document.getElementById("service-blocks"),
   (text) => `<div class="mx-auto mt-1 p-3 col-lg-4 col-md-6 col-sm-10 col-xs-12">
                   <div class="rounded border border-secondary p-3 d-flex flex-column justify-content-</pre>
center align-items-center bg-dark-subtle">
                       <img class="mt-3" src="./assets/img/${text.icon}-welding.png" alt="${text.title}</pre>
                       <h3 class="mt-3 text-dark">${text.title} welding</h3>
more</button>
   // TEKST SE PRIKAZUJE/SKLANJA KLIKOM NA DUGME U POMENUTOJ SEKCIJI SA JOUERY //
   $("#services button").click(function() {
       if ($(this).html() === "Show more") {
           $(this).html("Show less");
       } else {
           $(this).html("Show more");
       $(this).parent().find("p").slideToggle("slow");
```

```
// D.I. DUGMADI I SLIKA U PORTFOLIO SEKCIJI //
   const portParts = [
            class: "w-100 d-flex justify-content-center my-3 flex-wrap"
            class: "row"
   dynamicCreating(portParts, document.getElementById("portfolio"),
   const portButtons = ["decorative", "facades", "perforated", "railings"];
    {\tt dynamicCreating(portButtons, document.getElementById("portfolio-buttons"),}
        (text) => `<button type="button" class="strict-white rounded border border-0 mx-3 mt-3 fw-medium
ort-button text-uppercase p-2">${text}</button>
    dynamicCreating(threeElementsArray, document.getElementById("portfolio-images"),
                            <img class="w-100 border border-secondary rounded"</pre>
src="./assets/img/decorative${index + 1}.jpg" alt="decorative welding project ${index + 1}"/>
                            <figcaption class="mt-1 text-center text-dark">decorative welding project
${index + 1}</figcaption>
   const portButtonElements = document.getElementsByClassName("port-button");
   portButtonElements[0].classList.add("port-active");
   // KLIKOM NA DUGME PRIKAZUJU SE SLIKE ODGOVARAJUĆE VRSTE U POMENUTOJ SEKCIJI SA JQUERY //
   $(".port-button").click(function () {
        $(".port-active").removeClass("port-active");
        $(this).addClass("port-active");
        let clickedPortText = $(this).text().trim();
            (this).attr({"src": `./assets/img/{clickedPortText}{i + 1}.jpg`, "alt": `{clickedPortText}}, "alt": `}{clickedPortText}
 elding project ${i + 1}`});
            $(this).next("figcaption").text(`${clickedPortText} welding project ${i + 1}`);
   const options = ["Select Service", "Home Welding", "Gate Welding", "Window Welding", "Machine Welding",
"Bike Welding", "Car Welding"];
   dynamicCreating(options, document.getElementById("select"),
    (text, index) => `<option value="${index}">${text}</option>
   const gens = ["Male", "Female", "Other"];
   dynamicCreating(gens, document.getElementById("gens"),
                    <input type="radio" class="contact-radio" name="radiob" id="radio${text}"</pre>
value="radio${text}"/>
```

```
// D.I. CHECKBOXOVA U POMENUTOJ FORMI //
           name: "tas",
           text: `I agree with Terms and Services <span class="text-danger">*</span>`
   dynamicCreating(checks, document.getElementById("checks"),
   (text) => `
                  <input class="form-check-input" type="checkbox" name="${text.name}-check"</pre>
id="${text.name}-check" value="${text.name}-check"/>
                   <label class="text-dark form-check-label" for="${text.name}-check">${text.text}</label>
   const formButtons = [
           type: "submit",
           value: "SUBMIT",
           disabled: "disabled",
           class: "disabled"
           type: "reset",
   dynamicCreating(formButtons, document.getElementById("form-buttons"),
{\text.type}" value="${text.value}" class="${text.class} strict-white rounded py-1 px-2 my-3 mx-2"/>
   const contactForm = document.getElementById("contact-form");
   const contactSubmit = document.getElementById("contact-submit");
   const contactFormSmall = document.getElementById("small-contact-form");
   const contactSmalls = document.querySelectorAll("#contact-form small");
           required: true,
           type: "input",
regEx: /^[A-Z][a-z]{2,12}(\s[A-Z][a-z]{2,12}){1,3}$/,
           element: document.getElementById("name"),
           small: document.getElementById("small-name"),
           errMssg: "Name must start with a capital letter and contain 2-12 characters.",
           blankMssg: "Name field is required."
           required: true,
           type: "input",
           regEx: emailRegEx,
           element: document.getElementById("email"),
           small: document.getElementById("small-email"),
           errMssg: "Email must contain @ and .",
           blankMssg: "Email field is required."
           required: false,
```

```
regEx: /^\+[1-9](?:\d[-\s]?){9,13}\d$/,
          element: document.getElementById("phone"),
          small: document.getElementById("small-phone"),
          errMssg: "Phone must start with + and contain 11-15 digits.",
          blankMssg: ""
          required: true,
          type: "input",
regEx: /^.{10,1000}$/,
          element: document.getElementById("mssg"),
          small: document.getElementById("small-mssg"),
          errMssg: "Message must contain 10-1000 characters.",
          blankMssg: "Message field is required."
          required: true,
          type: "select",
          regEx: "",
          element: document.getElementById("select"),
          small: document.getElementById("small-select"),
          errMssg: "",
          blankMssg: "Please select a service."
          required: true,
          type: "radio",
          regEx: "",
          element: document.getElementsByClassName("contact-radio"),
          small: document.getElementById("small-gen"),
          errMssg: "",
blankMssg: ""
          required: true,
          type: "checkbox",
          regEx: "",
          element: document.getElementById("tas-check"),
          small: document.getElementById("small-check"),
          errMssg: "'
          blankMssg: "Please accept terms and services."
          required: false,
          type: "checkbox",
          regEx: "
          element: document.getElementById("subscribe-check"),
          small: null,
          errMssg: "",
          blankMssg: ""
  initializeInputs(contactInputs);
  formEvents(contactInputs, contactSubmit, contactFormSmall);
  submitEnabler(contactInputs, contactSubmit, contactFormSmall);
  submited(contactForm, contactFormSmall, contactInputs, contactSmalls, contactSubmit);
  const testimonials = [
          name: "John Anderson",
          text: "Impressed with the meticulous work of WeldPro in reinforcing our home's structure; their
ome welding service truly transformed our living space.",
          name: "Angela Carter",
```

```
name: "Kenji Nakamura",
           text: "Highly recommend WeldPro for window welding; they struck the perfect balance between
durability and design, enhancing both efficiency and aesthetics."
           name: "Priya Sharma",
text: "Exceptional machine welding services from WeldPro; their team's expertise and precision
in repairing and modifying machinery exceeded our expectations."
           name: "Dakota Redhawk",
           text: "Thrilled with the personalized touch WeldPro brought to my bike; their bike welding
           text: "Outstanding car welding services by WeldPro; their attention to detail and commitment to
quality transformed my vehicle into a performance and style masterpiece."
   \label{thm:dynamicCreating} dynamic Creating (\texttt{testimonials}, \ document.getElementById("\texttt{testimonials-slider}"), \\
   order-secondary" alt="Slide ${index + 1} image">
                       <div class="card-body">
                           <h3 class="card-title orange">${text.name}</h3>
   $("#testimonials-slider").slick({
       arrows: true,
       slidesToShow: 5,
       responsive: [
               breakpoint: 1400,
               settings: {
                   slidesToShow: 4
               breakpoint: 1200,
               settings: {
                   slidesToShow: 3
               breakpoint: 768,
               settings: {
                   slidesToShow: 2
               breakpoint: 576,
               settings: {
                   slidesToShow: 1
   dynamicCreating(formButtons, document.getElementById("newsletter-buttons"),
   (text) => `<input type="${text.type}" ${text.disabled} id="newsletter-${text.type}" name="newsletter-</pre>
{text.type}" value="${text.value}" class="${text.class} strict-white rounded px-2 py-1 my-3 mx-2"/>
```

```
OBRADA FORME U NEWSLETTER SEKCIJI //
   const newsletterForm = document.getElementById("newsletter_form");
   const newsletterSubmit = document.getElementById("newsletter-submit");
   const newsletterFormSmall = document.getElementById("newsletter-form-small");
   const newsletterSmalls = document.querySelectorAll("#newsletter-form small");
   const newsletterInputs = [
           required: true,
           regEx: emailRegEx,
           element: document.getElementById("newsletter-email"),
           small: document.getElementById("newsletter-email-small"),
           errMssg: "Email must contain @ and .",
           blankMssg: "Email field is required."
   initializeInputs(newsletterInputs);
   formEvents(newsletterInputs, newsletterSubmit, newsletterFormSmall);
   submitEnabler (newsletterInputs, newsletterSubmit, newsletterFormSmall);\\
   submited (\verb|newsletterForm|, newsletterFormSmall|, newsletterInputs|, newsletterSmalls|, newsletterSubmit|);
   {\tt resetForm(newsletterForm, newsletterInputs, newsletterSmalls, newsletterFormSmall, newsletterSubmit)};
const footerRows = ["footer-content", "footer-end"];
dynamicCreating(footerRows, document.querySelector("footer"),
   (text) => `<div id="${text}" class="row pb-2"></div>
 / ISPIS BLOKOVA U PRVOM REDU FOOTERA //
const footerContentBlocks = [
       title: "Contact",
        id: "useful-links",
];
dynamicCreating(footerContentBlocks, document.getElementById("footer-content"),
enter my-3">
);
dynamicCreating(navLinks, document.getElementById("footer-navigation"),
   (text) => `<a href="index.html${text.path}" class="nav-link my-</pre>
 ">${text.name}</a>`
```

```
dynamicCreating(footerServices, document.getElementById("footer-services"),
   (text) => `${text} welding
      icon: "envelope",
      text: `<a class="strict-white" href="mailto:weldpro@gmail.com">weldpro@gmail.com</a>`
      icon: "mobile",
text: "+1 2345678901"
dynamicCreating(footerContact, document.getElementById("footer-contact"),
      name: "Documentation"
      name: "Author"
      path: "sitemap.xml",
name: "Sitemap"
];
dynamicCreating(usefulLinks, document.getElementById("footer-useful-links"),
   (text) => `<a class="strict-white" href="${text.path}">${text.name}</a>
const footerEndBlocks = [``,
''];
dynamicCreating(footerEndBlocks, document.getElementById("footer-end"),
// ISPIS DANAŠNJE GODINE U ELEMENTU SA ID COPYRIGHT //
const date = new Date();
const year = date.getFullYear();
document.getElementById("copyright").innerHTML = `© ${year} WeldPro. All right reserved.`;
      path: "https://www.facebook.com",
```

```
icon: "fa-brands fa-facebook"
},
{
    path: "https://www.twitter.com",
    icon: "fa-brands fa-x"
},
{
    path: "https://www.instagram.com",
    icon: "fa-brands fa-instagram"
},
{
    path: "https://www.tiktok.com",
    icon: "fa-brands fa-tiktok"
},
{
    path: "https://www.youtube.com",
    icon: "fa-brands fa-youtube"
};

dynamicCreating(socials, document.getElementById("footer-socials"),
    (text) => `<a class="Strict-white mx-3" target="_blank" href="${text.path}"><ia class="${text.icon}"></i>></a>
// KRAJ ISPISA //
```