# **DOKUMENTACIJA - WEB PROGRAMIRANJE 1**



Link: https://savadivljak.github.io/weldpro/index.html

Ime i prezime: Aleksa Savić

**Indeks:** 5/22

## **SADRŽAJ**

UVOD	
Korišćeni programski jezici	2
Opis funkcionalnosti	
Template	
ORGANIZACIJA	4
Organizaciona šema	4
Mapa sajta	4
Opis funkcionalnosti	4
KODOVI	
Index.html	
Author.html	
Style.css	
Main.js	23
· ·	

## **UVOD**

## Korišćeni programski jezici

Za izradu ovog sajta korišćene su sledeće tehnologije: HTML, CSS, XML, JavaScript, Bootstrap, Jquery.

## **Opis funkcionalnosti**

### Index.html

- Loader pri učitavanju stranice
- Modal sa formom i validacijom iste
- Dugme za povratak na vrh stranice JQUERY
- Promena pozadinske boje headera pri skrolovanju
- Dinamički ispis (od sad D.I.) linkova i dugmadi u Navu
- Dugme toggler koji menja izgled sajta u svetao/taman
- Hamburger u manjim rezolucijama klikom otvara/zatvara meni JQUERY
- Elementi se prikazuju prilikom skrolovanja sa animacijom
- Slider u sekciji Background sa 3 slajda


- D.I. slajdova, strelica i dugmadi u pomenutom Slideru
- D.I. teksta, slika, pitanja i odgovora i counter blokova u About sekciji
- Accordioni sa pitanjima i odgovorima JQUERY
- Blokovi koji prikazuju brojčanu statistiku imaginarne kompanije po kojoj je sajt rađen - JQUERY PLUGIN COUNTO
- D.I. blokova u Servisi sekciji
- Tekst u blokovima u pomenutoj sekciji se prikazuje-sklanja klikom na dugme - JQUERY
- D.I. dugmadi i slika u Portfolio sekciji
- Klikom na određeno dugme se prikazuju slike odgovarajuće vrste u pomenutoj sekciji
- D.I. opcija, radio buttona, checkboxova i dugmadi za reset i submit u formi u Kontakt sekciji
- Obrada pomenute forme
- Slider u testimonals sekciji JQUERY PLUGIN SLICK
- D.I. slajdova u pomenutom slideru
- D.I. submit i reset dugmadi u Newsletter sekciji
- Obrada forme u Newsletter sekciji
- D.I. redova, blokova, navigacionih linkova, servisa, kontakt informacija, korisnih linkova i ikonica društvenih mreža u Footeru
- Ispis trenutne godine u copyright tekst u Footeru

## **Template**

Za izradu ovog sajta nije korišćen nijedan template.

## **ORGANIZACIJA**


## Organizaciona šema




## Mapa sajta

# Opis funkcionalnosti

Loader se pojavljuje odmah pri otvaranju stranice i traje vreme dok se ne u;ita stranica + 3 sekunde, nakon toga nestaje. Skrol je onemogućen dok je vidljiv.



Modal se pojavljuje 5 sekundi nakon nestanka loadera. Može se zatvoriti klikom na X ili submitovanjem forme. Obradu forme ću objasniti kasnije na primeru kontakt forme, obrada svih formi na ovom sajtu se zasniva na istom skupu funkcija. Skrol je takođe onemogućen dok je modal na ekranu.




Back to top dugme. Klikom na njega se vraća na vrh stranice. Pojavljuje se na skrol, kada je stranica skrolovana više od 1 visine ekrana (100vh) i nestaje kada nije skrolovano u toj meri.




Dinamički ispisani linkovi u navigaciji kao i dugmad (hamburger je vidljiv samo na manjim rezolucijama). Za svaki dinamički ispis se koristi ista funkcija, kojoj se prosleđuje niz sa potrebnim podacima i element gde se ispisuju novostvoreni elementi.



Kada se skroluje više od visina stranice umanjene za visinu headera, header promeni boju, u suprotnom vraća se na prvobitno stanje.



Light/dark mode toggler. Klikom na njega menja izgled stranice, menja se i izgled ikonice u zavisnosti na temu (svetla ili tamna). Ovde je primer tamna teme, na sledećim slikama biće isključivo svetla tema. Promenjena ikonica u tamnoj temi je zaokružena crnom bojom, u svetloj temi izgleda kao na prethodne 2 slike.




Hamburger, vidljiv na rezolucijama manjim od 992px, klikom na njega se prikazuje/sklanja meni sa linkovima. Menja se i ikonica hamburgera u zavisnosti da li su prikazani ili ne.




Ovako izgleda hamburger kada meni nije prikazan.



Slider. Klikom na dugme ide se slajd napred/nazad, u zavisnosti koja je strelica kliknuta (u ovom slučaju za napred). Dugmići u obliku tački prikazuju koji slajd je aktivan i klikom na njih se prikazuje odgovarajući slajd. Zaokruženi elementi su ispisani dinamički, kao i sami slajdovi. Na svakih 5 slajder automatski pređe 1 slajd napred.




Dinamički ispisani pasusi i slike u About sekciji.



Dinamički ispisani pitanja i odgovori blokovi (accordioni) i blokovi sa brojčanom statistikom. Klikom na pitanje se prikazuje/sklanja odgovor u zavisnosti da li je odgovor prikazan. Counto jquery plugin pravi animaciju gde brojevi počinju od nule, te se povećavaju za jedan dok ne stignu do konačnih brojeva na slici. Animacija traje 3 sekunde.




Dinamički ispisani blokovi u Service sekciji. Klikom na plavo dugme se dodatni tekst prikazuj/sklanja, u zavisnosti da li je prikazan menja se i tekst na dugmetu.




Dinamički ispisana dugmad i slike u Portfolio sekciji. Klikom na dugme se prikazuju i odgovarajuće slike. Pri učitavanje se prikazuju decorated slike, sada se prikazuju perforated.



Objašnjenje obrade forme. Da bi se omogućilo submit dugme, moraju se sva obavezna polja popuniti na valjan način. Pomenuto dugme se takođe neće omogućiti ako su neobavezna tekstualna polja popunjena na neodgovarajući način (u slučaju forme u Contact sekciji polje za broj telefona). Tekstualna polja se proveravaju na blur i keyup, ostala na change. Ukoliko su pogrešno popunjena, prikazaće se poruka o grešci. Kod tekstualnih polja i select elementa za pravilan unos će bordura pozeleneti, a za pogrešan pocrveneti. Kod uspešno popunjenih neobaveznih tekstualnih polja bordura će biti uobičajena. Dole je slika forme u sekciji Contact. Opcije u selectu, radio dugmad, checkboxovi i dugmad za submit/reset su dinamički ispisani. Na slici dole je primer forme popunjen sa različitom "uspešnošću".




Primer uspešno popunjene forme. Submit je omogućen. Klikom na njega (slika je slikana nakon submita, pre submita nema poruke) se prikazuje i poruka da su podaci iz forme uspešno prosleđeni.




Kada se promeni neka vrednost (kao što je ovde čekiran drugi radio button), poruka ispod submit dugmeta nestaje, ukoliko je uneta nepravilna vrednost dugme se normalno onemogućuje.



Klikom na reset dugme se, pored uobičajene fukcionalnosti, bordure vraćaju na staro, greške sklanjaju, a submit dugme onemogućuje.




Slider u Testimonials sekciji napravljen pomoću slick jquery plugina. Sami slajdovi u dinamički ispisani. Promenom rezolucije se i menja broj prikazanih slajdova.



Dinamički ispisana dugmad u formi Newsletter sekcije. Ponavljam da forma funkcioniše po istom principu kao npr. bolje objašnjena forma u sekciji Contact i generalno svaka forma na sajtu.



U footeru je sve dinamički ispisano: redovi, blokovi i sadržaj neuređenih lista u tim blokovima sem u poslednjem bloku sa copyright tekstom. Dinamički ispisan sadržaj u blokovima, navigacioni linkovi, servisi, kontakt informacije, korisni linkovi, ikonice društvenih mreža. U bloku sa copyright tekstom se prikazuje tekuća godina (zaokruženo crnom bojom). Zbog preglednosti slike nisam zaokruživao redove i blokove u njima kao što je slučaj sa neuređenim listama sa sadržajem (crvenom bojom zaokruženo).



### **KODOVI**

#### Index.html

```
!DOCTYPE html>
chtml lang="en-US">
       <title>WeldPro</title>
       <meta charset="utf-8"/>
       <meta name="description" content="WeldPro - all types of welding services"/>
       <meta name="keywords" content="weldPro, welding, car welding, bike welding, machine welding, home</pre>
welding, window welding, gate welding"/
       <meta name="author" content="Aleksa Savic"/>
       <meta name="copyright" content="Aleksa Savic 2025"/>
       <meta name="language" content="english"/>
       <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
       <link rel="shortcut icon" href="assets/img/icon.ico" alt="WeldPro logo"/>
       <!-- FONT AWESOME IKONICE -->
       <script src="https://kit.fontawesome.com/d7dfb3a573.js" crossorigin="anonymous"></script>
       <link rel="preconnect" href="https://fonts.googleapis.com"/>
       <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
href="https://fonts.googleapis.com/css2?family=Roboto:ital,wght@0,100;0,300;0,400;0,500;0,700;0,900;1,100;1,
<!-- BOOTSTRAP CSS -->
        <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"</pre>
rel="stylesheet" integrity="sha384-QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous"/>
       <link rel="stylesheet" href="assets/css/style.css" type="text/css"/>
       <link rel="stylesheet" href="assets\slick\slick.css" type="text/css"/>
       <link rel="stylesheet" href="assets\slick\slick-theme.css" type="text/css"/>
           <div id="spinner" class="rounded-circle"></div>
       <div id="back-to-top" class="strict-white shadow position-fixed rounded-circle text-center m-4</pre>
bottom-0 end-0"><i class="fa-solid fa-arrow-up fs-1 fw-bold"></i></div>
       <div id="modal-bg" class="z-3 d-none vw-100 vh-100 position-fixed top-0 start-0 d-flex justify-</pre>
           <div id="modal" class="border border-secondary rounded bg-dark-subtle col-lg-6 col-sm-8 col-11</pre>
               <div class="w-100"><button type="button" class="border border-0 fw-bold bg-dark-subtle fs-1</pre>
               <h1 class="text-center mx-5 mt-1 mb-5 fs-1 fw-bold text-dark">Subscribe to our
```

```
form action="index.php" method="POST" class="mt-5 w-100 d-flex flex-wrap flex-column
justify-content-center align-items-center";
                   <input class="rounded my-1 w-75 p-1 border border-2 border-secondary" type="text"</pre>
id="modal-email" name="modal-email" placeholder="Ex: jonjonson@gmail.com"/>
                   <small id="modal-input-small" class="invisible text-danger">Invalid email
format</small>
                   <input type="submit" disabled id="modal-submit" name="modal-submit" value="SUBMIT"</pre>
class="disabled strict-white rounded py-1 px-2 my-1"/>
                   <small id="modal-form-small" class="invisible text-success mb-3">Successfuly submited,
please wait...</small>
       <header class="container-fluid px-5 z-2">
           <nav class="d-flex justify-content-between w-100 flex-wrap p-2">
               <a href="index.html" class="strict-white fs-3 fw-bold d-flex align-items-center">Weld<span</pre>
class="orange">Pro</span></a>
               <div id="nav-buttons" class="d-flex align-items-center"></div>
       <!-- MAIN POČETAK -->
       <main class="w-100 bg-light bg-gradient">
       <!-- BACKGROUND SEKCIJA -->
            <section id="background" class="vh-100 w-100 d-flex justify-content-between align-items-center</pre>
position-relative top-0 start-0">
               <div id="dots" class="position-absolute d-flex justify-content-between"></div>
           <section id="about" class="container fluid py-5">
               <h2 class="fs-1 fade-in w-100 text-center mt-5 text-dark">About <span</pre>
class="orange">Us</span></h2>
               <div id="about-parts-container" class="row d-flex justify-content-evenly align-items-</pre>
               <section id="services" class="container fluid py-5">
               <h2 class="fs-1 fade-in w-100 text-center text-dark mt-5">Our <span</pre>
class="orange">Services</span></h2>
               <div id="service-blocks" class="fade-in row justify-content-between mt-5"></div>
               <h2 class="fs-1 fade-in w-100 text-center pt-5 text-dark">Our <span class="orange">Work
Portfolio</span></h2>
            <section id="contact" class="container fluid py-5">
class="orange">Us</span></h2>
               <div class="d-flex mt-5">
                       <form method="POST" action="index.php" id="contact-form" class="w-75 mx-auto mt-3</pre>
h-100">
                               <div class="col-md-5 col-12">
                                   <label class="w-100" for="name">Full name: <span class="text-</pre>
danger">*</span></label>
                                   <input class="contact-input w-100 p-1 border border-secondary border-2</pre>
 ounded" type="text" id="name" name="name" placeholder="John Johnson"/
```

```
<small id="small-name" class="contact-small text-danger invisible w-100</pre>
mt-1">Invalid name format</small>
                                <div class="col-md-5 col-12">
                                    <label class="w-100" for="email">Email: <span class="text-</pre>
danger">*</span></label>
                                    <input class="contact-input w-100 p-1 border border-secondary border-2</pre>
rounded" type="text" id="email" name="email" placeholder="john_123@example.ex"/
                                    <small id="small-email" class="contact-small text-danger invisible w-</pre>
100 mt-1">Invalid email format</small>
                            <div class="d-flex flex-wrap justify-content-between mx-auto">
                                    <label for="phone">Phone:</label>
                                    <input class="contact-input w-100 p-1 border border-secondary border-2</pre>
rounded" type="text" id="phone" name="phone" placeholder="+1 2223334444"/>
                                    <small id="small-phone" class="contact-small text-danger invisible w-</pre>
100 mt-1">Invalid phone format</small>
                                <div class="col-md-5 col-12">
                                    <label class="w-100" for="select">Select service: <span class="text-</pre>
danger">*</span></label>
                                    <select class="contact-input w-100 border border-secondary border-2</pre>
rounded" id="select"></select>
                                    <small id="small-select" class="contact-small text-danger invisible w-</pre>
100 mt-1">You must select a service</small>
                            <div class="d-flex flex-wrap mx-auto">
                                <label class="w-100" for="mssg">Write us: <span class="text-</pre>
danger">*</span></label>
                                <textarea class="contact-input w-100 p-1 border border-secondary border-2</pre>
rounded" id="mssg" name="mssg" placeholder="Message"></textarea>
1">You must fill in this field</small>
                                <label class="w-100" for="gen">Gender: <span class="text-</pre>
danger">*</span></label>
                                <div id="gens" class="d-flex justify-content-evenly flex-wrap w-100"></div>
                                <small id="small-gen" class="contact-small text-danger invisible w-100 mt-</pre>
1">You must select a gender</small>
                                <label class="w-100" for="file-input">Send us:</label>
                                <input type="file" id="file-input" name="file-input"/>
                            <div class="d-flex flex-wrap my-1 mx-auto">
                                <small id="small-check" class="contact-small text-danger invisible w-100</pre>
mt-1">You must agree with terms and services</small>
                            <div class="d-flex flex-wrap my-1 mx-auto">
                                <small class="my-1 w-100"><span class="text-danger">*</span> - Mandatory
fields</small>
                               <div id="form-buttons" class="mx-auto"></div>
u-100 mt-1 text-center">Form successfuly submited!</small>
            section id="newsletter" class="w-100 container-fluid bg-dark-subtle text-dark pt-5 px-3 mt-5»
```

### **Author.html**

```
!DOCTYPE html>
chtml lang="en-US">
       <title>WeldPro - author page</title>
       <meta charset="utf-8"/>
        <meta name="description" content="Author of this website - Aleksa Savić, experienced and skillfull</pre>
eb developer"/
       <meta name="keywords" content="weldpro, aleksa savic, author, website"/>
       <meta name="author" content="Aleksa Savic"/>
        <meta name="copyright" content="Aleksa Savic 2025"/>
       <meta name="language" content="english"/>
       <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
       <link rel="shortcut icon" href="assets/img/icon.ico" alt="WeldPro logo"/>
       <!-- FONT AWESOME IKONICE -->
       <script src="https://kit.fontawesome.com/d7dfb3a573.js" crossorigin="anonymous"></script>
       <!-- FONT ROBOTO -->
       <link rel="preconnect" href="https://fonts.googleapis.com"/>
       <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin/>
href="https://fonts.googleapis.com/css2?family=Roboto:ital,wght@0,100;0,300;0,400;0,500;0,700;0,900;1,100;1
 00:1.400:1.500:1.700:1.900&display=swap" rel="stylesheet"/
```

```
BOOTSTRAP CSS
        <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"</pre>
rel="stylesheet" integrity="sha384-QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous"/>
       <link rel="stylesheet" href="assets/css/style.css" type="text/css"/>
       <!-- SLICK JQUERY PLUGIN CSS -->
       <link rel="stylesheet" href="assets\slick\slick.css" type="text/css"/>
       <link rel="stylesheet" href="assets\slick\slick\slick-theme.css" type="text/css"/>
           <div id="spinner" class="rounded-circle"></div>
        <!-- BACK TO TOP DUGME -->
       <div id="modal-bg" class="z-3 d-none vw-100 vh-100 position-fixed top-0 start-0 d-flex justify-</pre>
content-center align-items-center"
            <div id="modal" class="border border-secondary rounded bg-dark-subtle col-lg-6 col-sm-8 col-11</pre>
d-flex flex-wrap flex-column justify-content-center align-items-center"
                <div class="w-100"><button type="button" class="border border-0 fw-bold bg-dark-subtle fs-1</pre>
                <h1 class="text-center mx-5 mt-1 mb-5 fs-1 fw-bold text-dark">Subscribe to our
newsletter</h1>
               <form action="index.php" method="POST" class="mt-5 w-100 d-flex flex-wrap flex-column</pre>
                    <label class="fs-5 text-dark" for="modal-email">Enter your email:</label>
                    <input class="rounded my-1 w-75 p-1 border border-2 border-secondary" type="text"</pre>
id="modal-email" name="modal-email" placeholder="Ex: jonjonson@gmail.com"/>
                    <small id="modal-input-small" class="invisible text-danger">Invalid email
format</small>
                    <input type="submit" disabled id="modal-submit" name="modal-submit" value="SUBMIT"</pre>
class="disabled strict-white rounded py-1 px-2 my-1"/
                    <small id="modal-form-small" class="invisible text-success mb-3">Successfuly submited,
please wait...</small>
       <header class="container-fluid px-5 z-2">
            <nav class="d-flex justify-content-between w-100 flex-wrap p-2">
               <a href="index.html" class="strict-white fs-3 fw-bold d-flex align-items-center">Weld<span</pre>
class="orange">Pro</span></a>
               ul id="nav-links">
        <main class="w-100 bg-light bg-gradient">
           <section id="author-background" class="w-100 vh-100 d-flex justify-content-center align-items-</pre>
                <h1 class="strict-white text-center">Author</h1>
           <section id="author-content" class="w-100 py-5">
                    <img class="rounded" src="assets/img/author.JPG" alt="Author of this website"/>
```

## Style.css

```
margin: 0px;
   padding: 0px;
   box-sizing: border-box;
   --orange: #FF6F00;
   --gray: #4E4E50;
html{
   scroll-behavior: smooth;
body{
   font-family: "Roboto", sans-serif !important;
   font-weight: 400;
   font-style: normal;
a{
   text-decoration: none !important;
ĺi{
   list-style-type: none;
ul{
   padding-left: 0px;
input, textarea, button{
   border: none;
input:focus, textarea:focus, button:focus, select:focus{
   border: none;
.orange{
   color: var(--orange) !important;
.cleaner{
   clear: both;
```

```
fade-in{
   top: -30px;
   transition: opacity .7s ease-in, top .7s ease-in;
.fade-in-after{
  opacity: 1;
   top: 0px;
.enabled{
  background-color: var(--blue);
  background-color: var(--gray);
#spinner{
   border: 15px solid #bababa;
   width: 100px;
   height: 100px;
   border-top-color: var(--orange);
@keyframes spin{
       transform: rotate(0turn);
   100%{
       transform: rotate(1turn);
#loader{
   opacity: 1;
   z-index: 1000;
   transition: opacity 1s;
.loader-done{
   opacity: 0 !important;
/* BACK TO TOP */
#back-to-top{
   height: 4rem;
  opacity: 0.7;
  display: none;
  cursor: pointer;
background-color: var(--orange);
  z-index: 500;
#back-to-top:hover{
#back-to-top i{
   line-height: 4rem;
#modal button{
   top: 10px;
  left: 90%;
  cursor: pointer;
#modal-bg{
  background-color: rgba(0,0,0,0.5);
header{
   background-color: rgba(0,0,0,0.3);
   position: fixed;
```

```
transition: background-color 0.5s;
   background-color: var(--blue);
   transition: background-color 0.5s;
#toggler{
   font-size: 20px;
   height: 30px;
   line-height: 30px;
.toggler-day{
    border: 2px solid var(--orange) !important;
   background-color: #FFF;
   color: var(--orange);
.toggler-night{
   background-color: #000;
#hamburger{
   display: none;
   background-color: var(--blue);
   font-size: 30px;
   height: 30px;
   line-height: 30px;
nav a:hover, footer a:hover{
   color: var(--orange) !important;
nav ul{
  margin: 0px;
nav ul li{
   margin-left: 25px;
#background h1, #author-background h1{
   font-size: 70px;
#background a{
   width: 180px;
   height: 40px;
   background-color: var(--orange);
#background a:hover{
   border: 1px solid var(--orange);
   color: var(--orange);
   background-color: transparent;
.bg-slider{
   background-size: cover;
   background-blend-mode: multiply;
   background-color: rgba(0,0,0,0.8);
   width: 60px;
   height: 100px;
   font-size: 40px;
   background-color: transparent;
   top: calc(50% - 50px);
  background-color: rgba(218, 116, 38, 0.8);
#previous{
   left: 0px;
  right: 0px;
```

```
display: flex !important;
.bg-slider{
   display: none;
#dots{
   width: 100px;
   left: calc(50% - 50px);
   width: 20px;
   height: 20px;
   background-color: var(--orange);
   opacity: 0.6;
   cursor: pointer;
  opacity: 1;
#qandas h5{
#qandas p{
  display: none;
   padding: 0;
#qandas p.show{
  padding: 10px;
.rotate-icon{
   transform: rotate(90deg);
#services img{
   height: 50px;
#services button{
   background-color: var(--blue);
#services button:hover{
  background-color: transparent;
   color: var(--blue) !important;
#services p{
  display: none;
.port-button{
  background-color: var(--blue);
.port-active{
  background-color: var(--orange);
textarea{
  height: 100px;
.slick-slide {
  margin: 0 10px;
.slick-list {
```

```
margin: 0 -10px;
.card p{
   height: 150px;
#testimonials-slider img {
   width: 100%;
   object-fit: cover;
.slick-dots{
   bottom: -50px !important;
.slick-dots button::before{
   color: var(--blue) !important;
   font-size: 20px !important;
   font-size: 25px !important;
   color: var(--blue) !important;
   background-color: var(--blue);
#author-figure, #author-figure img{
  width: 300px;
#author-background{
   background-image: url("../img/bg-author.jpg");
   background-size: cover;
   background-blend-mode: multiply;
   background-color: rgba(0,0,0,0.8);
@media screen and (max-width: 1200px){
       width: calc(2.5rem + 1.5vw);
       height: calc(2.5rem + 1.5vw);
   #back-to-top i{
       line-height: calc(2.5rem + 1.5vw);
media screen and (min-width: 992px){
   nav ul{
       display: block !important;
   nav a{
       line-height: 40px;
media screen and (max-width: 991.98px){
   header{
       background-color: var(--blue) !important;
       display: none;
       width: 100%;
       margin-bottom: 10px;
       margin: 0px;
       width: 100%;
   nav ul a{
       margin-top: 10px;
       text-align: left;
       width: 100%;
```

```
#background h1, #author-background h1{
        font-size: 50px;
    #hamburger{
    .card p{
       height: 200px;
@media screen and (max-width: 767.98px){
   .card p{
       height: 160px;
@media screen and (max-width: 575.98px){
   #background h1, #author-background h1{
    font-size: 30px;
        font-size: 20px;
       width: 30px;
       height: 70px;
       padding-left: 30px;
        padding-right: 30px;
    .card p{
        height: 150px;
        width: 100%;
```

# Main.js

```
function disableScroll() {
   document.body.style.overflow = "hidden";
function enableScroll() {
   document.body.style.overflow = "auto";
disableScroll();
const loader = document.getElementById("loader");
let doneLoading = false;
window.addEventListener("load", () => {
    setTimeout(() => {
        loader.classList.add("loader-done");
        doneLoading = true;
    }, 3000);
});
window.addEventListener("transitionend", (e) => {
   if (e.target == loader && e.propertyName == "opacity" && doneLoading) {
        document.body.removeChild(loader);
        enableScroll();
        setTimeout(() =>
```

```
modalBg.classList.remove("d-none");
            modalBg.classList.add("d-flex");
            disableScroll();
        }, 5000);
});
 // BACK TO TOP DUGME ANIMACIJA NA KLIK I NA SKROLOVANJE//
$("#back-to-top").click(function(){
    $("html").animate({scrollTop: 0}, "fast");
});
$(window).scroll(function () {
   if ($(this).scrollTop() > window.innerHeight) {
        $("#back-to-top").fadeIn("slow");
        $("#back-to-top").fadeOut("slow");
});
window.addEventListener('scroll', () => {
   const header = document.querySelector('header');
    const headerHeight = header.offsetHeight;
    if (window.scrollY > window.innerHeight - headerHeight) {
        header.classList.add("blue-header");
    } else {
        header.classList.remove("blue-header");
});
 // POČETAK KODA ZA PROVERU VALIDNOSTI PODATAKA NA FORMI //
function inputError(type, input, small){
   if (type == "input" || type == "select") {
   input.classList.remove("border-success", "border-secondary", "border-light");
        input.classList.add("border-danger");
    small.classList.remove("invisible");
    small.classList.add("visible");
 // ISPIS USPEHA //
function inputSuccess(required, type, input, small){
    if (type == "input" || type == "select") {
        input.classList.remove("border-danger", "border-light", "border-secondary");
        if(!required){
            dayNightInputModifier(input);
        } else input.classList.add("border-success");
    small.classList.remove("visible");
    small.classList.add("invisible");
 / ODREĐUJE BOJU IVICE U ZAVISNOSTI KOJI JE REŽIM (DNEVNI/NOĆNI NAMEŠTEN) //
function dayNightInputModifier(input){
    input.classList.remove("border-danger", "border-success");
    if(togglerFlag == "day") input.classList.add("border-secondary");
    else if(togglerFlag == "night") input.classList.add("border-light");
 // PROVERA VALIDNOSTI PODATAKA U FORMI //
function inputCheck(required, type, regEx, input, small, errMssg, blankMssg) {
    if (type == "input") {
        if (!regEx.test(input.value) && input.value.trim() != "") {
            inputError(type, input, small);
```

```
small.innerHTML = errMssg;
        } else if (input.value.trim() == "") {
           if (required) {
                inputError(type, input, small);
                small.innerHTML = blankMssg;
               inputSuccess(required, type, input, small);
           inputSuccess(required, type, input, small);
       if (required) {
           if (input.value == 0) {
               inputError(type, input, small);
small.innerHTML = blankMssg;
                return 1;
                inputSuccess(required, type, input, small);
                return 0:
   } else if (type == "radio") {
       if (required) {
           let radioErr = 0;
           Array.from(input).forEach((radio) => {
                    radioErr++;
           if (radioErr == input.length) {
               inputSuccess(required, type, input, small);
   } else if (type == "checkbox") {
       if (required) {
           if (!input.checked) {
               inputError(type, input, small);
                small.innerHTML = blankMssg;
                return 1;
               inputSuccess(required, type, input, small);
       else return 0;
   else if (type == "file") {
        if (required) {
           if (!file) {
               inputError(type, input, small);
small.innerHTML = blankMssg;
                return 1;
/ DOGAĐAJI TOKOM POPUNJAVANJA ELEMENATA FORME //
function formEvents(inputs, submit, small) {
  inputs.forEach((input) => {
```

```
if (input.type == "input") {
           input.element.addEventListener("blur", () => {
               input.touched = true;
               if (input.touched) input.validate();
               submitEnabler(inputs, submit, small);
           input.element.addEventListener("keyup", () => {
               input.touched = true;
               if (input.touched) input.validate();
               submitEnabler(inputs, submit, small);
        } else if (input.type == "checkbox" || input.type == "select" || input.type == "file") {
           input.element.addEventListener("change", () => {
               input.touched = true;
                if (input.touched) input.validate();
               submitEnabler(inputs, submit, small);
        } else if (input.type == "radio") {
           Array.from(input.element).forEach((radio) => {
               radio.addEventListener("change", () => {
                   input.touched = true;
                    if (input.touched) input.validate();
                   submitEnabler(inputs, submit, small);
function submitEnabler(inputs, submit, small) {
   let allTouched = true;
   inputs.forEach((input) => {
        if (!input.touched && input.required) {
           allTouched = false;
        if (input.touched) {
           const isValid = input.validate() == 0;
           allValid = allValid && isValid;
   if (allValid && allTouched) {
       submit.disabled = false;
       submit.classList.remove("disabled");
       submit.classList.add("enabled");
       small.classList.remove("visible");
       small.classList.add("invisible");
       submit.disabled = true;
        submit.classList.remove("enabled");
       submit.classList.add("disabled");
        small.classList.remove("visible");
       small.classList.add("invisible");
function submited(form, small) {
   form.addEventListener("submit", (e) => {
       e.preventDefault();
        small.classList.remove("invisible");
       small.classList.add("visible");
 / DOGAĐAJ NA RESET FORME //
function resetForm(form, inputs, smalls, smallForm, submit) {
```

```
form.addEventListener("reset", () => {
        inputs.forEach((input) => {
            input.touched = false;
            if (input.element && input.element.classList) {
               input.element.classList.remove("border-danger", "border-success", "border-light", "border-
secondary");
                if (input.type !== "checkbox") {
                   dayNightInputModifier(input.element, togglerFlag);
           } else if (input.type === "radio") {
               Array.from(input.element).forEach((radio) => {
                   if (radio.classList) {
                       radio.classList.remove("border-danger", "border-success");
        Array.from(smalls).forEach((small) => {
           small.classList.remove("visible");
            small.classList.add("invisible");
        smallForm.classList.remove("visible");
        smallForm.classList.add("invisible");
        touchedFlag = false;
        submitEnabler(inputs, submit, smallForm)
 / POČETAK KODA SA FUNKCTONALNOSTIMA MODALA //
const modalBg = document.getElementById("modal-bg");
const modalCancel = document.querySelector("#modal button");
const modalForm = document.querySelector("#modal form");
const modalInput = document.getElementById("modal-email");
const modalInputSmall = document.getElementById("modal-input-small");
const modalFormSmall = document.getElementById("modal-form-small");
const modalSubmit = document.getElementById("modal-submit");
const emailRegEx = /^([a-z]|[0-9]|[\.\-\_]){3,30}@([a-z]|[\.]){5,15}$/;
const modalInputs = [
       element: modalInput,
       type: "input",
       touched: false,
       validate: () => inputCheck(true, "input", emailRegEx, modalInput, modalInputSmall, "Email must
contain @ and .", "Email field is required."),
formEvents(modalInputs, modalSubmit, modalFormSmall);
submitEnabler(modalInputs, modalSubmit, modalFormSmall);
submited(modalForm, modalFormSmall);
// MODAL SE ZATVARA 3 SEKUNDE NAKON SUBMITA //
modalForm.addEventListener("submit", (e) => {
   e.preventDefault();
   modalFormSmall.classList.remove("invisible");
   modalFormSmall.classList.add("visible");
   setTimeout(closeModal, 3000);
});
function closeModal() {
   modalBg.classList.remove("d-flex");
    modalBg.classList.add("d-none");
```

```
enableScroll();
modalCancel.addEventListener("click", closeModal);
 // FUNKCIJA ZA DINAMIČKI ISPIS (OD SAD D.I.) ELEMENATA //
function dynamicCreating(data, targetElement, generateText) {
    data.forEach((text, index) => {
        targetElement.innerHTML += generateText(text, index);
const navLinks = [
         name: "Home",
         class: "orange"
        path: "#about",
name: "About",
         name: "Services",
         class: "strict-white"
        path: "#portfolio",
name: "Portfolio",
class: "strict-white"
         name: "Contact",
         class: "strict-white"
        path: "#testimonials",
name: "Testimonials",
class: "strict-white"
];
dynamicCreating(navLinks, document.getElementById("nav-links"),
href="index.html${text.path}">${text.name}</a>
const navIcons = [
         class: "border border-0 strict-white",
icon: "bars"
];
dynamicCreating(navIcons, document.getElementById("nav-buttons"),
```

```
<button type="button" id="${text.id}" class="${text.class} mx-1 px-2">
                      <i class="fa-solid fa-${text.icon}"></i>
const toggler = document.getElementById("toggler");
let togglerFlag = "day";
function dayNightSwap(className, remove, add){
    Array.from(className).forEach((element) => {
         element.classList.remove(`${remove}`);
         element.classList.add(`${add}`);
function togglerSwap(icon, remove, add){
    toggler.innerHTML = `${icon}`;
    toggler.classList.remove(`${remove}`);
    toggler.classList.add(`${add}`);
toggler.addEventListener("click", () => {
    if (togglerFlag == "day") {
        togglerSwap(`<i class="fa-solid fa-sun"></i>`, "toggler-night", "toggler-day");
dayNightSwap(document.getElementsByClassName("text-dark"), "text-dark", "text-light");
dayNightSwap(document.getElementsByClassName("bg-light"), "bg-light", "bg-dark");
         \label{lem:continuous} {\tt dayNightSwap(document.getElementsByClassName("bg-dark-subtle"), "bg-dark-subtle", "bg-black");} \\
         dayNightSwap(document.getElementsByClassName("border-secondary"), "border-secondary", "border-
light");
        togglerFlag = "night";
    } else if (togglerFlag == "night") {
   togglerSwap(`<i class="fa-solid fa-moon"></i>`, "toggler-day", "toggler-night");
         dayNightSwap(document.getElementsByClassName("text-light"), "text-light", "text-dark");
        dayNightSwap(document.getElementsByClassName("bg-dark"), "bg-dark", "bg-light");
dayNightSwap(document.getElementsByClassName("bg-black"), "bg-black", "bg-dark-subtle");
         dayNightSwap(document.getElementsByClassName("border-light"), "border-light", "border-secondary");
         togglerFlag = "day";
});
$("#hamburger").click(function(){
        $("#hamburger").html(`<i class="fa-solid fa-bars"></i>`);
         $("#hamburger").html(`<i class="fa-solid fa-x"></i>`);
    $("nav ul").slideToggle("slow");
});
const url = window.location.href;
if(url.indexOf("author.html") == -1){
    // ODGOVARAJUĆI ELEMENTI SE PRIKAZUJU NA SCROLL //
    $(window).scroll(function() {
         let pageBottom = $(window).scrollTop() + $(window).height();
         $(".fade-in").each(function() {
             let divTop = $(this).offset().top + $(this).outerHeight();
             let divHeight = $(this).height();
             if (pageBottom > divTop - divHeight) {
                  $(this).addClass('fade-in-after');
```

```
title: "We build things architext dream up",
           linkName: "about us",
           link: "about",
           linkName: "our portfolio",
           title: "We are doing all kinds of welding services",
           linkName: "contact us",
  dynamicCreating(bgs, document.getElementById("background"),
   (text) => `<div class="bg-slider justify-content-center align-items-center h-100 w-100 mx-auto">
                  <div class="w-75">
ontent-center align-items-center mx-auto mt-5 text-uppercase fw-medium shadow">${text.linkName}</a>
  Array.from(document.getElementsByClassName("bg-slider")).forEach((slider, index) => {
       slider.style.backgroundImage = `url("./assets/img/bg-${bgs[index].link}.jpg")`;
           icon: "greater",
  {\tt dynamicCreating(arrowsData,\ document.getElementById("background"),}
  (text) => `<button type="button" id="${text.id}" class="strict-white border border-0 position-absolute</pre>
  // D.I. DUGMAD U POMENUTOJ SEKCIJI (BEZ F-JE NAPRAVLJENI) //
  let dotsWrite = "";
       dotsWrite += `<div id="dot${i + 1}" class="dot rounded-circle"></div>`;
  document.getElementById("dots").innerHTML += dotsWrite;
  let bgIndex = 1;
  const bgSlides = document.getElementsByClassName("bg-slider");
  const dotButtons = document.getElementsByClassName("dot");
  let bgChange;
```

```
function showBgSlide(index) {
    Array.from(bgSlides).forEach((slide) => (slide.style.display = "none"));
    Array.from(dotButtons).forEach((dot) => dot.classList.remove("dot-active"));
    bgSlides[index - 1].style.display = "flex";
    dotButtons[index - 1].classList.add("dot-active");
function changeBg(direction) {
   bgIndex += direction;
    if (bgIndex > bgSlides.length) bgIndex = 1;
    if (bgIndex < 1) bgIndex = bgSlides.length;</pre>
    showBgSlide(bgIndex);
    resetBgTimer();
// F-JA ZA RESETOVANJE TAJMERA
function resetBgTimer() {
    clearInterval(bgChange);
    bgChange = setInterval(() => changeBg(1), 5000);
showBgSlide(bgIndex);
if(doneLoading) bgChange = setInterval(() => changeBg(1), 5000);
document.getElementById("previous").addEventListener("click", () => changeBg(-1));
document.getElementById("next").addEventListener("click", () => changeBg(1));
Array.from(dotButtons).forEach((dot, index) =>
   dot.addEventListener("click", () => {
        bgIndex = index + 1;
        showBgSlide(bgIndex);
        resetBgTimer();
const aboutParts = [
        class: ""
        id: "about-img",
dynamicCreating(aboutParts, document.getElementById("about-parts-container"),
(text) => `<div id="${text.id}" class="fade-in col-lg-6 col-12 ${text.class}"></div>`
const aboutPages = ["Welcome to WeldPro, where precision welding meets craftsmanship and excellence.
```

const aboutPages = ["Welcome to WeldPro, where precision welding meets craftsmanship and excellence. Our highly skilled team is dedicated to delivering superior results, whether it's enhancing the security of your property with gate welding, improving energy efficiency with window welding, or customizing your motorcycle with bike welding. With a commitment to innovation and personalized service, we ensure that every project is executed with the utmost care and attention to detail. From initial consultation to project completion, you can trust WeldPro to exceed your expectations and deliver exceptional quality and reliability. Join us on the journey of precision welding excellence and experience the difference with WeldPro.".

"WeldPro began as a small workshop driven by a passion for welding and an unwavering commitment to quality craftsmanship. From its humble beginnings, the company focused on delivering reliable and precise welding solutions, quickly earning a reputation for excellence. Over the years, WeldPro grew steadily, expanding its range of services to meet the needs of homeowners, businesses, and industries alike. By

```
obracing advanced technologies and innovative techniques, the company was able to refine its processes and
Heliver results that exceeded expectations. What started as a one-person operation has evolved into a
trusted name in welding, with a team of skilled professionals dedicated to bringing durability, creativity,
 nd precision to every project. Today, WeldPro remains true to its roots—providing exceptional service
while continuing to push the boundaries of what's possible in the world of welding."];
   dynamicCreating(aboutPages, document.getElementById("about-txt"),
   (text) => `${text}`
   dynamicCreating(aboutPages, document.getElementById("about-img"),
   (_, index) => `<img class="mt-5 w-75 mx-auto rounded border border-secondary"</pre>
rc="./assets/img/about${index + 1}.jpg" alt="WeldPro doing welding project ${index + 1}"/>`
   // D.I. PITANJA I ODGOVORA U POMENUTOJ SEKCIJI //
   const gandas = [
           question: "What types of welding services does WeldPro offer?",
           answer: "Troweld provides a comprehensive range of welding services including home welding,
gate welding, window welding, machine welding, bike welding, and car welding."
           question: "How does Troweld ensure the quality and reliability of its welding work?",
           answer: "At Troweld, we ensure quality and reliability by employing highly skilled welders,
investing in state-of-the-art equipment and techniques, and adhering to strict quality control measures
throughout every project."
           question: "Can Troweld handle both small-scale repairs and large-scale fabrication projects?",
           question: "How can I get started with Troweld for my welding project?",
           answer: "Getting started with Troweld is easy! Simply contact us through our website or give us
 call to discuss your project needs and schedule a consultation. We'll work with you every step of the way
o bring your welding project to life with precision and excellence."
   dynamicCreating(qandas, document.getElementById("qandas"),
       (text) => `
                      <h5 class="bg-dark-subtle text-dark w-100 m-0 border border-secondary p-2"><i</pre>
class="fa-solid fa-caret-right orange"></i> ${text.question}</h5>
                      ${text.answer}
   $("#qandas").on("click", "li", function() {
       const answer = $(this).find("p").first();
       answer.slideToggle("slow");
       answer.toggleClass("show")
       $(this).find(".fa-caret-right").toggleClass("rotate-icon");
   const counters = [
           number: "1200",
           text: "Happy clients",
           number: "3000",
```

icon: "face-smile"

```
number: "240",
           icon: "person"
           number: "15",
           icon: "award"
   {\tt dynamicCreating(counters, document.getElementById("counters"),}
og-dark-subtle align-items-center">
                        <h5 class="my-2 text-dark">${text.text}</h5>
   $(document).ready(function () {
       $(window).scroll(function() {
           if($("#counters").hasClass("fade-in-after")){
               for(let i = 0; i < counters.length; i++){</pre>
                   $(".number").eq(i).counto(counters[i].number, 3000);
   // D.I. SADRŽAJA U SERVICES SEKCIJI //
           text: "Elevate your living space with our precise home welding services, blending functionality
and aesthetics seamlessly."
           text: "Secure your property with style through our gate welding services, creating elegant and
robust entrances."
           icon: "window",
           title: "Machine",
           text: "Optimize machinery performance with our machine welding services, offering comprehensive
           icon: "bike",
title: "Bike",
           text: "Personalize your ride with our bike welding services, providing custom modifications for
 unique and stylish motorcycle.'
           text: "Revitalize your vehicle with our car welding services, combining precision repairs and
```

```
{\tt dynamicCreating(services, document.getElementById("service-blocks"),}
   (text) => `<div class="mx-auto mt-1 p-3 col-lg-4 col-md-6 col-sm-10 col-xs-12">
center align-items-center bg-dark-subtle">
                        <img class="mt-3" src="./assets/img/${text.icon}-welding.png" alt="${text.title}</pre>
icon"/>
                        <h5 class="mt-3 text-dark">${text.title} welding</h5>
   $("#services button").click(function() {
        if ($(this).html() == "Show more") {
           $(this).html("Show less");
           $(this).html("Show more");
        $(this).parent().find("p").slideToggle("slow");
   const portParts = [
           class: "w-100 d-flex justify-content-center my-3 flex-wrap"
   dynamicCreating(portParts, document.getElementById("portfolio"),
   const portButtons = ["decorative", "facades", "perforated", "railings"];
   {\tt dynamicCreating(portButtons, document.getElementById("portfolio-buttons"),}
   dynamicCreating(Array.from({ length: 3 }), document.getElementById("portfolio-images"),
        (_, index) => `<figure class="col-lg-4 col-sm-8 col-xs-12 mx-auto my-3">
                            <img class="w-100 border border-secondary rounded"</pre>
src="./assets/img/decorative${index + 1}.jpg" alt="decorative welding project ${index + 1}"/>
                            <figcaption class="mt-1 text-center text-dark">decorative welding project
${index + 1}</figcaption>
   const portButtonElements = document.getElementsByClassName("port-button");
   portButtonElements[0].classList.add("port-active");
        $(".port-active").removeClass("port-active");
        $(this).addClass("port-active");
        let clickedPortText = $(this).text().trim();
        $("#portfolio-images img").each(function (i) {
           $(this).attr({"src": `./assets/img/${clickedPortText}${i + 1}.jpg`, "alt": `${clickedPortText}
       project ${i + 1}`});
```

```
$(this).next("figcaption").text(`${clickedPortText} welding project ${i + 1}`);
   const options = ["Select Service", "Home Welding", "Gate Welding", "Window Welding", "Machine Welding",
"Bike Welding", "Car Welding"];
   dynamicCreating(options, document.getElementById("select"),
   (text, index) => `<option value="${index}">${text}</option>
   const gens = ["Male", "Female", "Other"];
   dynamicCreating(gens, document.getElementById("gens"),
value="radio${text}"/>
            name: "subscribe",
            text: "Subscribe to the Newsletter"
            name: "tas",
   dynamicCreating(checks, document.getElementById("checks"),
    (text) => `
                     <input class="form-check-input" type="checkbox" name="${text.name}-check"</pre>
id="${text.name}-check" value="${text.name}-check"/>
                     <label class="text-dark form-check-label" for="${text.name}-check">${text.text}</label>
    const formButtons = [
            type: "submit",
            value: "SUBMIT",
            disabled: "disabled",
            class: "enabled"
   dynamicCreating(formButtons, document.getElementById("form-buttons"),
(text) => `<input type="${text.type}" ${text.disabled} id="contact-${text.type}" name="contact-
${text.type}" value="${text.value}" class="${text.class} strict-white rounded py-1 px-2 my-3 mx-2"/>`
   const contactName = document.getElementById("name");
   const contactNameSmall = document.getElementById("small-name");
const nameRegEx = /^[A-Z][a-z]{2,12}(\s[A-Z][a-z]{2,12}){1,3}$/;
```

```
const contactEmail = document.getElementById("email");
   const contactEmailSmall = document.getElementById("small-email");
   const contactPhone = document.getElementById("phone");
   const contactPhoneSmall = document.getElementById("small-phone");
   const phoneRegEx = /^\+[1-9](?:\d[-\s]?){9,13}\d$/;
   const contactTextArea = document.getElementById("mssg");
   const contactTextAreaSmall = document.getElementById("small-mssg");
   const mssgRegEx = /^.{10,1000};
   const contactSelect = document.getElementById("select");
   const contactSelectSmall = document.getElementById("small-select");
   const contactRadio = document.getElementsByClassName("contact-radio");
   const contactRadioSmall = document.getElementById("small-gen");
   const contactCheckBox = document.getElementById("tas-check");
   const contactCheckBoxSmall = document.getElementById("small-check");
   const contactForm = document.getElementById("contact-form");
   const contactSubmit = document.getElementById("contact-submit");
   const contactFormSmall = document.getElementById("small-contact-form");
   const contactSmalls = document.getElementsByClassName("contact-small");
   const contactCheckBoxNotMandatory = document.getElementById("subscribe-check");
   const contactFile = document.getElementById("file-input")
           element: contactName,
           type: "input",
           touched: false.
           required: true,
           validate: () => inputCheck(true, "input", nameRegEx, contactName, contactNameSmall, "Name must
           element: contactEmail,
           touched: false,
           validate: () => inputCheck(true, "input", emailRegEx, contactEmail, contactEmailSmall, "Email
           element: contactPhone,
           type: "input",
           validate: () => inputCheck(false, "input", phoneRegEx, contactPhone, contactPhoneSmall, "Phone
           element: contactTextArea,
           type: "input",
           touched: false,
           required: true,
validate: () => inputCheck(true, "input", mssgRegEx, contactTextArea, contactTextAreaSmall,
Message must contain 10-1000 characters.", "Message field is required.")
           element: contactSelect,
           touched: false,
           required: true,
           validate: () => inputCheck(true, "select", "", contactSelect, contactSelectSmall, "", "Please
           element: contactRadio,
           type: "radio",
           touched: false,
           required: true,
           validate: () => inputCheck(true, "radio", "", contactRadio, contactRadioSmall, "", "")
           element: contactCheckBox,
           type: "checkbox",
           touched: false,
```

```
required: true,
           validate: () => inputCheck(true, "checkbox", "", contactCheckBox, contactCheckBoxSmall, "",
           element: contactCheckBoxNotMandatory,
           type: "checkbox",
           touched: false,
           required: false,
           validate: () => inputCheck(false, "checkbox", "", contactCheckBoxNotMandatory, "", "", "")
           element: contactFile,
           type: "file",
           touched: false,
           validate: () => inputCheck(false, "file", "", contactFile, "", "", "")
   formEvents(contactInputs, contactSubmit, contactFormSmall);
   submitEnabler(contactInputs, contactSubmit, contactFormSmall);
   submited(contactForm, contactFormSmall);
   resetForm(contactForm, contactInputs, contactSmalls, contactFormSmall, contactSubmit);
   // JQUERY PLUGIN SLICK SLIDER U TESTIMONIALS SEKCIJI //
   $(document).ready(function () {
       $("#testimonials-slider").slick({
           arrows: true,
           slidesToShow: 5,
           responsive: [
                    breakpoint: 1400,
                    settings: {
                        slidesToShow: 4
                    breakpoint: 1200,
                    settings: {
                        slidesToShow: 3
                    breakpoint: 768,
                    settings: {
                        slidesToShow: 2
                    breakpoint: 576,
                    settings: {
                        slidesToShow: 1
           name: "John Anderson",
           text: "Impressed with the meticulous work of WeldPro in reinforcing our home's structure; their
           name: "Angela Carter",
text: "The gate welding service from WeldPro not only secured our property but also added an
elegant touch; exceptional craftsmanship and reliability."
```

```
name: "Kenji Nakamura",
            text: "Highly recommend WeldPro for window welding; they struck the perfect balance between
durability and design, enhancing both efficiency and aesthetics."
            name: "Priya Sharma",
            text: "Exceptional machine welding services from WeldPro; their team's expertise and precision
in repairing and modifying machinery exceeded our expectations.'
           name: "Dakota Redhawk",
text: "Thrilled with the personalized touch WeldPro brought to my bike; their bike welding
            name: "Layla Khalid",
   \label{thm:dynamicCreating} dynamic Creating (\texttt{testimonials}, \ document.getElementById("\texttt{testimonials-slider}"), \\
    (text, index) => `<div class="card border border-secondary bg-dark-subtle">
                        <img src="./assets/img/person${index + 1}.jpg" class="card-img-top" alt="Slide</pre>
${index + 1} image">
                             <h5 class="card-title orange">${text.name}</h5>
                             ${text.text}
   \label{thm:dynamicCreating} {\tt dynamicCreating(formButtons, document.getElementById("newsletter-buttons"),} \\
   (text) => `<input type="${text.type}" ${text.disabled} id="newsletter-${text.type}" name="newsletter-</pre>
f{text.type}" value="${text.value}" class="${text.class} strict-white rounded px-2 py-1 my-3 mx-2"/>
   // OBRADA FORME U NEWSLETTER SEKCIJI //
   const newsletterForm = document.getElementById("newsletter-form");
   const newsletterInput = document.getElementById("newsletter-email");
   const newsletterInputSmall = document.getElementById("newsletter-email-small");
   const newsletterSubmit = document.getElementById("newsletter-submit");
   const newsletterFormSmall = document.getElementById("newsletter-form-small");
   const newsletterSmalls = document.getElementsByClassName("newsletter-small");
            element: newsletterInput,
            touched: false,
            required: true,
            validate: () => inputCheck(true, "input", emailRegEx, newsletterInput, newsletterInputSmall,
    formEvents(newsletterInputs, newsletterSubmit, newsletterFormSmall);
   submitEnabler(contactInputs, newsletterSubmit, newsletterFormSmall);
   submited(newsletterForm, newsletterFormSmall);
   resetForm(newsletterForm, newsletterInputs, newsletterSmalls, newsletterFormSmall, newsletterSubmit);
 / POČETAK D.I. FOOTERA //
 / ISPIS REDOVA U FOOTERU //
```

```
const footerRows = ["footer-content", "footer-end"];
```

```
dynamicCreating(footerRows, document.querySelector("footer"),
   (text) => `<div id="${text}" class="row pb-2"></div>
const footerContentBlocks = [
       title: "Navigation",
        id: "useful-links",
\label{lem:dynamicCreating} dynamicCreating (footer-Content Blocks, \ document.get Element By Id ("footer-content"),
   (text) => `<div class="col-md-3 col-sm-6 col-12 d-flex flex-column align-items-center my-3">
                   <h5 class="orange">${text.title}</h5>
);
 / ISPIS NAVIGACIJE U FOOTERU //
dynamicCreating(navLinks, document.getElementById("footer-navigation"),
   (text) => `<a href="index.html#${text.path}" class="nav-link my-</pre>
 ">${text.name}</a>`
);
const footerServices = ["Home", "Gate", "Window", "Machine", "Bike", "Car"]
dynamicCreating(footerServices, document.getElementById("footer-services"),
   (text) => `${text} welding
        text: "12 Welding Street, New York"
       icon: "envelope",
text: `<a class="strict-white" href="mailto:weldpro@gmail.com">weldpro@gmail.com</a>
dynamicCreating(footerContact, document.getElementById("footer-contact"),
   (text) => `<i class="fa-solid fa-${text.icon}"></i>&nbsp;&nbsp;${text.text}
 onst <mark>usefulLinks = [</mark>
```

```
name: "Documentation"
       path: "author.html",
name: "Author"
       path: "sitemap.xml",
name: "Sitemap"
];
dynamicCreating(usefulLinks, document.getElementById("footer-useful-links"),
   (text) => `<a class="strict-white" href="${text.path}">${text.name}</a>
// ISPIS BLOKOVA U DRUGOM REDU FOOTERA //
const <mark>footerEndBlocks = [` pt-5 d-flex justify-content-center" id="footer-socials">`,
''];
dynamicCreating(footerEndBlocks, document.getElementById("footer-end"),
                   ${text}
);
document.addEventListener("DOMContentLoaded", () => {
   const year = date.getFullYear();
   document.getElementById("copyright").innerHTML = `© ${year} WeldPro. All right reserved.`;
});
       path: "https://www.twitter.com",
       path: "https://www.instagram.com",
       icon: "fa-brands fa-tiktok"
       path: "https://www.youtube.com",
icon: "fa-brands fa-youtube"
dynamicCreating(socials, document.getElementById("footer-socials"),
   (text) => `<a class="strict-white mx-3" target="_blank" href="${text.path}"><i</pre>
```