Web Dev Report

Link to the website: http://sye543.poseidon.salford.ac.uk/webdev/

- The topic of the website is a "personal website". I decided to go for that because it will be in use for me in the future as a presentation of my skills and personality.
- For the most part of the project, I used fluid/liquid design with bootstrap. However, there are a few exceptions with fixed elements(progress bar).
- Haven't made any sketches or wireframes. Had just an idea that the website should contain head/nav/images/content/footer and home/education/skills/experience/about me pages. Browsed quite a lot of personal websites before I start to form how the website should be made before I started. Links to videos that have influenced the design of my website: https://www.youtube.com/watch?v=aYBGV8ssve4 , https://www.youtube.com/watch?v=ngcRor6TQRw&t=780s

HTML5:

So I tried to use as many elements as possible while making the website such as <head>,<body>,<nav>,<footer>,,<meta>,<title>,<link>,<script>, ,<img>,<figure>,<figcaption>,<ul>,<li>,<h1>,<h2>,<h3>,<h4>,<h5>,<button>,<a>,<p>,
,<hr>,<i>,<input>,<label>,<section>,<form> but not limited to(just in case I've missed something ☺).

Bootstrap:

Why Bootstrap? The main reason I choose to work with bootstrap is that is 12 columns responsive grid system which makes positioning the elements easier and also will help you with the styling of your website. Bootstrap requires Jquery to work which is need for elements such as a carousel.

Example: class="col-12" == 3 x class="col-4" – Reading from left to right

Head section:

```
<!DOCTYPE html>
<html lang="en">
<head>
<!--Charecter type-->
    <meta charset="utf-8">
    <!--Prvides metadata about the HTML document-->
    <meta name="Personal Website" content="Plamen Savchev">
    <meta name="Plamen Savchev" content="HTML,CSS,Bootstrap">
    <meta name="author" content="Plamen Savchev">
    <!--Viewport for mobile devices and tablets-->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!--Title and icon of the website above where you put the URL-->
    <title>Plamen Savchev</title>
    <link rel="icon" href="images/logo1.png">
    <!--Link to bootstrap, js, css, twitter and link to website for the use of social media icon-->
    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"></script>
    <script src="https://use.fontawesome.com/releases/v5.0.8/js/all.js"></script>
    <script async src="//platform.twitter.com/widgets.js"></script>
    <link href="styles.css" rel="stylesheet">
</head>
<body>
```

Charset .Some meta data about the topic of the website. Viewport for different devices followed by my title and icon. Regarding the icon I have been using free logo maker so no copyright have been breached. Link to the website:

https://preview.freelogodesign.org/?lang=EN&name=Plamen%20Savchev&logo=96c20133-bdfd-4bcb-9fdb-6a1f9d01ddfe.
Then is the links to the Bootstrap & Jquery which I decided to use instead of downloading the files and add them to the folder. I assume if I download them it might slightly boost the performance, however,but since the website been working perfectly doesn't see I reason to do so. Links:
https://www.w3schools.com/bootstrap/bootstrap_get_started.asp
https://www.bootstrapcdn.com/
https://www.w3schools.com/jquery/jquery_get_started.asp
Last but not least are the links to the "Fontawesome" – social icon, "Twitter" – so I can embed my tweets and the reference to the style sheet.

All the following parts are divided into container. All except the progress bar are liquid:
https://getbootstrap.com/docs/4.4/layout/overview/

Navigation:
Here comes my first failure:

```
        <!-- Navigation-->
<nav class="navbar navbar-expend-md navbar-dark bg-dark fixed-top">
    <a class="navbar-brand" href="#"><img src="images/ps.png"></a>
    <button class="navbar-toggler" type="button" data-toggler="collapse" data-target="#navbarResponsive">
        <span class="navbar-toggler-icon"></span>
    </button>

    <div class="collapse navbar-collapse" id="navbarResponsive">
        <ul class="navbar-nav ml-auto">
            <li class="nav-item">
                <a class="nav-link" href="#home">Home</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#education">Education</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#projects">Projects</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#about">About</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#contact">Contact</a>
            </li>
        </ul>
    </div>
</nav>
    <!-- End Navigation-->
```



First of all as you can Imagine the NavBar was one of the first things I tried to do. Therefore, it's look quite different from what is now. What happened here is that as soon as I put some

First of all, as you can Imagine the NavBar was one of the first things I tried to do. Therefore, it looks quite different from what is now. What happened here is that as soon as I put some styles (forgot to take a photo) the <ul> with all the <li> items just disappeared. I tried pretty much everything and still can't explain where was the problem. Anyway, at some point after losing hours trying to figure it out I just gave up, read that article and started from the beginning. https://getbootstrap.com/docs/4.0/components/navbar/. This time everything was working just fine. So I copied the navbar to all of the pages. Happy day.




```
<!-- Navigation -->
<nav class="navbar navbar-expand-md navbar-dark bg-dark sticky-top">
    <div class="container-fluid">
        <a class="navbar-brand" href="index.html"><img src="images/logo.png" alt="Logo"></a>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navigation">
            <ul class="navbar-nav ml-auto">
                <li class="navbar-item">
                    <a class="nav-link" href="index.html">HOME</a>
                </li>
                <li class="navbar-item">
                    <a class="nav-link" href="education.html">EDUCATION</a>
                </li>
                <li class="navbar-item">
                    <a class="nav-link" href="skills.html">SKILLS</a>
                </li>
                <li class="navbar-item">
                    <a class="nav-link" href="experience.html">EXPERIENCE</a>
                </li>
                <li class="navbar-item">
                    <a class="nav-link" href="about.html">ABOUT</a>
                </li>
            </ul>
        </div>
    </div>
</nav>
```

Footer:

So here you would assume that I will carry on with the main content, however, I decided to finish with the parts that will be in common for all the pages: head, nav, and the footer:

```html
<footer>
    <div class="container-fluid padding">
        <div class="row text-center">
            <div class="col-md-4">
                <img src="images/logo.png" alt="Logo">
                <hr class="light">
                <p>This website is created</p>
                <p>for educational purposes.</p>
                <p>&copy; All Rights Reserved</p>
            </div>
            <div class="col-md-4">
                <hr class="light">
                <h5>Tweets</h5>
                <hr class="light">
                <a class="twitter-timeline" href="https://twitter.com/P_Savchev" data-width="360" data-height="180"></a>
            </div>
            <div class="col-md-4">
                <hr class="light">
                <h5>Contact me</h5>
                <hr class="light">
                <p><a href="tel:+44734721954">07342 721 954</a></p>
                <p><a href="mailto:pl.savchev@hotmail.com">pl.savchev@hotmail.com</a></p>
                <p>Salford,</p>
                <p>Manchester,</p>
                <p>United Kingdom</p>
            </div>
            <hr class="my-4">
            <div class="container-fluid">
                <div class="row text-center">
                    <div class="col-12">
                        <h2>CONNECT</h2>
                    </div>
                    <div class="col-12 social padding">
                        <a href="https://www.facebook.com/pl.savchev"><i class="fab fa-facebook"></i></a>
                        <a href="https://twitter.com/P_Savchev"><i class="fab fa-twitter"></i></a>
                        <a href="https://www.youtube.com/channel/UC9eWq0KEwZIKsfap_yGIJuw?view_as=subscriber"><i class="fab fa-youtube"></i></a>
                        <a href="https://www.instagram.com/psavchev/"><i class="fab fa-instagram"></i></a>
                        <a href="https://www.linkedin.com/in/plamen-savchev/"><i class="fab fa-linkedin"></i></a>
                    </div>
                </div>
            </div>
            <div class="col-12">
                <hr class="light">
                <h5>&copy; Plamen Savchev</h5>
            </div>
        </div>
    </div>
</footer>
</body>
</html>
```



So the logo and text, <hr> are straight and simple. Doesn't need much explaining. Regarding the positioning, I divided the bootstrap's 12 col into 3x4col. Embed my tweets (Link how to do: https://developer.twitter.com/en/docs/twitter-for-websites/timelines/overview). Also, my phone number and email are <anchor>s so a person can contact me just with a click.

Next are the social icons: https://fontawesome.com/ and guide https://embed.plnkr.co/LpJLnT/ fallowed by <hr> break copyright symbol and my name.

Main section:

Main section is a bit different for every page. Index.html , education.html , skills.html contain carousel slides: https://getbootstrap.com/docs/4.0/components/carousel/

```html
<div id="slides" class="carousel slide" data-ride="carousel">
    <ul class="carousel-indicators">
        <li data-target="#slides" data-slide-to="0" class="active"></li>
        <li data-target="#slides" data-slide-to="1"></li>
        <li data-target="#slides" data-slide-to="2"></li>
    </ul>
    <div class="carousel-inner">
        <div class="carousel-item active">
            <img src="images/city1.jpg" alt="City1">
            <div class="carousel-caption">
                <h1 class="display-2">Plamen Savchev</h1>
                <h3>My Personal Website</h3>
                <a href="education.html" role="button" class="btn btn-outline-light btn-lg">Education</a>
                <a href="skills.html" role="button" class="btn btn-outline-light btn-lg">Skills</a>
                <a href="experience.html" role="button" class="btn btn-outline-light btn-lg">Experience</a>
            </div>
        </div>
        <div class="carousel-item">
            <img src="images/city2.jpg" alt="City2">
            <div class="carousel-caption">
                <h1 class="display-2">Plamen Savchev</h1>
                <h3>My Personal Website</h3>
                <a href="education.html" role="button" class="btn btn-outline-light btn-lg">Education</a>
                <a href="skills.html" role="button" class="btn btn-outline-light btn-lg">Skills</a>
                <a href="experience.html" role="button" class="btn btn-outline-light btn-lg">Experience</a>
            </div>
        </div>
        <div class="carousel-item">
            <img src="images/city3.jpg" alt="City3">
            <div class="carousel-caption">
                <h1 class="display-2">Plamen Savchev</h1>
                <h3>My Personal Website</h3>
                <a href="education.html" role="button" class="btn btn-outline-light btn-lg">Education</a>
                <a href="skills.html" role="button" class="btn btn-outline-light btn-lg">Skills</a>
                <a href="experience.html" role="button" class="btn btn-outline-light btn-lg">Experience</a>
            </div>
        </div>
    </div>
</div>
```



On the home page originally I added <button> on each slide but then I decided to change it to an anchor with reference to one of the other pages because is way easier this way or at least for me since we've done it this way quite a few times during the workshops.
https://getbootstrap.com/docs/4.0/components/buttons/
The other 2 pages carousel contain images and heading but no anchors.

Bellow part is divided by 4 div section which are divided into 2 equal parts: <class=”col-lg-6”>description + button and <class=”col-lg-6”>image.

```html
<div class="container-fluid padding">
    <div class="row padding">
        <div class="col-lg-6">
            <h2>Education</h2>
            <p>Currently, I am studying BSc(Hons)Computer Science with Cyber Security with Foundation Year at the University of Salford.</p>
            <p>So far, during this course I have studied Programming (Java and C#), Web Development (HTML5 and CSS), CS Internals and Linux (Linux uBuntu, Computer
            Systems), Database Systems (Microsft Access), Professional Development and Practices.</p>
            <p>Modules to be cover during the following year: Penetration Testing (Kali Linux), Client-Server System (PHP), AI and Data Mining, Career Development,
            Network and Security, Software Projects and Agile Techniques.</p>
            <br>
            <a href="education.html" class="btn btn-primary">Learn More</a>
        </div>
        <div class="col-lg-6">
            <figure>
                <img src="images/student.jpg" class="img-fluid" alt="Studying">
                <figcaption>"Don't wish it were easier, wish you were better." - Jim Rohn</figcaption>
            </figure>
        </div>
    </div>
</div>
<hr class="my-4">

<!--- Working Experience -->
```

Education

Currently, I am studying BSc(Hons)Computer Science with Cyber Security with Foundation Year at the University of Salford.

So far, during this course I have studied Programming (Java and C#), Web Development (HTML5 and CSS), CS Internals and Linux (Linux uBuntu, Computer Systems), Database Systems (Microsft Access), Professional Development and Practices.

Modules to be cover during the following year: Penetration Testing (Kali Linux), Client-Server System (PHP), AI and Data Mining, Career Development, Network and Security, Software Projects and Agile Techniques.

Learn More

You can see this type of styling also in the experience.html and about.html pages.

Now something a bit different ☺. I decided to embed google maps on the edication.html page.

```html
<!-- Map -->
<div class="container-fluid padding">
    <div class="google-maps">
        <iframe src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d14435.8741684740291!2d-
        2.2718435334100167!3d53.48338841906514!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x487bae269967c6fd%3A0x39e11420ae7b461e!2sUniversity%20of%20Salford!5e
        3m2!1sen!2suk!4v1577981829169!5m2!1sen!2suk" width="600" height="450" style="border:0;" allowfullscreen=""></iframe>
    </div>
</div>
<hr>
```

NOTE!: the following is partially regarding CSS

So embedding the map wasn’t a problem but to get it responsive was a bit annoying. So initially I was trying to resize the frame with the @media queries as originally the map was

class="col-6" / half screen next to the text. But every time when I was resizing the screen at some point the text was overlapping the map which is a common problem for fluid design Therefore, I was looking for a different approach and found the following article: https://www.labnol.org/internet/embed-responsive-google-maps/28333/

Next is the progress bar which haas been used in education.html & skills.html
So one of the videos that I watched had progress bar and since website will be used as my portfolio It's a must to have it. Link:
https://getbootstrap.com/docs/4.0/components/progress/
Had a bit of struggle here but I reckon it was mainly due to long hours exhaustion. Nothing that I can't handle ☺.

YEAR 1



So obviously I typed whatever is in the progress bar. Originally I typed "Loading" but then when I showed it to couple of people everyone assumed that the site doesn't load ☺.

FOUNDATION YEAR



```html
<h3 class="text-center">FOUNDATION YEAR</h3>
<div id="grades0" class="mt-5">
    <div class="container padding">
        <span class="bg-primary text-white">GRADES</span><hr class="bg-primary">
        <div class="row">
            <div class="col">
                <div class="card bg-white">
                    <h2 class="ml-3 my-3">Web Programming</h2>
                    <div class="progress mx-3">
                        <div class="progress-bar" style="width:80%">80%</div>
                    </div>
                    <h2 class="ml-3 my-3">Mathematics</h2>
                    <div class="progress mx-3">
                        <div class="progress-bar" style="width:69%">69%</div>
                    </div>
                    <h2 class="ml-3 my-3">Computer Programming - C#</h2>
                    <div class="progress mx-3">
                        <div class="progress-bar" style="width:65%">65%</div>
                    </div>
                    <h2 class="ml-3 my-3">Computer Systems</h2>
                    <div class="progress mx-3">
                        <div class="progress-bar" style="width:67%">67%</div>
                    </div>
                    <h2 class="ml-3 my-3">Inside Computer System</h2>
                    <div class="progress mx-3">
                        <div class="progress-bar" style="width:62%">62%</div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```

Last but not least is the “The contact” form on the about.html page. So I found I great guide for different types of contact forms and originally I start to code is a PHP form. Don’t get me wrong I don’t have any experience with PHP. I was just curious and it’s looking way more professional from what we’ve learned so far at University. However, as soon as I finish with <form> and the mail.php file I was thinking to myself that even If I manage to do it with PHP I am not going to get any marks, on the contrary, I am going to lose a mark for not using what I’ve learned. Therefore, I change to a way we did it in Uni ☺. Anyway, the original PHP form is commented out and mail.php is included in the folder. Once I’m done with all the exams I’ll finish it.



```html
<section class="mb-4 padding">
    <h2 class="h1-responsive font-weight-bold text-center my-4">CONTACT ME</h2>
    <p class="text-center w-responsive mx-auto mb-5">Please do not hesitate to contact me if you require further information </p>
    <div class="row">
        <div class="col-md-9 mb-md-0 mb-5">
            <form name="contact-form" action="mailto:pl.savchev@hotmail.com" enctype="text/plain" method="post">
                <div class="row">
                    <div class="col-md-6">
                        <div class="md-form mb-0">
                            <input type="text" id="name" name="name" class="form-control">
                            <label for="name" class="">Your name</label>
                        </div>
                    </div>
                    <div class="col-md-6">
                        <div class="md-form mb-0">
                            <input type="text" id="email" name="email" class="form-control">
                            <label for="email" class="">Your email</label>
                        </div>
                    </div>
                </div>
                <div class="row">
                    <div class="col-md-12">
                        <div class="md-form mb-0">
                            <input type="text" id="subject" name="subject" class="form-control">
                            <label for="subject" class="">Subject</label>
                        </div>
                    </div>
                </div>
                <div class="row">
                    <div class="col-md-12">

                        <div class="md-form">
                            <textarea id="message" name="message" rows="2" class="form-control md-textarea"></textarea>
                            <label for="message">Your message</label>
                        </div>

                    </div>
                </div>
                <div class="text-center text-md-left">
                    <input class="btn btn-primary" type="submit" name="Submit" value="Submit">
                </div>
            </form>
            <div class="status"></div>
        </div>
        <div class="col-md-3 text-center">
            <ul class="list-unstyled mb-0">
                <li><i class="fas fa-map-marker-alt fa-2x"></i>
                    <p>Salford, Manchester, UK</p>
                </li>

                <li><i class="fas fa-phone mt-4 fa-2x"></i>
                    <p>+ 44 7342 721 954</p>
                </li>

                <li><i class="fas fa-envelope mt-4 fa-2x"></i>
                    <p>pl.savchev@hotmail.com</p>
                </li>
            </ul>
```

CSS:

As the in the style sheet will start with font. Source and guide in the following links:
https://www.w3schools.com/css/css3_fonts.asp
https://fonts.google.com/

Bit more general now. So I tried to use as much as different elements as possible. E.g. sizing – px, rem, em, percentage - %; colours: rgb, rgba, hex ; position - border, margin, paddings; some places I had to use !import to overwrite the default values of bootstrap.

Html & body:

```css
html, body {
    height: 100%;
    width: 100%;
    font-family: 'Poppins', sans-serif;
    color: #222;
}
```

NavBar:

```
/*--- Navigation ---*/
.navbar {
    padding: .8rem;
    background: rgba(0,0,0,0.8)!important;
}
.navbar-nav li {
    padding-right: 20px;
}
.nav-link {
    font-size: 1.1em;
}
```

Carousel image slider – images, headings & buttons

```
/*--- Carousel ---*/
.carousel-inner img {
    width: 100%;
    height: 100%;
}
.carousel-caption {
    position: absolute;
    top: 50%;
    transform: translateY(-50%);
}
.carousel-caption h1 {
    font-size: 500%;
    text-transform: uppercase;
    text-shadow: 1px 1px 10px #000;
}
.carousel-caption h3 {
    font-size: 200%;
    font-weight: 500;
    text-shadow: 1px 1px 10px #000;
}
.btn-primary {
    background-color: #6648b1;
}
.btn-primary:hover {
    background-color: #563d7c;
}
.padding {
    padding-bottom: 2rem;
}
```

The social icon from “Fontawesome” had to be edited as their default colour is not as it’s the platform that represent: https://fontawesome.com/, https://embed.plnkr.co/LpJLnT/

```
/*--- Socials ---*/
.social a {
    font-size: 4.5em;
    padding: .5rem;
}
.fa-facebook {
    color: #3b5998;
}
.fa-twitter {
    color: #00aced;
}
.fa-youtube {
    color: #bb0000;
}
.fa-instagram {
    color: #833ab4;
}
.fa-linkedin {
    color: #0e76a8;
}
.fa-facebook:hover, .fa-twitter:hover, .fa-youtube:hover, .fa-instagram:hover, .fa-linkedin:hover {
    color: #d5d5d5;
}
```

Google maps – as I mentioned above I had a problem with the scaling the map(overflowing – tried to resize the iframe with different media but still it wasn’t accurate enough) and here’s the solution that I found: https://www.labnol.org/internet/embed-responsive-google-maps/28333/

```
/*--- Responive map ---*/
.google-maps {
    position: relative;
    padding-bottom: 40%;
    height: 0;
    overflow: hidden;
}
.google-maps iframe {
    position: absolute;
    top: 0;
    left: 12.5%;
    width: 75% !important;
    height: 75% !important;
}
```

Figures & figcaption - https://www.elated.com/smooth-fading-image-captions-with-pure-css3/

```
/*--- Figures & Figcptions ---*/
figure {
    position: relative;
    display: block;
    border: 1px solid #333;
    margin: 5px 0 10px 0;
}
figcaption {
    position: absolute;
    left: 0;
    bottom: 0;
    width: 100%;
    color: white;
    background-color: rgba(0, 0, 0, .7);
    opacity: : 0;
    transition: opacity 0.5s ease-in-out;
}
figure:hover figcation {
    opacity: 1;
}
```

Media queries – as I use bootstrap the main problem that I had was the social Icons and the carousels. Basically on the smaller screen I wasn't able to see the caption.

```
/*--- Media Queries --*/
@media (max-width: 992px) {
    .social a {
        font-size: 4em;
        padding: 2rem;
    }
}
@media (max-width: 768px) {
    .carousel-caption {
        top: 45%;
    }
    .carousel-caption h1 {
        font-size: 350%;
    }
    .carousel-caption h3 {
        font-size: 140%;
        font-weight: 400;
        padding-bottom: .2rem;;
    }
    .carousel-caption .btn {
        font-size: 95%;
        padding: 8px 14px;
    }
    .display-4 {
        font-size: 200%;
    }
    .social a {
        font-size: 2.5em;
        padding: 1.2rem;
    }
}
@media (max-width: 576px) {
    .carousel-caption {
        top: 40%;
    }
    .carousel-caption h1 {
        font-size: 250%;
    }
    .carousel-caption h3 {
        font-size: 110%;
    }
    .carousel-caption .btn {
        font-size: 90%;
        padding: 4px 8px;
    }
    .carousel-indicators {
        display: none;
    }
    .display-4 {
        font-size: 160%;
    }
    .social a {
        font-size: 2em;
        padding: .7rem;
    }
}
```

MEDIA:

Few of the images are personally mine. For the rest I used the following free stock images website:
https://www.pexels.com/



What is allowed?

We tried to keep the Pexels License as simple as possible.
Keep reading to find out more.

- ✓ All photos on Pexels are free to use.
- ✓ Attribution is not required. Giving credit to the photographer or Pexels is not necessary but always appreciated.
- ✓ You can modify the photos. Be creative and edit the photos as you like.

Images URLs:

1. https://www.pexels.com/photo/raised-building-frame-169647/
2. https://www.pexels.com/photo/timelapse-photography-of-vehicle-on-concrete-road-near-in-high-rise-building-during-nighttime-169677/
3. https://www.pexels.com/photo/high-rise-buildings-during-night-time-photo-219692/
4. https://www.pexels.com/photo/silhouette-of-man-247899/
5. https://www.pexels.com/photo/blur-close-up-code-computer-546819/
6. https://www.pexels.com/photo/accomplishment-ceremony-education-graduation-267885/
7. https://www.pexels.com/photo/steel-gate-of-brown-brick-building-159490/
8. https://www.pexels.com/photo/selective-focus-photography-of-bookshelf-with-books-1370296/
9. https://www.pexels.com/photo/woman-wears-yellow-hard-hat-holding-vehicle-part-1108101/
10. https://www.pexels.com/photo/man-welding-iron-2918011/

11. https://www.pexels.com/photo/man-wearing-welding-helmet-welding-metal-near-gray-brick-wall-1474993/
12. https://www.pexels.com/photo/man-wearing-black-and-white-stripe-shirt-looking-at-white-printer-papers-on-the-wall-212286/
13. https://www.pexels.com/photo/white-paper-with-note-669986/
14. https://www.pexels.com/photo/white-blank-notebook-733857/
15. https://www.pexels.com/photo/close-up-of-coins-315788/
16. https://www.pexels.com/photo/grayscale-photo-of-man-standing-beside-barbell-3112004/
17. https://www.pexels.com/photo/silhouette-of-trees-2131623/
18. https://www.pngfly.com/png-2iaue5/download.html

TESTING:

Chrome:



Firefox:

Here comes the interesting part. The resolutions are fine except when I switch to a phone mode on my laptop. However, if I look at my phone with firefox everything seems fine. Phone view supposed to represent phone view but it looks different. I guess might due to the resolution of the phone.



The third picture is from my phone and is scaling just fine:



Safari:



Brave Browser:



TOR Browser:

Same effect as the firefox phone-from-laptop view. Last button overflow with the div bellow.



VALIDATION:

Index.html



Education.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file education.html

Checker Input

Show ☐ source ☐ outline ☐ image report Options...

Check by file upload Choose file No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 15 milliseconds.

About this checker • Report an issue • Version: 20.1.2

Skills.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file skills.html

Checker Input

Show ☐ source ☐ outline ☐ image report Options...

Check by file upload Choose file No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 13 milliseconds.

About this checker • Report an issue • Version: 20.1.2

Experience.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file experience.html

Checker Input

Show ☐ source ☐ outline ☐ image report Options...

Check by file upload Choose file No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 12 milliseconds.

About this checker • Report an issue • Version: 20.1.2

About.html

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file about.html

Checker Input

Show ☐ source ☐ outline ☐ image report Options...

Check by file upload Choose file No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 23 milliseconds.

About this checker • Report an issue • Version: 20.1.2

Styles.css



The W3C CSS Validation Service

W3C CSS Validator results for styles.css (CSS level 3 + SVG)

Jump to: Warnings (1) Validated CSS

W3C CSS Validator results for styles.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as CSS level 3 + SVG !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:

```
<p>
    <a href="http://jigsaw.w3.org/css-validator/check/referer">
        <img style="border:0;width:88px;height:31px"
            src="http://jigsaw.w3.org/css-validator/images/vcss"
            alt="Valid CSS!" />
    </a>
</p>
```

```
<p>
<a href="http://jigsaw.w3.org/css-validator/check/referer">
    <img style="border:0;width:88px;height:31px"
        src="http://jigsaw.w3.org/css-validator/images/vcss-blue"
        alt="Valid CSS!" />
    </a>
</p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)

COPYRIGHT PERMISSION:

According to the following article Wikipedia text might be used as far as there's link to the original article or the author is accredited.
https://en.wikipedia.org/wiki/Wikipedia:Reusing_Wikipedia_content