Q: What is Jubilant ?

Q: Who runs dominos in India ?

→ Americano foods BUT for KFC
pizza hut
⋮

Kuwait : 3rd largest market region

9 hr shift + OT : employee

aana — office — jaana

routes are unoptimiz

Q: Source & destination : Fix

[but people/employee change continuously]

$S_i \in Stone^*$



in between stones

- boxes change
- people change

$T_{id} \equiv route^*$

Problem :

driver ← OT

→ Something related to Indigo

Follow new model:

focus on route ONLY.

① what is new model about

② - reduce cost (OT)

- optimize route

③ employee overtime ?

④ Maintainence kiski ? insurance

Route optimize → Study.

Route optn ?

① time/schedule optn ?

② occupancy rate ↑

peak hour ↑ handling

Constraints

9–6

12hrs → 9hrs

Goal

① reduce overtime → reduce revenue

D1 D2 DC

A B C



① → 1 & 2.5

② → 2 & 3.5

① idle time ? → low occupancy rate

11–15

② occupancy rate

9–10

idle time

13.5 — 10 hrs idle

Tackle the problem : (2 hafta) (2 weeks)*

Focus :

→ pilot

↑

Small dataset on which we run our algorithm.

Constraints :

① employee time fix

② src : dest : fix

- - - - - - - - - - - -

③ reduce OT

- inc occupancy rate

- peak hour handling

Incentive :

① certificate → what is in it for us ?

(VAE line project)*

- 2.5 bil $ company
- cost cutting proble

approach 1: forming clusters

Clusters!

① travel time?
② distance kitna?

How will you form clusters?

Peak hour: High number of employees

Output :

① route, employee (which employee will be in which bus)

Note : bus start and end location WILL never be defined.

is this bus sys similar to metro ? → to your schedule your employee to LEAVE .

→ Bus is going Come if you want .

① 1 driver 1 bus

→ one central parking area

② 1 trip is counted when the driver comes back at accomodation

③ traffic can also counted here.

13 buses → 13 driver

↓

1 hr → 26

Q: fault tolerant ?

- traffic
- store close
- festival
- driver on holiday

How will you tackle this kind of business problem?

metaheuristic algorithm

read research paper