OpenAPI definition ^{v0} OAS 3.0

/api-docs

Servers

```
http://localhost:8080 - Generated server url
```

user-controller ⌃

PUT /api/v1/user/profile/{id} ⌃

Parameters

Try it out

Name	Description
id * required integer($int64) *(path)*	id

Request body required

application/json

Example Value   Schema

```json
{
  "id": 0,
  "firstName": "string",
  "email": "string",
  "role": "ADMIN",
  "lastName": "string",
  "profilePicture": "string",
  "phoneNumber": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

```
*/*
```

Controls `Accept` header.

Example Value   Schema

```
{
  "success": true,
  "message": "string",
  "data": {}
}
```

DELETE   /api/v1/user/profile/{id}   ⌃

Parameters

<div style="text-align:right">[Try it out]</div>

Name	Description
id * required integer($int64) *(path)*	[id]

Responses

Code	Description	Links
200	OK	No links

Media type

```
*/*
```

Controls `Accept` header.

Example Value   Schema

```
{
  "success": true,
  "message": "string",
  "data": {}
}
```

GET `/api/v1/user/{userId}/profile` ∧

Parameters

Name	Description
userId * required integer($int64) *(path)*	userId

Responses

Code	Description	Links
200	OK	*No links*

Media type

```
*/*
```

Controls `Accept` header.

Example Value   Schema

```
{
  "success": true,
  "message": "string",
  "data": {}
}
```

customer-controller ∧

GET `/api/v1/customers/{id}` ∧

Parameters

Name	Description
id * required integer($int64) *(path)*	id

Responses

Code	Description	Links
200	OK	*No links*

Media type

```
*/*
```

Controls `Accept` header.

Example Value   Schema

```
{
  "customerId": 0,
  "customerName": "string",
  "customerAddress": "string",
  "phoneNumber": "string",
  "accounts": [
    {
      "accountId": 0,
      "accountType": "string",
      "balance": 0,
      "customer": "string"
    }
  ]
}
```

PUT   /api/v1/customers/{id}   ⌃

Parameters   Try it out

Name	Description

id * required
`integer($int64)`
(path)

```
id
```

Request body required   application/json

Example Value   Schema

```
{
  "customerId": 0,
  "customerName": "string",
  "customerAddress": "string",
  "phoneNumber": "string",
  "accounts": [
    {
      "accountId": 0,
      "accountType": "string",
      "balance": 0,
      "customer": "string"
    }
```

```
    ]
  }
```

Responses

| Code	Description	Links
200	OK	*No links*

Media type

```
*/*
```

Controls `Accept` header.

Example Value   Schema

```
{
  "customerId": 0,
  "customerName": "string",
  "customerAddress": "string",
  "phoneNumber": "string",
  "accounts": [
    {
      "accountId": 0,
      "accountType": "string",
      "balance": 0,
      "customer": "string"
    }
  ]
}
```

DELETE   /api/v1/customers/{id}   ⌃

Parameters

Try it out

Name	Description
id * required integer($int64) (path)	id

Responses

Code	Description	Links
200	OK	*No links*

POST /api/v1/customers ∧

Parameters

Try it out

No parameters

Request body ^{required}

application/json

Example Value   Schema

```
{
  "customerId": 0,
  "customerName": "string",
  "customerAddress": "string",
  "phoneNumber": "string",
  "accounts": [
    {
      "accountId": 0,
      "accountType": "string",
      "balance": 0,
      "customer": "string"
    }
  ]
}
```

Responses

Code	Description	Links
200	OK	*No links*

Media type

```
*/*
```

Controls `Accept` header.

Example Value   Schema

```
{
  "customerId": 0,
  "customerName": "string",
  "customerAddress": "string",
  "phoneNumber": "string",
  "accounts": [
```

Code	Description	Links

```
        {
          "accountId": 0,
          "accountType": "string",
          "balance": 0,
          "customer": "string"
        }
      ]
    }
```

GET **/api/v1/customers/all** ⌃

Parameters

No parameters

Responses

Code	Description	Links
200	OK	*No links*

Media type

```
*/*
```

Controls `Accept` header.

Example Value   Schema

```
[
  {}
]
```

account-controller ⌃

GET **/api/v1/accounts/{id}** ⌃

Parameters

Name	Description
id * required `integer($int64)` *(path)*	id

Responses

Code	Description	Links

200	OK
	
	Media type
	`*/*`
	Controls `Accept` header.
	
	Example Value Schema
	
	``
	{
	  "accountId": 0,
	  "accountType": "string",
	  "balance": 0,
	  "customer": "string"
	}
	``
		No links

PUT	/api/v1/accounts/{id}	∧

Parameters   **Try it out**

Name	Description
id * required `integer($int64)` *(path)*	id

Request body required   `application/json`

Example Value Schema

```
{
  "accountId": 0,
  "accountType": "string",
  "balance": 0,
```

```
      "customer": "string"
    }
```

Responses

Code	Description	Links
200	OK	No links

Media type

```
*/*
```

Controls `Accept` header.

Example Value Schema

```
{
  "accountId": 0,
  "accountType": "string",
  "balance": 0,
  "customer": "string"
}
```

DELETE   `/api/v1/accounts/{id}`   ∧

Parameters

<div style="text-align:right">

Try it out

</div>

Name	Description
id * required `integer($int64)` *(path)*	`id`

Responses

Code	Description	Links
200	OK	No links

**POST**   `/api/v1/accounts`   ∧

Parameters

No parameters

Request body ^{required}

application/json

Example Value   Schema

```
{
  "accountId": 0,
  "accountType": "string",
  "balance": 0,
  "customer": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls `Accept` header.

Example Value   Schema

```
{
  "accountId": 0,
  "accountType": "string",
  "balance": 0,
  "customer": "string"
}
```

GET   /api/v1/accounts/all   ⌃

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

```
*/*
```

Controls `Accept` header.

Example Value   Schema

```
[
  {}
]
```

registration-controller ∧

POST   `/register`   ∧

Parameters

Try it out

No parameters

Request body ^{required}

application/json

Example Value   Schema

```
{
  "firstName": "string",
  "lastName": "string",
  "email": "string",
  "password": "string",
  "profilePicture": "string",
  "phoneNumber": "string",
  "role": "ADMIN"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

Code	Description	Links

```
*/*
```
Controls `Accept` header.

Example Value   Schema

```
{
    "success": true,
    "message": "string",
    "data": {}
}
```

POST   /login   ︿

Parameters	Try it out

No parameters

Request body required   application/json

Example Value   Schema

```
{
    "username": "string",
    "password": "string"
}
```

Responses

Code	Description	Links
200		*No links*

OK

Media type

```
*/*
```
Controls `Accept` header.

Example Value   Schema

```
{
    "jwtToken": "string",
    "message": "string",
    "success": true,
    "email": "string",
    "role": "string"
}
```

GET /verifyRegistration ⌃

Parameters

<table>
<tr><td>Try it out</td></tr>
</table>

Name	Description
token * required string *(query)*	token

Responses

Code	Description	Links
200	OK Media type `*/*` Controls `Accept` header. **Example Value** Schema string	*No links*

GET /resendVerifytoken ⌃

Parameters

<table>
<tr><td>Try it out</td></tr>
</table>

Name	Description
token * required string *(query)*	token

Responses

Code	Description	Links
200	OK	*No links*

Media type

```
*/*
```

Controls `Accept` header.

Example Value   Schema

```
string
```

error-controller ⌃

Parameters

<div style="text-align:right">Try it out</div>

No parameters

Responses

Code	Description	Links
200	OK	*No links*

Media type

```
*/*
```

Controls `Accept` header.

Example Value   Schema

```
{
  "timestamp": "2024-02-23T10:01:20.108Z",
  "code": 0,
  "status": "string",
  "message": "string",
  "stackTrace": "string",
  "data": {},
  "success": true
}
```

GET /error ⌄

Parameters

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

```
*/*
```

Controls `Accept` header.

Example Value   Schema

```
{
  "additionalProp1": {},
  "additionalProp2": {},
  "additionalProp3": {}
}
```

PUT /error ⌄

Parameters

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

```
*/*
```

Controls `Accept` header.

Code	Description	Links

Example Value   Schema

```
{
  "additionalProp1": {},
  "additionalProp2": {},
  "additionalProp3": {}
}
```

POST   /error   ∧

Parameters   **Try it out**

No parameters

Responses

Code	Description	Links
200		*No links*

OK

Media type

```
*/*
```

Controls `Accept` header.

Example Value   Schema

```
{
  "additionalProp1": {},
  "additionalProp2": {},
  "additionalProp3": {}
}
```

DELETE   /error   ∧

Parameters   **Try it out**

No parameters

Responses

Code	Description	Links
200	OK	*No links*

Media type

```
*/*
```

Controls `Accept` header.

Example Value   Schema

```
{
  "additionalProp1": {},
  "additionalProp2": {},
  "additionalProp3": {}
}
```

OPTIONS /error ︿

Parameters   Try it out

No parameters

Responses

Code	Description	Links
200	OK	*No links*

Media type

```
*/*
```

Controls `Accept` header.

Example Value   Schema

```
{
  "additionalProp1": {},
  "additionalProp2": {},
  "additionalProp3": {}
}
```

HEAD /error ︿

Parameters   Try it out

No parameters

Responses

Code	Description	Links
200	OK	*No links*

Media type

```
*/*
```

Controls `Accept` header.

Example Value   Schema

```
{
  "additionalProp1": {},
  "additionalProp2": {},
  "additionalProp3": {}
}
```

PATCH   /error   ∧

Parameters   Try it out

No parameters

Responses

Code	Description	Links
200	OK	*No links*

Media type

```
*/*
```

Controls `Accept` header.

Example Value   Schema

```
{
  "additionalProp1": {},
  "additionalProp2": {},
  "additionalProp3": {}
}
```

Schemas

UserProfile {

    id

                [...]

    firstName

                [...]

    email

                [...]

    role

                [...]

    lastName

                [...]

    profilePicture

                [...]

    phoneNumber

                [...]

}

ApiResponse {

    success

                [...]

    message

                [...]

    data

                {...}

}

Account {
accountId   [...]

accountType   [...]

balance   [...]

customer   {...}
}

Customer {
customerId   [...]

customerName   [...]

customerAddress   [...]

phoneNumber   [...]

accounts   [...]
}

UserModel {
firstName*   [...]

lastName   [...]

email   [...]

password   [...]

profilePicture   [...]

phoneNumber   [...]

role   [...]
}

JwtRequest {
username   [...]

password   [...]
}

JwtResponse {
jwtToken   [...]

message   [...]

success   [...]

email   [...]

role   [...]
}

```
ErrorResponse    {
    timestamp
                        [...]
    code
                        [...]
    status
                        [...]
    message
                        [...]
    stackTrace
                        [...]
    data
                        {...}
    success
                        [...]
}
```