



P/N: MR-1400
ROCEN MAGNETIC CARD READER MSR 2 LED LIGHT
DP: €35

Features:

- Manual swipe magnetic stripe card reader for ISO/IBM/ANSI/DIN standard format
- Optional industrial 2 million pass long life head customer data format available by request
- Track: track 2, track 1&2 and Track 1& 2 & 3 available
- Reading Method : F2F
- Card Thickness : Plastic 0.76 (+/-0.08 mm)
- Head lifetime : Approx. 500,000 passes
- Power Consumption : less than 3W (+/-20%)
- Interface : USB
- Baud rate from 1200 to 9600 BPS and USB interface available
- Operating Temperature : -20 ~ 70 degree
- Operating Humidity : less than 95% RH



P/N: BS-800
ROCEN BARCODE SCANNER CCD, READS FROM SCREEN, WITH STAND, RS232, PS/2, USB
DP: € 39

Features:

- Light Source: Visible Red light 632nm LED
- CPU: ARM Cortex™-M3, 32-bit
- Handle method: hand handle or blacket
- Miss decode rate: 1/5 millions
- Decode barcode: Code 128,UCC/EAN-128,AIM128, EAN-8,Code 11 , Code 39, EAN-13,ISSN,ISBN,UPC-E,UPC-A,ITF-6,ITF-14, Matrix 2 of 5, Interleaved 2 of 5,Deutsche14,Deutsche12,Industrial 25, Codabar,Code 93,Plessey,MSI-Plessey, GS1-RSS14, GS1-RSSLimited,GS1-RSSEExpand.
- Interface: RS232,PS/2,USB
- Scanner method: manual and with Auto scan Sensor
- Transfer speed: RS232 Baudrate:2400-38400
- Mini Bar width: 0.10mm(4 mil)
- Depth of decode: 15mm ~ 800mm
- Decode speed: 500 scans/sec.
- Roll: 360° Elevation: 60° Obliquity: 45°
- Operation temperature: -20°C-50°C,Storage temperature: -20°C-60°C
- Operate humidity: 5%-85%, Storage humidity 5%-95%
- Power: DC5 V
- Operate current: 150mA, Static current: 50mA
- Drop test: 100 times /1.5m
- Environment intension: Sunlight 0~ 100,000Lux
- External dimension: L * W * H : 71.1 0mm*89.9mm*139.5mm
- Weight: 148g



P/N: CD-42
ROCEN CASH DRAWER, 5 BILL, 8 COINS, RJ11
DP: €49

Features:

- Solid heavy gauge steel plastic construction
- Adjustable dividers for four or five compartments
- Spring loaded bill clips and separate coin tray removable from the bill tray
- Adjustable dividers for up to nine compartments
- Slip deposit slot front access slot for checks, credit card receipts or any papers.
- Casing robust metal construction
- Size: 410W x 412D x 100H
- Removable and programmable money case and coin case: 5bill/8coin
- 3-position key lock
- RJ11



P/N: PD-220VFD
ROCEN CUSTOMER DISPLAY VFD BLACK
DP: €85

Features:

- Number of Characters: 20 characters (20 columns x 2 lines)
- Compatible with ESC/POS commands
- Interface: Serial/parallel (optional pass through function)
- Power Supply: DC 5V though POS Terminal or keyboard port
- Rotation Angle 360 degree
- Tilt Angel: 90 degree
- Power Consumption: 4 Watts
- MTBF: 10,000 hours
- Weight: 2 lbs (0.9kg)



P/N: LCD-15T
ROCEN LCD 15" TOUCH SCREEN, 1280X1024,500:1, 8MS RESPONSE TIME
DP: €169

Features:

- Resolution: 1280 x 1024
- Pixel pitch: 0.264 x 0.297
- View angle (H/V): 160/140
- Contrast ratio: 500: 1
- Brightness: 450cd/ square meter
- Total response time: 8ms
- Max. Consumption: 45W
- Circuiting rating: 5V DC, 35mA
- Light transmission: Film + glass>88%
- Hitting life expectancy: Over 50,000,000
- Contact bounce: <5ms
- Linearity: <1.0%

Please call for volume pricing