

Pool-Test Log — template

One row per pool session. The Notetaker fills this in during testing; CFO files it with the engineering notebook.

[illegible]

Pre- and Post-Session Checklist

Run through these every pool session — the Safety Briefer leads pre, the Tool Steward leads post.

PRE-SESSION

- ☐ Battery fully charged and main fuse correctly placed (within 30 cm of power connection point).
- ☐ Tether strain relief inspected at both terminations (no tape / glue / zip ties as primary).
- ☐ Propellers shrouded or inside frame; no sharp edges (zip-tie tails clipped flush — MECH-007).
- ☐ Penetrators and connectors hand-tight and visually checked for pinched O-rings.
- ☐ Watertight enclosure has fresh desiccant and seal cover removed.
- ☐ Topside box ground-fault checked; tether laid out clear of foot traffic.
- ☐ Safety brief delivered (four standing questions, including what to do if something happens).
- ☐ Pool depth confirmed; lane markers and surface workspace assigned.
- ☐ Photographer briefed — angles and consent confirmed for every student in frame.

POST-SESSION

- ☐ Rinse ROV in fresh water; dry exterior; rotate thrusters by hand to clear water.
- ☐ Open enclosure in clean dry area; check desiccant; inspect for any moisture.
- ☐ Battery off charge; main fuse pulled until next session.
- ☐ Tether coiled in figure-eight; strain relief inspected; bag returned to shop.
- ☐ Tools accounted for and returned to bins; soldering irons cool and stowed.
- ☐ Photos uploaded; notes filed with the CFO for the engineering notebook.
- ☐ Lessons learned captured in the run log; action items assigned with owners.