Project - 4 (DATASET: Breast Cancer Prediction)

In [73]:

```
import pandas as pd
from matplotlib import pyplot as plt
%matplotlib inline
```

In [74]:

```
df=pd.read_csv(r"C:\Users\DELL E5490\Downloads\BreastCancerPrediction.csv")
df
```

Out[74]:

	id	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothı
0	842302	M	17.99	10.38	122.80	1001.0	
1	842517	M	20.57	17.77	132.90	1326.0	
2	84300903	M	19.69	21.25	130.00	1203.0	
3	84348301	M	11.42	20.38	77.58	386.1	
4	84358402	M	20.29	14.34	135.10	1297.0	
...	...	...	...	...	...	...	
564	926424	M	21.56	22.39	142.00	1479.0	
565	926682	M	20.13	28.25	131.20	1261.0	
566	926954	M	16.60	28.08	108.30	858.1	
567	927241	M	20.60	29.33	140.10	1265.0	
568	92751	B	7.76	24.54	47.92	181.0	

569 rows × 33 columns

In [75]:

```
df.head()
```

Out[75]:

	id	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothnes
0	842302	M	17.99	10.38	122.80	1001.0	
1	842517	M	20.57	17.77	132.90	1326.0	
2	84300903	M	19.69	21.25	130.00	1203.0	
3	84348301	M	11.42	20.38	77.58	386.1	
4	84358402	M	20.29	14.34	135.10	1297.0	

5 rows × 33 columns

In [76]:

```
df.tail()
```

Out[76]:

	id	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothnes
564	926424	M	21.56	22.39	142.00	1479.0	
565	926682	M	20.13	28.25	131.20	1261.0	
566	926954	M	16.60	28.08	108.30	858.1	
567	927241	M	20.60	29.33	140.10	1265.0	
568	92751	B	7.76	24.54	47.92	181.0	

5 rows × 33 columns

In [77]:

```
df.drop(['Unnamed: 32'],axis=1)
```

Out[77]:

	id	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothı
0	842302	M	17.99	10.38	122.80	1001.0	
1	842517	M	20.57	17.77	132.90	1326.0	
2	84300903	M	19.69	21.25	130.00	1203.0	
3	84348301	M	11.42	20.38	77.58	386.1	
4	84358402	M	20.29	14.34	135.10	1297.0	
...	...	...	...	...	...	...	
564	926424	M	21.56	22.39	142.00	1479.0	
565	926682	M	20.13	28.25	131.20	1261.0	
566	926954	M	16.60	28.08	108.30	858.1	
567	927241	M	20.60	29.33	140.10	1265.0	
568	92751	B	7.76	24.54	47.92	181.0	

569 rows × 32 columns

In [78]:

```
plt.scatter(df["radius_mean"],df["texture_mean"])
plt.xlabel("radius_mean")
plt.ylabel("texture_mean")
```

Out[78]:

```
Text(0, 0.5, 'texture_mean')
```



In [79]:

```
from sklearn.cluster import KMeans
km=KMeans()
km
```

Out[79]:

KMeans

KMeans()

In [80]:

```
y_predicted=km.fit_predict(df[["radius_mean","texture_mean"]])
y_predicted
```

```
C:\Users\DELL E5490\AppData\Local\Programs\Python\Python310\lib\site-pack
ages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of
`n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init`
explicitly to suppress the warning
  warnings.warn(
```

Out[80]:

```
array([7, 4, 6, 3, 4, 7, 4, 5, 5, 5, 5, 4, 1, 5, 5, 2, 5, 4, 6, 7, 7, 0,
       7, 6, 4, 4, 5, 4, 5, 7, 1, 3, 1, 1, 4, 4, 5, 3, 5, 5, 5, 5, 1, 5,
       5, 4, 3, 3, 0, 5, 5, 7, 3, 4, 5, 3, 4, 5, 3, 0, 0, 3, 5, 0, 5, 5,
       3, 3, 3, 7, 4, 0, 1, 7, 3, 4, 0, 4, 1, 3, 5, 7, 6, 1, 0, 4, 5, 1,
       5, 7, 5, 5, 7, 3, 4, 6, 3, 3, 0, 5, 5, 0, 3, 3, 3, 7, 3, 3, 6, 5,
       3, 5, 3, 3, 0, 5, 0, 7, 5, 4, 0, 4, 6, 7, 7, 7, 5, 4, 7, 1, 0, 4,
       4, 7, 4, 5, 3, 0, 7, 0, 0, 4, 3, 7, 0, 0, 3, 4, 7, 3, 5, 3, 0, 0,
       7, 3, 4, 4, 0, 0, 3, 4, 4, 5, 6, 4, 0, 4, 1, 7, 0, 3, 7, 0, 0, 0,
       3, 4, 5, 0, 6, 1, 4, 0, 5, 0, 4, 3, 3, 7, 5, 5, 3, 2, 5, 7, 5, 4,
       6, 5, 3, 4, 1, 5, 3, 7, 3, 4, 5, 7, 6, 3, 6, 1, 5, 7, 3, 3, 6, 1,
       7, 7, 3, 4, 7, 7, 0, 7, 5, 5, 4, 2, 2, 1, 0, 5, 1, 6, 2, 2, 7, 7,
       3, 5, 1, 3, 3, 7, 5, 0, 6, 3, 4, 4, 4, 7, 1, 7, 5, 2, 1, 1, 4, 4,
       4, 1, 3, 5, 7, 3, 7, 0, 6, 0, 1, 3, 0, 4, 3, 7, 1, 0, 4, 4, 7, 3,
       5, 0, 3, 3, 5, 4, 7, 3, 0, 7, 0, 3, 3, 5, 4, 3, 1, 3, 3, 5, 7, 0,
       7, 7, 3, 7, 0, 0, 3, 3, 0, 4, 3, 3, 0, 4, 0, 6, 0, 3, 7, 3, 4, 4,
       7, 3, 3, 0, 3, 4, 7, 4, 3, 6, 7, 3, 0, 6, 0, 0, 3, 7, 0, 0, 3, 4,
       6, 5, 0, 3, 3, 7, 0, 3, 3, 5, 3, 4, 7, 6, 1, 3, 6, 6, 5, 7, 4, 4,
       7, 7, 3, 2, 7, 3, 0, 0, 5, 3, 7, 5, 0, 7, 0, 1, 0, 3, 4, 6, 3, 7,
       3, 3, 0, 3, 4, 0, 3, 7, 0, 3, 7, 5, 4, 3, 3, 3, 3, 5, 2, 5, 3, 5,
       0, 5, 3, 7, 0, 3, 3, 3, 0, 5, 3, 3, 5, 3, 4, 4, 7, 3, 3, 7, 3, 7,
       3, 1, 7, 3, 4, 5, 1, 7, 3, 6, 5, 1, 2, 7, 3, 2, 2, 5, 5, 2, 1, 6,
       2, 3, 3, 3, 5, 3, 1, 3, 3, 2, 7, 2, 0, 7, 5, 7, 0, 4, 3, 3, 7, 3,
       7, 7, 7, 4, 0, 4, 5, 7, 4, 0, 5, 5, 3, 3, 4, 6, 7, 5, 7, 6, 0, 0,
       3, 3, 7, 5, 0, 7, 5, 7, 4, 3, 4, 4, 3, 7, 0, 6, 3, 3, 0, 0, 3, 0,
       7, 0, 3, 3, 7, 6, 3, 6, 5, 5, 2, 2, 0, 5, 5, 2, 5, 5, 0, 3, 3, 5,
       5, 5, 2, 5, 2, 2, 3, 2, 5, 5, 2, 2, 2, 1, 6, 1, 1, 1, 5])
```

In [81]:

```
df["cluster"]=y_predicted
df.head()
```

Out[81]:

	id	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothnes
0	842302	M	17.99	10.38	122.80	1001.0	
1	842517	M	20.57	17.77	132.90	1326.0	
2	84300903	M	19.69	21.25	130.00	1203.0	
3	84348301	M	11.42	20.38	77.58	386.1	
4	84358402	M	20.29	14.34	135.10	1297.0	

5 rows × 34 columns

In [82]:

```
df1=df[df.cluster==0]
df2=df[df.cluster==1]
df3=df[df.cluster==2]
plt.scatter(df1["radius_mean"],df1["texture_mean"],color="red")
plt.scatter(df2["radius_mean"],df2["texture_mean"],color="green")
plt.scatter(df3["radius_mean"],df3["texture_mean"],color="blue")
plt.xlabel("radius_mean")
plt.ylabel("texture_mean")
```

Out[82]:

```
Text(0, 0.5, 'texture_mean')
```



In [83]:

```
from sklearn.preprocessing import MinMaxScaler
scaler=MinMaxScaler()
scaler.fit(df[["texture_mean"]])
df["texture_mean"]=scaler.transform(df[["texture_mean"]])
df.head()
```

Out[83]:

	id	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothnes
0	842302	M	17.99	0.022658	122.80	1001.0	
1	842517	M	20.57	0.272574	132.90	1326.0	
2	84300903	M	19.69	0.390260	130.00	1203.0	
3	84348301	M	11.42	0.360839	77.58	386.1	
4	84358402	M	20.29	0.156578	135.10	1297.0	

5 rows × 34 columns

In [84]:

```
scaler.fit(df[["radius_mean"]])
df["radius_mean"]=scaler.transform(df[["radius_mean"]])
df.head()
```

Out[84]:

	id	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothnes
0	842302	M	0.521037	0.022658	122.80	1001.0	
1	842517	M	0.643144	0.272574	132.90	1326.0	
2	84300903	M	0.601496	0.390260	130.00	1203.0	
3	84348301	M	0.210090	0.360839	77.58	386.1	
4	84358402	M	0.629893	0.156578	135.10	1297.0	

5 rows × 34 columns

In [85]:

```
y_predicted=km.fit_predict(df[["radius_mean","texture_mean"]])
y_predicted
```

```
C:\Users\DELL E5490\AppData\Local\Programs\Python\Python310\lib\site-pack
ages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of
`n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init`
explicitly to suppress the warning
  warnings.warn(
```

Out[85]:

```
array([1, 7, 7, 3, 7, 1, 7, 0, 0, 6, 0, 1, 5, 0, 0, 6, 0, 0, 7, 1, 1, 4,
       1, 2, 0, 7, 0, 7, 0, 7, 5, 3, 5, 5, 1, 0, 0, 3, 0, 0, 0, 3, 5, 0,
       0, 7, 4, 3, 4, 0, 3, 1, 3, 7, 0, 3, 7, 0, 3, 4, 4, 3, 0, 4, 6, 0,
       3, 3, 3, 1, 7, 4, 5, 1, 3, 0, 1, 7, 5, 3, 3, 1, 2, 5, 4, 7, 0, 5,
       0, 1, 0, 0, 1, 3, 0, 5, 3, 3, 4, 0, 6, 4, 3, 3, 3, 1, 3, 3, 2, 3,
       4, 3, 0, 3, 4, 3, 4, 1, 0, 7, 4, 7, 2, 1, 1, 1, 6, 7, 1, 5, 4, 0,
       0, 1, 7, 0, 3, 4, 1, 4, 4, 1, 3, 1, 4, 4, 3, 0, 1, 1, 0, 3, 4, 4,
       1, 3, 7, 7, 4, 4, 3, 7, 7, 0, 2, 0, 4, 7, 5, 1, 4, 0, 1, 4, 4, 4,
       3, 0, 0, 1, 2, 5, 0, 4, 0, 4, 7, 3, 3, 1, 0, 0, 3, 6, 0, 1, 0, 7,
       7, 0, 3, 7, 2, 0, 3, 1, 3, 7, 0, 1, 7, 3, 2, 5, 0, 1, 3, 3, 7, 5,
       1, 1, 3, 0, 1, 1, 4, 1, 6, 0, 7, 6, 6, 5, 4, 0, 2, 7, 6, 5, 1, 1,
       3, 0, 5, 3, 1, 1, 6, 4, 5, 3, 7, 7, 7, 1, 5, 1, 0, 6, 5, 5, 7, 0,
       7, 5, 3, 0, 1, 3, 1, 4, 2, 4, 5, 3, 4, 7, 1, 1, 5, 4, 7, 7, 1, 3,
       3, 1, 3, 3, 0, 0, 1, 3, 1, 1, 4, 3, 1, 3, 7, 3, 5, 3, 3, 6, 1, 4,
       1, 1, 3, 1, 1, 4, 3, 3, 4, 7, 3, 3, 4, 7, 1, 7, 4, 3, 1, 3, 0, 0,
       1, 3, 3, 4, 3, 7, 1, 7, 3, 2, 1, 4, 4, 7, 4, 4, 3, 1, 4, 4, 3, 0,
       2, 6, 4, 3, 3, 1, 4, 3, 3, 0, 3, 7, 1, 7, 5, 3, 7, 2, 0, 1, 7, 7,
       1, 1, 3, 6, 1, 3, 4, 4, 0, 3, 1, 0, 4, 1, 4, 5, 4, 4, 0, 2, 3, 1,
       0, 3, 4, 3, 7, 4, 3, 1, 4, 3, 1, 0, 7, 3, 3, 3, 3, 0, 6, 3, 3, 0,
       4, 3, 3, 1, 4, 0, 3, 3, 4, 3, 3, 3, 0, 3, 7, 7, 1, 0, 3, 1, 0, 1,
       3, 5, 1, 3, 7, 6, 5, 1, 0, 7, 3, 5, 6, 1, 3, 6, 6, 6, 6, 6, 5, 2,
       6, 3, 3, 0, 0, 3, 5, 3, 3, 6, 1, 6, 4, 1, 0, 1, 4, 0, 3, 0, 1, 1,
       1, 1, 1, 7, 4, 7, 0, 1, 7, 4, 0, 0, 3, 3, 7, 7, 1, 0, 1, 2, 4, 4,
       3, 3, 1, 0, 4, 1, 0, 1, 0, 3, 7, 7, 3, 1, 4, 2, 3, 0, 4, 4, 3, 4,
       1, 4, 3, 3, 1, 7, 3, 7, 0, 6, 6, 6, 4, 0, 6, 6, 0, 0, 4, 4, 3, 6,
       3, 3, 6, 3, 6, 6, 3, 6, 0, 6, 6, 6, 6, 5, 2, 5, 5, 5, 6])
```

In [86]:

```
df["New Cluster"]=y_predicted
df.head()
```

Out[86]:

	id	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothnes
0	842302	M	0.521037	0.022658	122.80	1001.0	
1	842517	M	0.643144	0.272574	132.90	1326.0	
2	84300903	M	0.601496	0.390260	130.00	1203.0	
3	84348301	M	0.210090	0.360839	77.58	386.1	
4	84358402	M	0.629893	0.156578	135.10	1297.0	

5 rows × 35 columns

In [87]:

```
df1=df[df["New Cluster"]==0]
df2=df[df["New Cluster"]==1]
df3=df[df["New Cluster"]==2]
plt.scatter(df1["radius_mean"],df1["texture_mean"],color="red")
plt.scatter(df2["radius_mean"],df2["texture_mean"],color="green")
plt.scatter(df3["radius_mean"],df3["texture_mean"],color="blue")
plt.xlabel("radius_mean")
plt.ylabel("texture_mean")
```

Out[87]:

```
Text(0, 0.5, 'texture_mean')
```



In [88]:

```
km.cluster_centers_
```

Out[88]:

```
array([[0.35220488, 0.39772173],
       [0.33489471, 0.19101622],
       [0.79840767, 0.42469846],
       [0.21015104, 0.31104952],
       [0.17694105, 0.15527139],
       [0.57132058, 0.55893025],
       [0.25223338, 0.58802181],
       [0.56101927, 0.3314624 ]])
```

In [89]:

```
df1=df[df["New Cluster"]==0]
df2=df[df["New Cluster"]==1]
df3=df[df["New Cluster"]==2]
plt.scatter(df1["radius_mean"],df1["texture_mean"],color="red")
plt.scatter(df2["radius_mean"],df2["texture_mean"],color="green")
plt.scatter(df3["radius_mean"],df3["texture_mean"],color="blue")
plt.scatter(km.cluster_centers_[:,0],km.cluster_centers_[:,1],color="orange",marker="+")
plt.xlabel("radius_mean")
plt.ylabel("texture_mean")
```

Out[89]:

```
Text(0, 0.5, 'texture_mean')
```



In [90]:

```
k_rng=range(1,10)
sse=[]
```

In [91]:

```
for k in k_rng:
    km=KMeans(n_clusters=k)
    km.fit(df[["radius_mean","texture_mean"]])
    sse.append(km.inertia_)
#km.inertia_ will give you the value of sum of square error
print(sse)
plt.plot(k_rng,sse)
plt.xlabel("K")
plt.ylabel("Sum of Squared Error")
sse.append(km.inertia_)
```

```
C:\Users\DELL E5490\AppData\Local\Programs\Python\Python310\lib\site-pack
ages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of
`n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init`
explicitly to suppress the warning
  warnings.warn(
C:\Users\DELL E5490\AppData\Local\Programs\Python\Python310\lib\site-pack
ages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of
`n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init`
explicitly to suppress the warning
  warnings.warn(
C:\Users\DELL E5490\AppData\Local\Programs\Python\Python310\lib\site-pack
ages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of
`n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init`
explicitly to suppress the warning
  warnings.warn(
C:\Users\DELL E5490\AppData\Local\Programs\Python\Python310\lib\site-pack
ages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of
`n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init`
explicitly to suppress the warning
  warnings.warn(
C:\Users\DELL E5490\AppData\Local\Programs\Python\Python310\lib\site-pack
ages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of
`n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init`
explicitly to suppress the warning
  warnings.warn(
C:\Users\DELL E5490\AppData\Local\Programs\Python\Python310\lib\site-pack
ages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of
`n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init`
explicitly to suppress the warning
  warnings.warn(
C:\Users\DELL E5490\AppData\Local\Programs\Python\Python310\lib\site-pack
ages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of
`n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init`
explicitly to suppress the warning
  warnings.warn(
C:\Users\DELL E5490\AppData\Local\Programs\Python\Python310\lib\site-pack
ages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of
`n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init`
explicitly to suppress the warning
  warnings.warn(
C:\Users\DELL E5490\AppData\Local\Programs\Python\Python310\lib\site-pack
ages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of
`n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init`
explicitly to suppress the warning
  warnings.warn(
```

```
[27.817507595043075, 14.872032958271172, 10.252751496105198, 8.4847252770
27609, 7.027303957640527, 6.029253047205852, 5.1171958358479825, 4.444348
691740368, 4.044418783580415]
```



CONCLUSION

```
For the given dataset we can use multiple models,for that models we get different
types of accuracies but that
accuracies is not good so,that's why we will take it as a clustering and done with K-
Means Clustering.
```