In [3]:

```
import numpy as ny
import pandas as pd
import seaborn as sns
from sklearn.model_selection import train_test_split
from sklearn.tree import DecisionTreeClassifier
```

In [4]:

```
df=pd.read_csv(r"C:\Users\DELL E5490\Downloads\loan1.csv")
df
```

Out[4]:

	Home Owner	Marital Status	Annual Income	Defaulted Borrower
0	Yes	Single	125	No
1	No	Married	100	No
2	No	Single	70	No
3	Yes	Married	120	No
4	No	Divorced	95	Yes
5	No	Married	60	No
6	Yes	Divorced	220	No
7	No	Single	85	Yes
8	No	Married	75	No
9	No	Single	90	Yes

In [5]:

df.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 10 entries, 0 to 9
Data columns (total 4 columns):

#	Column	Non-Null Count	Dtype
0	Home Owner	10 non-null	object
1	Marital Status	10 non-null	object
2	Annual Income	10 non-null	int64
3	Defaulted Borrower	10 non-null	object

dtypes: int64(1), object(3)
memory usage: 448.0+ bytes

In [6]:

```
df['Marital Status'].value_counts()
```

Out[6]:

Marital Status Single 4 Married 4 Divorced 2

Name: count, dtype: int64

In [7]:

```
df['Annual Income'].value_counts()
```

Out[7]:

Name: count, dtype: int64

In [8]:

```
convert={"Home Owner":{"Yes":1,"No":0}}
df=df.replace(convert)
df
```

Out[8]:

Home Owner	Marital Status	Annual Income	Defaulted Borrower
1	Single	125	No
0	Married	100	No
0	Single	70	No
1	Married	120	No
0	Divorced	95	Yes
0	Married	60	No
1	Divorced	220	No
0	Single	85	Yes
0	Married	75	No
0	Single	90	Yes
	1 0 0 1 0 0 1 0	1 Single 0 Married 0 Single 1 Married 0 Divorced 0 Married 1 Divorced 0 Single 0 Married	0 Married 100 0 Single 70 1 Married 120 0 Divorced 95 0 Married 60 1 Divorced 220 0 Single 85 0 Married 75

In [9]:

```
convert={"Marital Status":{"single":1,"Married":2,"Divorced":3}}
df=df.replace(convert)
df
```

Out[9]:

	Home Owner	Marital Status	Annual Income	Defaulted Borrower
0	1	Single	125	No
1	0	2	100	No
2	0	Single	70	No
3	1	2	120	No
4	0	3	95	Yes
5	0	2	60	No
6	1	3	220	No
7	0	Single	85	Yes
8	0	2	75	No
9	0	Single	90	Yes

In [18]:

```
x=["Home Owner", "Annual Income"]
y=["Yes", "No"]
all_inputs=df[x]
all_classes=df["Defaulted Borrower"]
(x_train, x_test, y_train, y_test) = train_test_split(all_inputs, all_classes, test_size=0.6)
clf=DecisionTreeClassifier(random_state=0)
```

In [19]:

```
clf.fit(x_train,y_train)
```

Out[19]:

```
DecisionTreeClassifier
DecisionTreeClassifier(random_state=0)
```

In [20]:

```
score=clf.score(x_test,y_test)
print(score)
```

0.5