

# **TE Subject Project Report**

On

## **SYNTAXA AI: AI-POWERED CONTEXT-AWARE WRITING INTELLIGENCE AND GRAMMAR DETECTION SYSTEM**

Submitted in partial fulfillment of the requirement of  
**University of Mumbai** for the Degree of

**Bachelor of Engineering**  
in  
**Artificial Intelligence and Data Science**

Submitted By  
**Sayali Ghagare (Roll No. 23)**

Subject Teacher & Project Guide  
**Prof. Nirosha Uppu**



Department of Artificial Intelligence and Data Science  
**Smt. Indira Gandhi College of Engineering, Ghansoli – 400701**  
An Autonomous Institute  
Academic Year 2025 – 26



Department of Artificial Intelligence and Data Science  
**SMT. INDIRA GANDHI COLLEGE OF ENGINEERING**  
GHANSOLI – 400701 (An Autonomous Institute)

## CERTIFICATE

This is to certify that the requirements for the TE Subject Project report in **Natural Language Processing** entitled '**Syntaxa AI: AI-Powered Context-Aware Writing Intelligence and Grammar Detection System**' have been successfully completed by the following student:

| Name of Student | Roll No. |
|-----------------|----------|
| Sayali Ghagare  | 23       |

in partial fulfillment of **Bachelor of Engineering** in Department of Artificial Intelligence and Data Science, Smt. Indira Gandhi College of Engineering, Ghansoli – 400701, An Autonomous Institute, affiliated with the University of Mumbai, during the Academic Year **2025 – 2026**.

**Prof. Nirosha Uppu**  
Subject Teacher / Project Guide

**Dr. Shankar M. Patil**  
Head of Department

**Dr. Sunil Chavan**  
Principal



Department of Artificial Intelligence and Data Science  
**SMT. INDIRA GANDHI COLLEGE OF ENGINEERING**  
GHANSOLI – 400701 (An Autonomous Institute)

## REPORT APPROVAL

This TE Subject Project report entitled “**Syntaxa AI: AI-Powered Context-Aware Writing Intelligence and Grammar Detection System**” submitted by **Sayali Ghagare (Roll No. 23)** is approved for the degree of **Bachelor of Engineering** in Department of Artificial Intelligence and Data Science, Smt. Indira Gandhi College of Engineering, Ghansoli (An Autonomous Institute).

**Examiners:**

1. \_\_\_\_\_

2. \_\_\_\_\_

**Supervisors:**

1. Prof. Nirosha Uppu

2. \_\_\_\_\_

**Chairman:**

1. \_\_\_\_\_

**Date:** \_\_\_\_\_

**Place:** Ghansoli, Navi Mumbai

## DECLARATION

I declare that this written submission for the TE Subject Project Report entitled **“Syntaxa AI: AI-Powered Context-Aware Writing Intelligence and Grammar Detection System”** represents my own ideas, analysis, and implementation in my own words. Where others' ideas, research findings, software libraries, or words have been incorporated, I have adequately cited and referenced the original sources in accordance with academic standards.

I also declare that I have adhered to all principles of academic honesty and integrity, and have not misrepresented, fabricated, or falsified any ideas, experimental data, algorithms, or facts in this submission. I understand that any violation of the above will cause disciplinary action by the Institute and also evoke penal action from sources that have not been properly cited.

**Student Name:** Sayali Ghagare

**Signature:** \_\_\_\_\_

**Roll No.:** 23

**Date:** \_\_\_\_\_

**Place:** Ghansoli, Navi Mumbai

# TABLE OF CONTENTS

|                                                     |           |
|-----------------------------------------------------|-----------|
| <b>Abstract</b> .....                               | <b>i</b>  |
| <b>List of Figures</b> .....                        | <b>ii</b> |
| <b>List of Tables</b> .....                         | <b>ii</b> |
| <b>1. Introduction</b> .....                        | <b>1</b>  |
| 1.1 Fundamentals of Context-Aware Analysis .....    | <b>1</b>  |
| 1.2 Objectives .....                                | <b>1</b>  |
| 1.3 Scope of the Project .....                      | <b>1</b>  |
| 1.4 Organization of the Report .....                | <b>1</b>  |
| <b>2. Literature Survey</b> .....                   | <b>2</b>  |
| 2.1 Overview of Writing Assistance Systems .....    | <b>2</b>  |
| 2.2 Survey of Existing Methodologies .....          | <b>2</b>  |
| 2.3 Literature Summary & Comparative Analysis ..... | <b>2</b>  |
| <b>3. Proposed System: Syntaxa AI</b> .....         | <b>3</b>  |
| 3.1 System Overview & Architecture .....            | <b>3</b>  |
| 3.2 NLP Preprocessing & Linguistic Engines .....    | <b>3</b>  |
| 3.3 Mathematical Multi-Factor Scoring Model .....   | <b>4</b>  |
| 3.4 Writing Modes & Pedagogical Error Cards .....   | <b>4</b>  |
| 3.5 Hardware and Software Specifications .....      | <b>4</b>  |
| <b>4. Performance and Results</b> .....             | <b>5</b>  |
| 4.1 Automated Validation & Test Suite .....         | <b>5</b>  |
| 4.2 Detection Metrics: Precision, Recall & F1 ..... | <b>5</b>  |
| 4.3 Web User Interface & Demonstration .....        | <b>6</b>  |
| <b>5. Applications</b> .....                        | <b>7</b>  |
| 5.1 Educational & Academic Applications .....       | <b>7</b>  |
| 5.2 Technical & Professional Applications .....     | <b>7</b>  |
| 5.3 Societal & Accessibility Applications .....     | <b>7</b>  |
| <b>6. Conclusion and Future Scope</b> .....         | <b>7</b>  |
| 6.1 Conclusion .....                                | <b>7</b>  |
| 6.2 Future Scope .....                              | <b>7</b>  |
| <b>References</b> .....                             | <b>8</b>  |
| <b>Acknowledgement</b> .....                        | <b>8</b>  |

## ABSTRACT

Effective written communication is an indispensable competency in academic, scientific, and professional domains. However, conventional computer-assisted proofreading tools largely rely on isolated dictionary lookups and simplistic heuristic patterns, frequently failing to comprehend deeper linguistic relationships such as subject-verb concord, tense harmony across narrative clauses, quantifier agreement, and stylistic clarity. This project presents **Syntaxa AI**, an advanced Natural Language Processing (NLP) writing intelligence platform engineered to analyze sentences, paragraphs, and multi-page documents (TXT, DOCX, and PDF) with deep context awareness.

Syntaxa AI integrates tokenization, part-of-speech (POS) tagging, and dependency parsing powered by the spaCy large English model (en\_core\_web\_lg) alongside modular rule-based linguistic engines covering grammar, contextual spelling with a modern technical whitelist, orthography, clarity, sentence structure, and vocabulary diversity. A novel empirical mathematical scoring model evaluates overall writing quality on a 0–100 scale across six weighted dimensions. Furthermore, the system incorporates a 4-pillar educational *Explain My Error* framework, multiple transformation styles (Academic, Professional, Concise, Simple), and SQLite-backed long-term personalized progress tracking. Experimental validation demonstrates robust error identification with 94.2% precision and an average document quality improvement from 68 to 94 points upon automated correction.

**Keywords:** Natural Language Processing, Grammatical Error Correction (GEC), Context-Aware Parsing, Dependency Grammar, Lexical Diversity, Writing Quality Scoring, Educational Linguistic Feedback.

## LIST OF FIGURES

|                   |                                                                                 |          |
|-------------------|---------------------------------------------------------------------------------|----------|
| <b>Figure 1.1</b> | High-Level Architecture of Syntaxa AI Writing Intelligence Pipeline .....       | <b>3</b> |
| <b>Figure 4.1</b> | Error Detection Precision, Recall, and F1-Score across NLP Engines .....        | <b>5</b> |
| <b>Figure 4.2</b> | Comparative Document Quality Scores Before vs. After Automated Correction ..... | <b>6</b> |
| <b>Figure 4.3</b> | Syntaxa AI Web Application Interface Showing Live Linguistic Intelligence ..... | <b>6</b> |

## LIST OF TABLES

|                  |                                                                               |          |
|------------------|-------------------------------------------------------------------------------|----------|
| <b>Table 2.1</b> | Comparative Summary of Automated Writing Assistance & GEC Methodologies ..... | <b>2</b> |
| <b>Table 3.1</b> | Hardware Requirements and Experimental Testbed Environment .....              | <b>4</b> |
| <b>Table 3.2</b> | Software Specifications and Key NLP Framework Dependencies .....              | <b>4</b> |
| <b>Table 4.1</b> | Linguistic Engine Detection Metrics & Automated Test Suite Results .....      | <b>5</b> |

# Chapter 1

## Introduction

### 1.1 Fundamentals of Context-Aware Linguistic Analysis

In modern education and engineering, the ability to formulate coherent, grammatically sound, and academically rigorous documents is essential. Traditional word processors rely on localized n-gram statistical models or static word dictionaries. These legacy systems suffer from severe blind spots: they cannot differentiate between a noun and a verb with identical spelling, cannot assess agreement across intervening prepositional phrases (e.g., "*The algorithm were successful*" vs. "*was successful*"), and frequently erroneously flag valid technical vocabulary such as *PyTorch*, *PostgreSQL*, and *Kubernetes* as misspellings.

Context-aware linguistic analysis overcomes these shortcomings by processing language through hierarchical structural layers. By parsing sentence syntax into dependency trees and analyzing part-of-speech tags, an intelligent system can determine grammatical roles (subject, direct object, auxiliary predicate) and evaluate syntactic concord across the entire clause.

### 1.2 Objectives

The key objectives of this subject project are formulated as follows:

1. To design and implement a context-aware linguistic grammar detection pipeline analyzing subject-verb concord, tense harmony, quantifier consistency, and preposition collocations.
2. To construct an intelligent spelling and punctuation verification engine featuring a domain-specific technical whitelist to prevent false positives.
3. To develop an empirical mathematical scoring model (0–100) combining grammar, spelling, punctuation, clarity, vocabulary diversity (TTR), and readability.
4. To provide pedagogical explanations through an interactive *Explain My Error* card system breaking down grammatical principles.
5. To deploy a modern, responsive web application supporting multi-format document ingestion (TXT, DOCX, PDF) and before-vs-after comparative evaluation.

### 1.3 Scope of the Project

The project encompasses the analysis of English textual documents ranging from single sentences to multi-page academic essays and reports. The system processes structured and unstructured documents, segments them into hierarchical sections and sentences, and applies multi-engine rule verification. It is optimized for engineering students, researchers, and technical writers requiring rigorous proofreading.

### 1.4 Organization of the Report

This report is organized into six chapters. Chapter 1 introduces fundamental concepts, project objectives, and scope. Chapter 2 reviews existing literature in grammatical error correction. Chapter 3 delineates the proposed architecture and engine design. Chapter 4 presents empirical performance results and test validation. Chapter 5 discusses practical applications, and Chapter 6 concludes with future enhancements.

## Chapter 2

### Literature Survey

#### 2.1 Overview of Grammatical Error Correction Systems

Grammatical Error Correction (GEC) is a central subfield of Natural Language Processing focused on automatically detecting and correcting erroneous text. Over the past three decades, GEC methodologies have evolved through three distinct paradigms: rule-based expert systems, statistical machine translation (SMT) approaches, and modern neural sequence-to-sequence (Seq2Seq) language models.

#### 2.2 Survey of Existing Methodologies

**Rule-Based Linguistic Parsers:** Early systems like LanguageTool utilize hand-crafted constraint grammar rules. While highly deterministic and transparent in explaining errors, traditional rule engines suffer from brittle coverage when encountering irregular idioms, compound sentences, or complex technical vocabulary.

**Statistical & Neural Translation Models:** SMT and transformer-based Seq2Seq architectures (e.g., T5, BART, GEC-BERT) formulate correction as a translation task from 'ungrammatical' to 'grammatical' English. While fluent, these models operate as opaque 'black boxes' unable to explain *\*why\** an edit was made, and frequently hallucinate or alter technical definitions, making them unsuitable for pedagogical feedback.

**Hybrid Context-Aware Pipelines:** Emerging research combines neural dependency parsing with deterministic educational rule engines. This hybrid approach guarantees linguistic correctness, preserves specialized domain terminology, and provides actionable student tutoring.

#### 2.3 Literature Summary & Comparative Analysis

Table 2.1 summarizes prominent GEC techniques evaluated in recent research.

| Approach                     | Key Authors / Models                     | Advantages                                                                             | Limitations                                                  |
|------------------------------|------------------------------------------|----------------------------------------------------------------------------------------|--------------------------------------------------------------|
| Handcrafted Rule Engines     | Naber et al. [1] (LanguageTool)          | High explainability; deterministic corrections.                                        | High false positive rate on modern tech jargon; brittle.     |
| Statistical Language Models  | Chodorow & Leacock [2]                   | Broad vocabulary coverage; probability ranking.                                        | Lacks syntactic dependency awareness; requires vast corpora. |
| Neural Seq2Seq (BART/T5)     | Rothe et al. [3]; Omelianchuk et al. [4] | Generates highly fluent native phrasing.                                               | Black-box nature; hallucinates text; high compute overhead.  |
| <b>Syntaxa AI (Proposed)</b> | <b>Current Work (2025–26)</b>            | Context-aware dependency parsing; 0–100 scoring; 4-pillar error cards; tech whitelist. | Currently restricted to English textual documents.           |

Table 2.1: Summary of literature survey on automated writing analysis systems.

## Chapter 3

### Proposed System: Syntaxa AI

#### 3.1 System Overview & Architecture

**Syntaxa AI** is designed as a context-aware writing intelligence platform composed of a high-performance FastAPI backend, a multi-engine linguistic processing core powered by spaCy's large language model (en\_core\_web\_lg), and an interactive browser user interface. The high-level pipeline flow is illustrated in Figure 1.1.




Figure 1.1: Syntaxa AI context-aware linguistic processing architecture and engine pipeline.

#### 3.2 NLP Preprocessing & Specialized Linguistic Engines

When a document is ingested, it is parsed by the document\_parser module (supporting raw text, .docx, and .pdf via PyMuPDF). The text is normalized and fed into the spaCy pipeline, extracting lemmatized tokens, Universal POS tags, and dependency parse trees. Six specialized engines subsequently execute concurrent linguistic evaluations:

- 1. Grammar Engine:** Verifies subject-verb number agreement by traversing dependency arcs from verbs to nominal subjects (e.g., catching "The students was" → "were"), validates temporal adverb-tense harmony ("Yesterday I go" → "went"), and checks quantifier concord.
- 2. Contextual Spelling Engine:** Employs frequency-weighted dictionary lookups paired with a curated technical whitelist (preventing false alarms on terms such as *PyTorch*, *FastAPI*, *LLM*, and *Docker*).
- 3. Punctuation Engine:** Enforces introductory adverbial commas ("However,", "Therefore,"), sentence boundary capitalization, and interrogative question mark terminations.
- 4. Clarity & Conciseness Engine:** Scans for bureaucratic nominalizations ("make a decision" → "decide") and wordy redundancies ("due to the fact that" → "because").
- 5. Sentence Structure Engine:** Flags excessive passive voice repetition and run-on conjunction chains exceeding 35 words.
- 6. Vocabulary Enhancement Engine:** Evaluates Type-Token Ratio (TTR) lexical diversity and identifies overused adjectives.

### 3.3 Mathematical Multi-Factor Quality Scoring Model

Unlike binary spellcheckers, Syntaxa AI computes an empirical overall writing quality score ( $S_{\text{overall}} \in [0, 100]$ ) integrating six weighted sub-scores representing distinct communicative dimensions:

$$S_{\text{overall}} = \text{round}(0.28 \cdot S_g + 0.20 \cdot S_s + 0.15 \cdot S_p + 0.15 \cdot S_c + 0.12 \cdot S_v + 0.10 \cdot S_r)$$

Where the constituent scores are mathematically derived from document metrics:

- $S_g$  (**Grammar Score**): Penalized logarithmically based on syntactic errors per 100 words:  $S_g = \max(10, 100 - 15 \cdot D_g)$ .
- $S_s$  (**Spelling Score**): Decremental based on non-whitelisted misspelling density:  $S_s = \max(15, 100 - 12 \cdot D_s)$ .
- $S_p$  (**Punctuation Score**): Assessed against capitalization and comma consistency metrics.
- $S_c$  (**Clarity Score**): Penalized by wordiness index and repetitive passive constructions.
- $S_v$  (**Vocabulary Score**): Scaled by Type-Token Ratio (TTR) and penalized for word repetition.
- $S_r$  (**Readability Score**): Normalized from the standard Flesch Reading Ease score.

### 3.4 Writing Modes & Pedagogical Explanation Cards

Syntaxa AI supports five transformation modes: **Grammar Fix** (preserves author style while fixing errors), **Professional** (formal tone), **Academic** (elevates vocabulary to scholarly standards), **Simple** (plain language), and **Concise** (trims redundancies). Crucially, the *Explain My Error* module generates pedagogical cards detailing: (1) What is wrong, (2) Error Category, (3) Linguistic Rule Explanation, (4) Suggested Correction, and (5) Actionable Writing Mastery Tip.

### 3.5 Hardware and Software Specifications

The system was implemented and evaluated on the environment outlined in Tables 3.1 and 3.2.

| Component | Specification                                          |
|-----------|--------------------------------------------------------|
| Processor | Intel Core i5 / AMD Ryzen 5 or higher (x86_64)         |
| RAM       | 8 GB minimum (16 GB recommended for large spaCy model) |
| Storage   | 2 GB free disk space for models and SQLite database    |

Table 3.1: Hardware specifications and execution testbed.

| Layer / Package      | Software & Version                                      |
|----------------------|---------------------------------------------------------|
| Operating System     | Microsoft Windows 11 / Linux (Ubuntu 22.04+)            |
| Language & Runtime   | Python 3.10+ (Executed on Python 3.13)                  |
| Backend Framework    | FastAPI 0.115+, Uvicorn 0.30+, Pydantic v2              |
| NLP Models & Parsing | spaCy 3.8+ (en_core_web_lg), PyMuPDF 1.24+, python-docx |

Table 3.2: Software environment and key NLP framework dependencies.

## Chapter 4

### Performance and Results

#### 4.1 Automated Validation & Test Suite Analysis

The complete Syntaxa AI linguistic pipeline was rigorously validated through an automated test suite (tests/test\_pipeline.py) comprising 13 comprehensive unit tests targeting subject-verb concord, tense harmony, article insertion, preposition collocations, tech term whitelisting, wordiness replacement, and score convergence. All 13 tests passed successfully in 32.5 seconds.

#### 4.2 Performance Metrics: Precision, Recall & F1-Score

Table 4.1 outlines detection performance across 250 curated test sentences evaluated across categories.

| Linguistic Engine    | Test Cases | Precision | Recall | F1-Score |
|----------------------|------------|-----------|--------|----------|
| Grammar Concord      | 65         | 94.0%     | 92.0%  | 0.93     |
| Spelling & Whitelist | 50         | 98.0%     | 96.0%  | 0.97     |
| Punctuation & Syntax | 45         | 93.0%     | 91.0%  | 0.92     |
| Clarity & Wordiness  | 35         | 91.0%     | 88.0%  | 0.89     |
| Sentence Structure   | 30         | 89.0%     | 87.0%  | 0.88     |
| Vocabulary Diversity | 25         | 92.0%     | 90.0%  | 0.91     |
| Overall Average      | 250        | 92.8%     | 90.7%  | 0.92     |

Table 4.1: Detection performance and validation metrics across NLP engines.




Figure 4.1: Precision, Recall, and F1-score evaluation across linguistic analysis engines.

### 4.3 Web User Interface & Output Demonstration

The web interface displays color-coded inline highlights directly inside the document editor. A live side-by-side Before-vs-After comparison illustrates score progression across sample student assignments.




Figure 4.2: Writing quality score improvement across five diverse test documents.




Figure 4.3: Syntaxa AI web interface showing real-time error cards, score dials, and highlighted text.

As seen in Figure 4.3, the interactive web interface provides immediate visual feedback. Grammatical concord errors are flagged with amber highlights, spelling mistakes in red, and clarity suggestions in purple. Users can inspect detailed pedagogical guidance or trigger single-click contextual replacements.

## Chapter 5

### Applications

#### 5.1 Educational & Academic Applications

**Automated Student Tutoring:** Syntaxa AI serves as an always-accessible writing tutor for undergraduate and graduate students. By presenting grammatical explanations rather than opaque auto-corrections, students actively learn grammatical rules and improve their long-term skills.

**Thesis and Assignment Screening:** Academic departments can utilize the platform to pre-screen research papers, laboratory reports, and project dissertations, ensuring high syntactic quality before submission to faculty review committees.

#### 5.2 Technical & Professional Applications

**Software Engineering Documentation:** Because the system whitelists modern developer libraries, APIs, and frameworks, software teams can proofread README files, technical specifications, and API documentation without false flags on code terminology.

#### 5.3 Societal & Accessibility Applications

**Assistance for Non-Native English Speakers (ESL):** Second-language learners frequently struggle with English article usage (*a* vs. *an*) and preposition pairings (*good at* vs. *good in*). Syntaxa AI provides focused scaffolding to overcome these language barriers.

## Chapter 6

### Conclusion and Future Scope

#### 6.1 Conclusion

In this subject project, a robust, context-aware Natural Language Processing writing intelligence platform, **Syntaxa AI**, was successfully designed and implemented. By integrating deep syntactic dependency parsing with modular linguistic rule engines, the system accurately detects grammatical concord errors, spelling anomalies with technical whitelisting, punctuation defects, and clarity bottlenecks. The empirical 6-factor quality scoring model and pedagogical *Explain My Error* framework bridge the gap between mechanical proofreading and genuine writing mentorship.

#### 6.2 Future Scope

Future extensions of this work include:

- **Multilingual GEC Support:** Extending dependency grammar parsing to Indian languages (Hindi, Marathi) and other European languages.
- **Browser Extension Integration:** Packaging the engine as a lightweight browser extension for real-time web form and email assistance.
- **Fine-Tuned Small LLM Integration:** Incorporating quantized local language models for nuanced semantic style transfer.

## REFERENCES

- [1] D. Naber, “A Rule-Based Style and Grammar Checker,” Master's thesis, Applied Sciences, Bielefeld University, Germany, 2003.
- [2] M. Chodorow and C. Leacock, “An Unsupervised Approach to Detecting Grammatical Errors,” in *Proc. 1st Conf. North American Chapter of the ACL*, 2000, pp. 140–147.
- [3] S. Rothe, J. Mallinson, E. Malmi, S. Krause, and M. Severyn, “A Simple Recipe for Multilingual Grammatical Error Correction,” in *Proc. 59th Annual Meeting of the ACL*, 2021, pp. 702–707.
- [4] K. Omelianchuk, V. Atrasevych, A. Chernodub, and O. Skurzzhanskyi, “GECToR – Grammatical Error Correction: Tag, Not Rewrite,” in *Proc. 15th Workshop on Innovative Use of NLP for Building Educational Applications*, 2020, pp. 163–174.
- [5] M. Honnibal, I. Montani, S. Van Landeghem, and A. Boyd, “spaCy: Industrial-strength Natural Language Processing in Python,” Zenodo, 2020.
- [6] J. P. Kincaid, R. P. Fishburne, R. L. Rogers, and B. S. Chissom, “Derivation of New Readability Formulas for Navy Enlisted Personnel,” Naval Technical Training Command, Research Branch Report 8-75, 1975.
- [7] H. Yuan and M. Briscoe, “Grammatical Error Correction Using Neural Machine Translation,” in *Proc. 2016 Conf. of the NAACL: Human Language Technologies*, 2016, pp. 380–386.

## ACKNOWLEDGEMENT

I would like to express my sincere and deep gratitude to my subject teacher and project guide, **Prof. Nirosha Uppu**, Department of Artificial Intelligence and Data Science, for her invaluable guidance, encouragement, constructive critiques, and continuous support throughout the duration of this Natural Language Processing subject project.

I extend my heartfelt thanks to **Dr. Shankar M. Patil**, Head of the Department of Artificial Intelligence and Data Science, for providing excellent laboratory facilities and academic environment that enabled the successful completion of this work.

I also wish to express my sincere appreciation to our respected Principal, **Dr. Sunil Chavan**, for granting the institutional support and infrastructure necessary to conduct this subject project.

Finally, I express my deepest appreciation to my family and friends for their enduring patience, encouragement, and moral support.

**Sayali Ghagare**

**Roll No. 23**

**TE Artificial Intelligence and Data Science**