

# MEDAGENTIX AI CLINICAL PORTAL

AUTOMATED MEDICAL DIAGNOSTIC PRESCRIPTION SHEET

Date: 2026-06-04 23:17

Facility: MedAgentix Virtual Care Unit

| PATIENT PROFILE |                 | VITALS RECORDED      |             |
|-----------------|-----------------|----------------------|-------------|
| Age:            | N/A             | Heart Rate:          | 72 bpm      |
| Gender:         | N/A             | Oxygen Sat. (SpO2):  | 99%         |
| Vital Alerts:   | Normal / Stable | Blood Pressure (BP): | 110/70 mmHg |
|                 |                 | Body Temp:           | 98.8 °F     |

**PRIMARY DIAGNOSIS: Paralysis (brain hemorrhage)**

**Severity: Moderate**

**ML Model Confidence:** 5.6% (LOW)

**Consensus Agreement:** 50% Agent Voting

**Diagnostic Source Path:** Flagged For Review


## CLINICAL REASONING & RELEVANT PATHWAYS

[!] Low confidence (<70%). ML prediction is uncertain. Differential diagnosis suggests 'Paralysis (brain hemorrhage)' but specialist consultation is strongly recommended.

**Differential Candidates Assessed:** AIDS (Score: 0.031), Acne (Score: 0.029), Alcoholic hepatitis (Score: 0.029)

## AI EXPLAINABILITY & BIOMARKER REASONING (SHAP)

Below is the Shapley additive explanations (SHAP) feature importance chart. It shows which patient biomarkers and symptoms contributed to the model's primary diagnostic decision. **Blue bars (positive)** indicate features that supported this diagnosis, while **red bars (negative)** indicate factors that pushed against it.



## Rx - PRESCRIBED MEDICATIONS

| Medication Name        | Dosage                               | Route                      | Timing & Frequency |
|------------------------|--------------------------------------|----------------------------|--------------------|
| Atorvastatin (Lipitor) | 40-80 mg once daily                  | Oral                       | Once Daily         |
| Aspirin                | 325 mg stat, then<br>75-100 mg daily | Oral (chew<br>immediately) | Once Daily         |
| Clopidogrel (Plavix)   | 75 mg once daily                     | Oral                       | Once Daily         |
| Nitroglycerin (GTN)    | 0.4 mg sublingual as<br>needed       | Sublingual                 | Once Daily         |
| Metoprolol (Lopressor) | 25-50 mg twice daily                 | Oral                       | Once Daily         |

RECOMMENDED CLINICAL DIAGNOSTIC LAB TESTS

- ECG (Electrocardiogram)
- Troponin-I / Troponin-T
- Chest X-Ray
- Echocardiography
- CBC (Complete Blood Count)

CRITICAL CLINICAL ALERTS & TREATMENT PLAN

- Alert 1: [!] Atorvastatin (Lipitor): Contraindicated in Active liver disease, pregnancy. Verify patient history before administration.
- Alert 2: [!] Aspirin: Contraindicated in Active bleeding, aspirin allergy. Verify patient history before administration.
- Alert 3: [!] Clopidogrel (Plavix): Contraindicated in Active pathological bleeding. Verify patient history before administration.
- Alert 4: [!] Nitroglycerin (GTN): Contraindicated in Severe hypotension, use of PDE5 inhibitors. Verify patient history before administration.
- Alert 5: [!] Metoprolol (Lopressor): Contraindicated in Severe bradycardia, heart block. Verify patient history before administration.

Care Plan Instruction: Medication and rest. Medical consultation recommended.

Clinical Follow-Up: Schedule follow-up within 2-3 days.

Signature: \_\_\_\_\_  
Attending Virtual Physician, MD

Authorized Verification Seal:  
[ MedAgentix Autonomous System Validated ]

■ *DISCLAIMER: This is an AI-generated diagnostic assessment for informational purposes only. It does NOT constitute medical advice. Always consult a qualified healthcare professional.*