


TIC TAC TOE

A PROJECT REPORT



SUBMITTED BY: SAYAN MONDAL

ROLL NUMBER: 25BAI11532

DEPARTMENT OF COMPUTER SCIENCE

Introduction

The game of Tic-Tac-Toe is an example of a simple task which can be programmed in Python by a beginner.

Atypical Loops, Functions, Conditional statements and Lists are the main features of Python language that are illustrated in the project to have a working game.

Problem Statement

Design and develop a functional Python program that allows two human players to play Tic-Tac-Toe on a 3×3 grid. The system verifies the moves, updates the board, detects the winner, and determines if the match ends in a draw.

Project Overview

Tic-Tac-Toe is a classic game played on a 3×3 grid between two players. Player X and Player O take turns

We first prompt the users to select the grid positions on 3×3 by entering numbers between 1 and 9. The cell is then put in

The board is updated after every input, and the program verifies a player's win.

Functional Requirements

FR1 – Player Input Module

- Accepts moves (1–9) from Player X and Player O.
- Validates if the position is empty.

FR2 – Board Management Module

- Stores and updates the 3×3 grid using a list.
- Displays board after each turn.

FR3 – Winner/Draw Evaluation Module

- Checks 8 winning combinations (3 rows, 3 columns, 2 diagonals)
TicTacToe_Project_Report
- Declares winner or draw

Non-Functional Requirements

1. Usability:

The game must be easy to understand, with clear prompts.

2. Reliability:

Should correctly identify all winning patterns and avoid invalid moves.

3. Performance:

The program should respond instantly as it is lightweight.

4. Maintainability:

Code is modular with separate functions for board display and winner checking.

5. Error-Handling:

Prevents invalid inputs (non-numbers / already occupied cells).


System Architecture

Architecture Description

The system follows a simple linear structure:


Player Input → Validation → Update Board → Check Winner → Repeat

Tic-Tac-Toe System Architecture Diagram




Design Diagram

1. Use Case Diagram




2. Work Flow Diagram




3. Sequence Diagram

Turn-based game




4. Class / Component Diagram



Design Decisions & Rationale


Design Choices



Implementation Details

1. Lists: The 3×3 board is a list of 9 elements.
2. Functions: Employ to show the board and find the winners.
3. Conditionals: Ensure that moves are legit, identify winners, and take care of games that end in a draw.
4. Loops: There can be a maximum of 9 turns, thus the game may loop 9 times. Someone may also win before that.
5. After the game is initialized, the board is empty. The players decide which numbered position is going to be their move.
6. The Program assures the move is legal, and hence the board is updated. It checks all possible winning combinations.
7. If none of the combinations satisfy the winning condition and the board is full, the result is a draw.

Screen Shots and Results



```
File Edit Selection View Go Run Terminal Help
project

EXPLORER
PROJECT
main.py


main.py > ...
1 def add3(x, y, z):
2     return x + y + z
3
4 def showBoard(px, po):
5     board = []
6     for i in range(9):
7         if px[i] == 1:
8             board.append("X")
9         elif po[i] == 1:
10            board.append("O")
11        else:
12            board.append(i)
13
14    print(f"{board[0]} | {board[1]} | {board[2]}")
15    print("---|---|---")
16    print(f"{board[3]} | {board[4]} | {board[5]}")
17    print("---|---|---")
18    print(f"{board[6]} | {board[7]} | {board[8]}")
19
20 def winner(px, po):
21     patterns = [
22         [0,1,2], [3,4,5], [6,7,8],
23         [0,3,6], [1,4,7], [2,5,8],
24     ]
25
26     for pattern in patterns:
27         if px[pattern[0]] == 1 and px[pattern[1]] == 1 and px[pattern[2]] == 1:
28             return 1
29         elif po[pattern[0]] == 1 and po[pattern[1]] == 1 and po[pattern[2]] == 1:
30             return 0
31     return -1
32
33 if __name__ == "__main__":
34     px = [0]*9
35     po = [0]*9
36     turn = 1 # 1 = X, 0 = O
37
38     print("Tic Tac Toe Game")
39     while True:
40         showBoard(px, po)
41
42         if turn == 1:
43             pos = int(input("X, enter position: "))
44             px[pos] = 1
45         else:
46             pos = int(input("O, enter position: "))
47             po[pos] = 1
48
49         result = winner(px, po)
50         if result != -1:
51             print("Game Over")
52             break
53
54         # draw check: all 9 cells filled and no winner
55         if sum(px) + sum(po) == 9:
56             print("It's a draw!")
57             print("Game Over")
58             break
59
60         turn = 1 - turn
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\Users\Sayan\OneDrive\Desktop\project> & "C:\Program Files\python.exe" c:\Users\Sayan\OneDrive\Desktop\project\main.py

Tic Tac Toe Game

0	1	2
3 | 4 | 5
--|---|--
6 | 7 | 8
X, enter position:



```
File Edit Selection View Go Run Terminal Help
project

EXPLORER
PROJECT
main.py


main.py > ...
20 def winner(px, po):
21     patterns = [
22         [0,1,2], [3,4,5], [6,7,8],
23         [0,3,6], [1,4,7], [2,5,8],
24     ]
25
26     for pattern in patterns:
27         if px[pattern[0]] == 1 and px[pattern[1]] == 1 and px[pattern[2]] == 1:
28             return 1
29         elif po[pattern[0]] == 1 and po[pattern[1]] == 1 and po[pattern[2]] == 1:
30             return 0
31     return -1
32
33 if __name__ == "__main__":
34     px = [0]*9
35     po = [0]*9
36     turn = 1 # 1 = X, 0 = O
37
38     print("Tic Tac Toe Game")
39     while True:
40         showBoard(px, po)
41
42         if turn == 1:
43             pos = int(input("X, enter position: "))
44             px[pos] = 1
45         else:
46             pos = int(input("O, enter position: "))
47             po[pos] = 1
48
49         result = winner(px, po)
50         if result != -1:
51             print("Game Over")
52             break
53
54         # draw check: all 9 cells filled and no winner
55         if sum(px) + sum(po) == 9:
56             print("It's a draw!")
57             print("Game Over")
58             break
59
60         turn = 1 - turn
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS


PS C:\Users\Sayan\OneDrive\Desktop\project> & "C:\Program Files\python.exe" c:\Users\Sayan\OneDrive\Desktop\project\main.py

Tic Tac Toe Game

0	1	2
3 | 4 | 5
--|---|--
6 | 7 | 8
X, enter position:



```
File Edit Selection View Go Run Terminal Help project
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PROJECT
  > screenshot
  main.py
0, enter position: 4
X | 1 | 2
---|---
3 | 0 | 5
---|---
6 | 7 | 8
X, enter position: 8
X | 1 | 2
---|---
3 | 0 | 5
---|---
6 | 7 | X
O, enter position: 6
X | 1 | 2
---|---
3 | 0 | 5
---|---
0 | 7 | X
X, enter position: 2
X | 1 | X
---|---
3 | 0 | 5
---|---
0 | 7 | X
O, enter position: 5
X | 1 | X
---|---
3 | 0 | 0
---|---
0 | 7 | X
X, enter position: 7
X | 1 | X
---|---
3 | 0 | 0
---|---
0 | X | X
O, enter position: 3
O wins!
Game Over
PS C:\Users\Sayan\OneDrive\Desktop\project>
```



```
File Edit Selection View Go Run Terminal Help project
EXPLORER PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PROJECT
  > screenshot
  main.py
  Screenshot 2025-11-23 2...
X, enter position: 8
X | 1 | 2
---|---
3 | 0 | 5
---|---
6 | 7 | X
O, enter position: 5
X | 1 | 2
---|---
3 | 0 | 0
---|---
6 | 7 | X
X, enter position: 3
X | 1 | 2
---|---
X | 0 | 0
---|---
6 | 7 | X
O, enter position: 6
X | 1 | 2
---|---
X | 0 | 0
---|---
0 | 7 | X
X, enter position: 2
X | 1 | X
---|---
X | 0 | 0
---|---
0 | 7 | X
O, enter position: 1
X | 0 | X
---|---
X | 0 | 0
---|---
0 | 7 | X
X, enter position: 7
It's a draw!
Game Over
PS C:\Users\Sayan\OneDrive\Desktop\project>
```

Testing And Approach

1. Test valid moves
2. Test invalid moves
3. Test winning rows/columns/diagonals
4. Test draw condition
5. Test early termination when winner found

Challenges Faced

1. Checking all winning combinations correctly
2. Ensuring the program rejects illegal moves
3. Making the board display clean and readable

Learnings & Key Takeaways

1. Understanding of functions and modular programming
2. Improved debugging skills

3. Realizing how simple logic builds complete systems
4. Experience with conditional branching and loops

Future Enhancements

1. Add computer AI opponent
2. Add scoring system
3. Add GUI using Tkinter
4. Add multiplayer over network

Reference

1. Vityarthi
- 2.
3. GitHub Open Source
- 4.
5. Youtube

Logic to Win

The program checks eight different sequences of cells that might bring victory:

- Three rows
- Three columns
- Two diagonals

- i.e., any three cells which contain the same symbol, X or O, are sufficient to declare that player the winner.

Conclusion

This Tic Tac Toe project is a demonstration of how simple concepts can be used to create a

working game which solves the problem. It is a good pool of exercises for programming novices and may be developed further

by adding features like AI player, GUI, scoreboard, etc.