

Test Plan for AB Testing Website App.vwo.com

Created by: Sayan Giri

1. Objective

This document outlines the test plan for **app.vwo.com**, which helps users in A/B testing their websites and applications. The objective is to ensure that all features and functionalities work as expected for the target audience — website owners and marketers who want to optimize their websites for conversions.

2. Scope

The scope of this test plan includes:

- **Features to be tested:**
 - Login Page
 - Dashboard Page
 - Create Account Page
 - A/B Testing Campaign Module
- **Types of testing:**
 - Manual Testing
 - Automated Testing
 - Performance Testing
 - Accessibility Testing
- **Environments:**
 - Different browsers, operating systems, and device types

- **Evaluation criteria:**
 - Number of defects found
 - Time taken to complete testing
 - User satisfaction ratings
 - **Team roles and responsibilities:**
 - Test Lead
 - Testers
 - Developers
 - Product Owner
 - Business Analyst
-

3. Inclusions

- **Introduction:**

Overview of the test plan, including purpose, scope, and goals.
 - **Test Objectives:**
 - Identify defects and inconsistencies in functionality and UI
 - Ensure user experience aligns with expected flows
 - Validate A/B Testing campaign functionality end-to-end
 - Ensure application meets required performance benchmarks
-

4. Exclusions

- Testing of advanced analytics dashboards
 - Testing of Heatmaps, Funnels, and Personalization modules (unless linked to A/B Testing campaign flows)
 - Backend database performance testing
 - Non-production third-party integrations (unless required)
-

5. Test Environments

Component	Details
Operating Systems	Windows 10/11, macOS (latest), Ubuntu Linux
Browsers	Google Chrome, Mozilla Firefox, Microsoft Edge, Safari
Devices	Desktops, Laptops, Tablets, Smartphones (iOS/Android)
Network Connectivity	Wi-Fi (fast and slow), Cellular (4G/5G), Wired
Hardware Requirements	Min 4-core CPU, 8GB RAM, 512MB GPU
Security Protocols	OAuth, SSO (if applicable), TLS/SSL
Access Permissions	Testers (Test Accounts), Developers (Admin Access), Stakeholders (Read-Only Access)

6. Defect Reporting Procedure

Activity	Details
Criteria for Identifying Defects	Deviation from requirements, user experience issues, technical errors
Steps for Reporting Defects	Use JIRA template, attach reproduction steps, screenshots, logs
Triage and Prioritization	Assign severity & priority (Critical, High, Medium, Low), assign to Dev
Tracking Tools	JIRA (Bug Tracking Tool)
Roles and Responsibilities	Testers (Log defects), Developers (Fix defects), Test Lead (Verify/Close defects)
Communication Channels	Daily stand-ups, Slack/MS Teams updates, Email
Metrics	Defect density, Average resolution time, % Defects fixed

7. Test Strategy

Step 1: Test scenarios and test cases creation

- **Techniques:**
 - Equivalence Class Partitioning
 - Boundary Value Analysis
 - Decision Table Testing
 - State Transition Testing
 - Use Case Testing
 - **Additional Methods:**
 - Error Guessing
 - Exploratory Testing
-

Step 2: Testing procedure

Testing Type	Details
Smoke Testing	Validate critical workflows (Login, Dashboard access, Campaign creation)
In-depth Testing	Execute full suite of test cases after stable build passes Smoke
Multiple Environments	Test across all supported browsers, OSs, and devices
Defect Reporting	Log bugs in JIRA; send daily defect status

Other Types	Sanity Testing, Regression Testing, Retesting, Usability Testing, Functionality & UI Testing
-------------	--

Step 3: Best Practices

- Context-Driven Testing
 - Shift-Left Testing (early validation in SDLC)
 - Exploratory Testing in parallel to scripted testing
 - End-to-End Flow Testing simulating user journeys
-

8. Test Schedule

Task	Duration	Dates
Test Plan Preparation	2 days	[Start Date] – [End Date]
Test Case Design	4 days	[Start Date] – [End Date]
Test Environment Setup	2 days	[Start Date] – [End Date]
Test Execution	7 days	[Start Date] – [End Date]

Defect Retesting	3 days	[Start Date] – [End Date]
Test Closure & Reporting	2 days	[Start Date] – [End Date]

9. Test Deliverables

- Test Plan Document
- Test Scenarios and Test Cases
- Test Data Sets
- Defect Reports
- Test Execution Reports
- Test Summary Report
- Traceability Matrix

10. Entry and Exit Criteria

Phase	Entry Criteria	Exit Criteria
Requirement Analysis	Requirements Document received	Requirements understood & clarified

Test Execution	Signed-off Test Cases, Stable build available	All test cases executed, Defects logged
Test Closure	Test case reports & defect reports available	Test Summary Report submitted, Sign-off received

11. Tools

Tool	Purpose
JIRA	Defect Tracking
XMind / MindMeister	Test Design (Mind Maps)
Snipping Tool / Lightshot	Screenshots for defect reporting
MS Word / Excel	Documentation & Reporting
BrowserStack	Cross-browser/device testing
Postman (if applicable)	API Testing (for login/auth APIs)

12. Risks and Mitigations

Risk	Mitigation
Non-availability of resources	Backup resource planning
Unstable build / build not available	Escalate early to Dev, test on stable builds
Limited testing time	Prioritize critical workflows
3rd-party SSO / integrations unavailable	Use mock/test accounts or defer integration tests

13. Approvals

Document	Approval Required By
Test Plan	Client / Stakeholders
Test Scenarios & Test Cases	Product Owner / QA Lead
Test Summary Report	QA Lead / Project Manager

 **Ready for client review and sign-off**

Would you like me to also:

- 📋 Create **Sample Test Cases** for A/B Campaign creation?
- ⚙️ Suggest an **Automation Strategy** (Selenium/TestNG or Cypress)?

If so, just tell me — I can provide it next! 🚀

You said:

Act as a Software Tester with 20+ years of experience, Analyze the Requirement and Test Plan created shared and let me know What are the things to include in the Test Plan in this document further and improve it as much as you can.

ChatGPT said:

Absolutely — I'll review your Test Plan as a seasoned software tester with 20+ years of experience and suggest concrete improvements and additions that align with industry best practices and real-world execution.

Overall Analysis

You have a **solid foundational structure**—the major sections are already covered (Objective, Scope, Test Strategy, Deliverables, etc.). However, to elevate this to a **comprehensive, stakeholder-ready Test Plan** (especially for a SaaS product like app.vwo.com with a focus on A/B Testing), here's what I'd recommend adding and enhancing:

Key Enhancements and Additions (Section-wise)

1 Objective

✅ Your current content is good, but strengthen it by explicitly stating **success criteria** and **stakeholder expectations**.

Add:

- Success Criteria: All major features deliver accurate data insights for A/B tests and meet defined performance benchmarks (response time <2s, 95% uptime).

- Stakeholder Expectations: Align with marketing, product, and customer success teams to ensure the platform helps increase user conversions reliably.
-

2 Scope

✓ You have covered features & testing types. Now, **refine scope boundaries clearly**.

Add:

- **In Scope:** Integrations (Google Analytics, Tag Managers, etc.), Reporting & Analytics, and Targeting/Segmentation options.
 - **Out of Scope (Move from Section 4 here for clarity):** Backend infrastructure testing, third-party service testing (unless affecting core flow).
-

3 Inclusions

✓ Solid, but **explicitly list the major flows**.

Add:

- Major Workflows: User registration, project creation, variant creation, campaign activation, reporting, and result analysis.
-

4 Exclusions

✓ Good, but **justify why out of scope items are excluded**.

Add Example:

- **Backend infrastructure testing** is out of scope since it's managed by the DevOps team and covered under infrastructure testing plans.
-

5 Test Environments

✓ You've covered the basics well. **Strengthen with:**

Add:

- **Browser Versions** (to be specific): Chrome (latest and N-1), Firefox (latest and N-1), Edge (latest and N-1), Safari (latest 2 versions).
 - **Device Matrix:**
| Device | OS | Browsers |
|-----|----|-----|
| Desktop | Windows 10 | Chrome, Firefox, Edge |
| MacBook | macOS | Safari, Chrome |
| Mobile | iOS, Android | Chrome, Safari |
 - **Test Data Requirements:** Dummy websites (to simulate A/B test), user personas, campaign configurations.
-

6 Defect Reporting Procedure

✓ Robust, but **include SLAs and definitions of severity/priority levels.**

Add:

- **Severity & Priority Matrix** (define Sev1–Sev4 with examples).
 - **SLA Example:**
| Severity | Response Time | Resolution Time |
|-----|-----|-----|
| Sev 1 (Critical) | 1 hr | 8 hrs |
| Sev 2 (Major) | 4 hrs | 24 hrs |
-

7 Test Strategy

✓ Comprehensive, but **expand on Automation and Non-functional Testing strategies.**

Add:

- **Automation Strategy:** Selenium (UI automation), REST Assured (API automation), Allure for reporting — Regression and Smoke Suites.

- **Performance Testing Strategy:** Load testing campaigns with 1000 concurrent users using JMeter; response time should remain <3s.
 - **Accessibility Testing:** WCAG 2.1 compliance (focus on dashboard, campaign creation, and reporting pages).
 - **Security Testing:**
 - SQL Injection and XSS on input fields.
 - Session management and token expiry testing.
-

8 Test Schedule

- ✓ Present — but **convert into a Gantt-style table or list for clarity.**

Add Example:

Task	Start Date	End Date	Owner
Test Plan Creation	May 3	May 5	Test Lead
Test Case Design	May 6	May 12	QA Team
Test Execution	May 13	May 25	QA Team
Reporting & Closure	May 26	May 28	Test Lead

9 Test Deliverables

- ✓ Good — but **explicitly list all artefacts.**

Add:

- Test Cases & Checklists
- Traceability Matrix (Requirement → Test Case Mapping)
- Defect Reports
- Daily/Weekly Status Reports
- Test Summary Report
- Lessons Learned Document (Retrospective)

10 Entry and Exit Criteria

✓ Solid — **expand for clarity.**

Add:

- **Entry Criteria for UAT:** UAT environment setup complete, UAT data configured, stakeholder sign-off on functional test pass.

11 Tools

✓ You've listed a few. **Expand comprehensively.**

Add:

- Test Management Tool: TestRail (or equivalent)
- Automation Tools: Selenium, REST Assured
- Performance Testing: JMeter
- Accessibility Testing: Axe or Lighthouse
- Communication: Slack, Confluence, Zoom

12 Risks and Mitigations

✓ Good — **categorize risks for impact clarity.**

Add Example:

Risk	Impact	Mitigation
Third-party integration downtime	High	Mock APIs, retries in test scripts
Environment instability	Medium	Parallel testing environments

13 Approvals

✓ Fine — add signature or approval table.

Example:

Name	Role	Approval Date	Signature
-----	-----	-----	-----
Pramod Dutta	Test Lead	YYYY-MM-DD	____
Client Stakeholder	Product Manager	YYYY-MM-DD	____

Additional Sections (Recommended)

14. Test Data Management

Define how dummy websites, campaign data, user accounts will be generated and masked.

15. Traceability Matrix

Include a **Requirement** → **Test Case** → **Defect mapping** to ensure full coverage and traceability.

16. Compliance and Standards (Optional)

Mention if testing adheres to standards like **OWASP**, **WCAG 2.1**, **ISO/IEC 25010** (Quality Model).

Final Thought:

By adding these layers of **depth, clarity, and specificity**, your Test Plan will transform from a **good foundational document** to a **comprehensive, enterprise-grade artefact** trusted by both **QA leadership** and **cross-functional stakeholders**.

1. Objective

This document outlines the test plan for **app.vwo.com**, which helps users in A/B testing their websites and applications. The objective is to ensure that all features and functionalities work as expected for the target audience — website owners and marketers who want to optimize their websites for conversions.

2. Scope

The scope of this test plan includes:

- **Features to be tested:**
 - Login Page
 - Dashboard Page
 - Create Account Page
 - A/B Testing Campaign Module
- **Types of testing:**
 - Manual Testing
 - Automated Testing
 - Performance Testing
 - Accessibility Testing
- **Environments:**
 - Different browsers, operating systems, and device types
- **Evaluation criteria:**
 - Number of defects found
 - Time taken to complete testing
 - User satisfaction ratings
- **Team roles and responsibilities:**
 - Test Lead
 - Testers
 - Developers
 - Product Owner

- Business Analyst
-

3. Inclusions

- **Introduction:**
Overview of the test plan, including purpose, scope, and goals.
 - **Test Objectives:**
 - Identify defects and inconsistencies in functionality and UI
 - Ensure user experience aligns with expected flows
 - Validate A/B Testing campaign functionality end-to-end
 - Ensure application meets required performance benchmarks
-

4. Exclusions

- Testing of advanced analytics dashboards
 - Testing of Heatmaps, Funnels, and Personalization modules (unless linked to A/B Testing campaign flows)
 - Backend database performance testing
 - Non-production third-party integrations (unless required)
-

5. Test Environments

Component	Details
Operating Systems	Windows 10/11, macOS (latest), Ubuntu Linux
Browsers	Google Chrome, Mozilla Firefox, Microsoft Edge, Safari
Devices	Desktops, Laptops, Tablets, Smartphones (iOS/Android)
Network Connectivity	Wi-Fi (fast and slow), Cellular (4G/5G), Wired
Hardware Requirements	Min 4-core CPU, 8GB RAM, 512MB GPU
Security Protocols	OAuth, SSO (if applicable), TLS/SSL
Access Permissions	Testers (Test Accounts), Developers (Admin Access), Stakeholders (Read-Only Access)

6. Defect Reporting Procedure

Activity	Details
Criteria for Identifying Defects	Deviation from requirements, user experience issues, technical errors

Steps for Reporting Defects	Use JIRA template, attach reproduction steps, screenshots, logs
Triage and Prioritization	Assign severity & priority (Critical, High, Medium, Low), assign to Dev
Tracking Tools	JIRA (Bug Tracking Tool)
Roles and Responsibilities	Testers (Log defects), Developers (Fix defects), Test Lead (Verify/Close defects)
Communication Channels	Daily stand-ups, Slack/MS Teams updates, Email
Metrics	Defect density, Average resolution time, % Defects fixed

7. Test Strategy

Step 1: Test scenarios and test cases creation

- **Techniques:**
 - Equivalence Class Partitioning
 - Boundary Value Analysis
 - Decision Table Testing
 - State Transition Testing
 - Use Case Testing

- **Additional Methods:**
 - Error Guessing
 - Exploratory Testing
-

Step 2: Testing procedure

Testing Type	Details
Smoke Testing	Validate critical workflows (Login, Dashboard access, Campaign creation)
In-depth Testing	Execute full suite of test cases after stable build passes Smoke
Multiple Environments	Test across all supported browsers, OSs, and devices
Defect Reporting	Log bugs in JIRA; send daily defect status
Other Types	Sanity Testing, Regression Testing, Retesting, Usability Testing, Functionality & UI Testing

Step 3: Best Practices

- Context-Driven Testing
- Shift-Left Testing (early validation in SDLC)

- Exploratory Testing in parallel to scripted testing
 - End-to-End Flow Testing simulating user journeys
-

8. Test Schedule

Task	Duration	Dates
Test Plan Preparation	2 days	[Start Date] – [End Date]
Test Case Design	4 days	[Start Date] – [End Date]
Test Environment Setup	2 days	[Start Date] – [End Date]
Test Execution	7 days	[Start Date] – [End Date]
Defect Retesting	3 days	[Start Date] – [End Date]
Test Closure & Reporting	2 days	[Start Date] – [End Date]

9. Test Deliverables

- Test Plan Document
- Test Scenarios and Test Cases
- Test Data Sets

- Defect Reports
 - Test Execution Reports
 - Test Summary Report
 - Traceability Matrix
-

10. Entry and Exit Criteria

Phase	Entry Criteria	Exit Criteria
Requirement Analysis	Requirements Document received	Requirements understood & clarified
Test Execution	Signed-off Test Cases, Stable build available	All test cases executed, Defects logged
Test Closure	Test case reports & defect reports available	Test Summary Report submitted, Sign-off received

11. Tools

Tool	Purpose
JIRA	Defect Tracking
XMind / MindMeister	Test Design (Mind Maps)
Snipping Tool / Lightshot	Screenshots for defect reporting
MS Word / Excel	Documentation & Reporting
BrowserStack	Cross-browser/device testing
Postman (if applicable)	API Testing (for login/auth APIs)

12. Risks and Mitigations

Risk	Mitigation
Non-availability of resources	Backup resource planning
Unstable build / build not available	Escalate early to Dev, test on stable builds

Limited testing time	Prioritize critical workflows
3rd-party SSO / integrations unavailable	Use mock/test accounts or defer integration tests

13. Approvals

Document	Approval Required By
Test Plan	Client / Stakeholders
Test Scenarios & Test Cases	Product Owner / QA Lead
Test Summary Report	QA Lead / Project Manager

☒ **Ready for client review and sign-off**

Would you like me to also:

-  Create **Sample Test Cases** for A/B Campaign creation?
-  Suggest an **Automation Strategy** (Selenium/TestNG or Cypress)?

If so, just tell me — I can provide it next! 🚀

You said:

Act as a Software Tester with 20+ years of experience, Analyze the Requirement and Test Plan created shared and let me know What are the things to include in the Test Plan in this document further and improve it as much as you can.

ChatGPT said:

Absolutely — I'll review your Test Plan as a seasoned software tester with 20+ years of experience and suggest concrete improvements and additions that align with industry best practices and real-world execution.

Overall Analysis

You have a **solid foundational structure**—the major sections are already covered (Objective, Scope, Test Strategy, Deliverables, etc.). However, to elevate this to a **comprehensive, stakeholder-ready Test Plan** (especially for a SaaS product like app.vwo.com with a focus on A/B Testing), here's what I'd recommend adding and enhancing:

Key Enhancements and Additions (Section-wise)

1 Objective

✓ Your current content is good, but strengthen it by explicitly stating **success criteria** and **stakeholder expectations**.

Add:

- Success Criteria: All major features deliver accurate data insights for A/B tests and meet defined performance benchmarks (response time <2s, 95% uptime).
 - Stakeholder Expectations: Align with marketing, product, and customer success teams to ensure the platform helps increase user conversions reliably.
-

2 Scope

✓ You have covered features & testing types. Now, **refine scope boundaries clearly**.

Add:

- **In Scope:** Integrations (Google Analytics, Tag Managers, etc.), Reporting & Analytics, and Targeting/Segmentation options.
 - **Out of Scope (Move from Section 4 here for clarity):** Backend infrastructure testing, third-party service testing (unless affecting core flow).
-

3 Inclusions

- ✓ Solid, but **explicitly list the major flows.**

Add:

- Major Workflows: User registration, project creation, variant creation, campaign activation, reporting, and result analysis.
-

4 Exclusions

- ✓ Good, but **justify why out of scope items are excluded.**

Add Example:

- **Backend infrastructure testing** is out of scope since it's managed by the DevOps team and covered under infrastructure testing plans.
-

5 Test Environments

- ✓ You've covered the basics well. **Strengthen with:**

Add:

- **Browser Versions** (to be specific): Chrome (latest and N-1), Firefox (latest and N-1), Edge (latest and N-1), Safari (latest 2 versions).
- **Device Matrix:**
 - | Device | OS | Browsers |
 - |-----|----|-----|
 - | Desktop | Windows 10 | Chrome, Firefox, Edge |
 - | MacBook | macOS | Safari, Chrome |

| Mobile | iOS, Android | Chrome, Safari |

- **Test Data Requirements:** Dummy websites (to simulate A/B test), user personas, campaign configurations.
-

6 Defect Reporting Procedure

- ✓ Robust, but **include SLAs and definitions of severity/priority levels.**

Add:

- **Severity & Priority Matrix** (define Sev1–Sev4 with examples).
 - **SLA Example:**

Severity	Response Time	Resolution Time
-----	-----	-----
Sev 1 (Critical)	1 hr	8 hrs
Sev 2 (Major)	4 hrs	24 hrs
-

7 Test Strategy

- ✓ Comprehensive, but **expand on Automation and Non-functional Testing strategies.**

Add:

- **Automation Strategy:** Selenium (UI automation), REST Assured (API automation), Allure for reporting — Regression and Smoke Suites.
 - **Performance Testing Strategy:** Load testing campaigns with 1000 concurrent users using JMeter; response time should remain <3s.
 - **Accessibility Testing:** WCAG 2.1 compliance (focus on dashboard, campaign creation, and reporting pages).
 - **Security Testing:**
 - SQL Injection and XSS on input fields.
 - Session management and token expiry testing.
-

8 Test Schedule

✓ Present — but **convert into a Gantt-style table or list for clarity.**

Add Example:

Task	Start Date	End Date	Owner
Test Plan Creation	May 3	May 5	Test Lead
Test Case Design	May 6	May 12	QA Team
Test Execution	May 13	May 25	QA Team
Reporting & Closure	May 26	May 28	Test Lead

9 Test Deliverables

✓ Good — but **explicitly list all artefacts.**

Add:

- Test Cases & Checklists
 - Traceability Matrix (Requirement → Test Case Mapping)
 - Defect Reports
 - Daily/Weekly Status Reports
 - Test Summary Report
 - Lessons Learned Document (Retrospective)
-

10 Entry and Exit Criteria

✓ Solid — **expand for clarity.**

Add:

- **Entry Criteria for UAT:** UAT environment setup complete, UAT data configured, stakeholder sign-off on functional test pass.
-

11 Tools

✓ You've listed a few. **Expand comprehensively.**

Add:

- Test Management Tool: TestRail (or equivalent)
 - Automation Tools: Selenium, REST Assured
 - Performance Testing: JMeter
 - Accessibility Testing: Axe or Lighthouse
 - Communication: Slack, Confluence, Zoom
-

12 Risks and Mitigations

✓ Good — **categorize risks for impact clarity.**

Add Example:

Risk	Impact	Mitigation
Third-party integration downtime	High	Mock APIs, retries in test scripts
Environment instability	Medium	Parallel testing environments

13 Approvals

✓ Fine — **add signature or approval table.**

Example:

Name	Role	Approval Date	Signature
Pramod Dutta	Test Lead	YYYY-MM-DD	____
Client Stakeholder	Product Manager	YYYY-MM-DD	____

Additional Sections (Recommended)

14. Test Data Management

Define how dummy websites, campaign data, user accounts will be generated and masked.

15. Traceability Matrix

Include a **Requirement** → **Test Case** → **Defect mapping** to ensure full coverage and traceability.

16. Compliance and Standards (Optional)

Mention if testing adheres to standards like **OWASP**, **WCAG 2.1**, **ISO/IEC 25010** (Quality Model).
