

1. Global Document Commands

These commands target the entire document or act as a reset.

- **"Clear formatting" / "Remove styles"**: Wipes all rich text attributes (bold, color, size, etc.) from the whole note.
- **"Make everything [style/color]"**: Applies a specific attribute to the entire document.

2. Selection-Based Commands

These utilize the "Selection Awareness" logic to target only what your cursor has highlighted.

- **"Make this [style/color/size]"**: Applies formatting strictly to the highlighted text.
- **"Link this to [URL]"**: Turns the selected text into a clickable hyperlink.

3. Positional Targeting (Lines, Sentences, & Paragraphs)

These commands use the "Proper Line Mechanism" to target specific structural parts of the note.

- **"Make the [1st/2nd/last] line [style]"**: Targets a segment ending in a period or newline.
- **"Make the [first/nth/last] sentence [style]"**: Acts similarly to the line command for granular targeting within blocks.
- **"Make the [1st/2nd/last] paragraph [style]"**: Targets contiguous blocks of text separated by blank lines.

4. Literal Phrase & Occurrence Targeting

These commands search the document for specific words or phrases.

- **"Make [phrase] [style/color]"**: Finds a specific phrase (e.g., "golden retriever") and styles it.
- **"Make the [second/last] instance of [word] [style]"**: Targets a specific occurrence of a word if it appears multiple times.

5. Formatting & Rich Text Features

These represent the specific attributes the engine can apply.

- **Text Styles**: Commands for **"bold"**, **"italic"**, **"underline"**, and **"strike"**.
- **Colors**: Commands for specific colors (e.g., **"make [target] red"**) which the AI converts to hex codes.
- **Lists**: Commands to **"make [target] a list"** (defaulting to bullets), a **"numbered list"**, or a **"checkbox list"**.
- **Font Size**: Commands to make text **"big"** (+5px), **"small"** (-5px), or a specific size like **"20 pixel"**.
- **Alignment**: Commands to **"align [target] to the [left/center/right]"**.

Suggested Commands:

Also test these:

- **"Align the first paragraph to the center"**: Tests the intersection of positional targeting and block alignment.

- **"Make the third line a checkbox"**: Tests the "Surgical List Replacement" logic for specific lines.
- **"Make [word] small"**: Tests the relative size decrease (-5px).
- **"Strike through the last sentence"**: Tests the unified segment ending logic for specific styles.

Functional Support Checklist

- **Global Document Commands**: Fully supported. The `isGlobal` safety lock and `unformat_all` logic in the controller allow for clearing all styles or styling the whole document while protecting against accidental triggers when specific keywords (like "dog") are used.
- **Selection Awareness**: Fully supported. The `hasSelection` interceptor at the top of your resolution loop ensures that highlighted text is prioritized over any document searching.
- **Unified Line/Sentence Mechanism**: Fully supported. Your controller now treats every full-stop (.) and newline (\n) as a valid segment boundary for positional targeting (line:first, sentence:3rd, etc.).
- **Paragraph Block Logic**: Fully supported. The engine identifies contiguous blocks separated by blank lines (double newlines), correctly grouping lists (like "Menu items") as a single paragraph.
- **Literal & nth Occurrence Targeting**: Fully supported. The word matcher uses a robust regex to find phrases like "golden retriever" and can surgically target the "second instance" or "last dog" using the `occ` filter.
- **Rich Text Features**:
 - **Styles**: Supports bold, italic, underline, and strike.
 - **Colors**: Converts voice names to hex codes via Groq and applies them.
 - **Lists**: Supports surgical replacement of bullets, numbered lists, and checkboxes without stacking.
 - **Size**: Supports both relative changes ("big" = +5px) and exact pixel values ("40 pixel").
 - **Hyperlinks**: Targets specific words and applies both the URL and a blue underline style.
 - **Alignment**: Supports block-level alignment (left, center, right).

Comprehensive Test Command List

Functionality	Example Command
Global Reset	"Clear formatting" or "Remove all styles"
Selection	"Make this bold" or "Link this to google.com"
Unified Segments	"Make the first sentence bold" or "Make the 3rd line red"

Functionality	Example Command
Paragraph Blocks	"Make the second paragraph italic" or "Center the last paragraph"
Literal Phrases	"Make golden retriever bold" or "Underline intelligent"
nth Occurrence	"Make the second instance of dog italic"
Surgical Lists	"Make menu items a numbered list" or "Make this a checkbox"
Exact Sizing	"Make household 40 pixel"
Relative Sizing	"Make the first line big" or "Make this small"

does it have all my prev logic intact? check for sure if u removed any prev fixes

Here is a comprehensive, categorized suite of test commands. These are specifically designed to trigger every single logical pathway, regex split, and safety lock we just hardcoded into your `VoiceFormattingService` and `GroqService`. You can use this list to verify that every structural rule is holding strong.

1. The VIP Clear Pass (Ruthless Clear)

Tests the `unformat_all` bypass that wipes all styles.

- "Clear all formatting."
- "Remove styles."
- "Reset everything."
- "Nuke it."

2. Selection Interceptor

Tests the logic that intercepts cursor highlights before parsing the rest of the document.

- "Make this bold."
- "Link this to google.com."
- "Turn this paragraph into a checklist."
- "Highlight this in red."

3. Global Document Lock

Tests that the whole document formats ONLY when explicit "all" triggers are used, while ensuring protected words don't accidentally trigger it.

- "Make everything red."
- "Align the entire document to the center."
- "Make all text italic."

4. Line & Sentence Segmentation (Single Newline / Period)

Tests the (?<=[.\n]) regex that perfectly calculates offsets while keeping delimiters.

- "Make the first line bold."
- "Underline the second sentence."
- "Make the bottom line green."
- "Center the last line."

5. Paragraph Segmentation (Double Newlines)

Tests the (?<=[\n\s\n]) regex and ensures block formatting (align, list) stretches across the full length of the paragraph.*

- "Make the first paragraph italic."
- "Push the second paragraph to the right."
- "Turn the last paragraph into a checklist."
- "Center the bottom paragraph."

6. Literal Phrase Targeting

Tests the escape regex \b word matcher, ensuring verbs and descriptors are stripped by the AI.

- "Make the word dog red."
- "Underline golden retriever."
- "Make household italic."
- "Cross out intelligent."

7. Nth Occurrence Math

Tests the ordinal dictionary mapping (first, second, last) against multiple instances of the same word.

- "Make the second instance of dog bold."
- "Cross out the last household."
- "Highlight the first time I said loyal in green."

8. Surgical List Engine & Headers

Tests the line-scan logic that looks for colons (:) or the word "items" to turn a block into a list.

- "Make menu items a checklist."
- "Turn grocery list into bullet points."
- "Make the first paragraph a numbered list."

9. Relative & Exact Sizing

Tests the size_change clamping math (+5 / -5 between 8 and 100) versus hard pixel inputs.

- "Make the word warning look massive." (Tests +5 relative)
- "Make the bottom line tiny." (Tests -5 relative)
- "Make golden retriever 40 pixel." (Tests exact sizing)

10. The Hyperlink Engine

Tests the string parser that automatically prepends https://, colors the text #1E88E5, and applies an underline.

- "Direct golden retriever to google.com."
- "Link this to youtube.com."

- "Make the bottom line point to flutter.dev."

11. Multi-Attribute Rejection (Hallucination Guard)

Tests that the LLM obeys the "Purity" rules and doesn't add random colors or sizes when you only ask for one style.

- "Make the second line bold." (*Should ONLY apply bold, no size/color changes*).
- "Align the first paragraph to the center." (*Should ONLY align, not change font*).