

Case study: Analysis on smart meter data

Sayani Gupta

25/08/2019

Case study: Analysis on smart meter data

Smart meters provide large quantities of measurements on energy usage for households across Australia, and indeed many parts of the world. Households are distributed geographically, and have different demographic properties such as the existence of solar panels, central heating or air conditioning. The behavioral patterns in households vary substantially, for example, some families use a dryer for their clothes while others hang them on a line, and some households might consist of night owls, while others are morning larks.

It is common to see aggregates of usage across households, total kwh used each half hour by state, for example, because energy companies need to understand maximum loads that they will have to plan ahead to accommodate. But studying overall energy use hides the distributions of usage at finer scales, and making it more difficult to find solutions to improve energy efficiency.

One of the customer trial [smart-meter] conducted as part of the Smart Grid Smart City (SGSC) project (2010-2014) in NewCastle, New South Wales and some parts of Sydney provides customer wise data on half hourly energy usage and detailed information on appliance use, climate, retail and distributor product offers, and other related factors. It would be interesting to explore the energy consumption distribution for these customers and gain more insights on their energy behavior which are otherwise lost either due to aggregation or looking only at coarser temporal units. The idea here is to show how looking at time across different granularities together can help identify different behavioral patterns.

Let us compare the energy consumption distribution for two households from the customer trials. For the purpose of this analysis, we only take the data for the year 2013. Let us look at the distribution of energy across coarser temporal granularities and then deep dive into finer temporal granularities.

- Hourly usage across months of the year

Figure 1 shows the distribution of hourly consumption of the households across different months of the year. The two households are similar when it comes to their usage in the morning hours. The first household's extreme behavior is different from that of second household in the month of May and June in the evening hours (represented by higher 90th percentile energy usage). However, the 75th percentile of energy consumption for those two months are higher for the second household than for the first and their median consumption is more or less similar. This implies that consuming more energy in the evening is more typical for household 2. For the evenings of October, November and December, it is clear that household 1 typically consumes much less energy than household 2. Moreover, the second household has a steep evening peak (75th percentile above 0.50 KwH) across most months in contrast to the first household who has a steep evening peak only in the month of May and June with 75th percentile consumption falling below 0.25 KwH. This might be an indication that of usage of heater in the winter months for the first household, whereas the second household uses both air conditioner in hot months and heater in cold months or the number of members in the household vary widely. All of these can be explained with more demographics of the household and weather conditions in that area.

Let us dive deeper and see the hourly usage across different days of the week for these two households.

(ref:cust1_hd_my-cap) Something that I want to describe.

- Hourly usage across days of the week

Figure 3 shows distribution of hourly energy usage for two households across different days of the week through violin plots for Household 1. Energy consumption typically goes up between 16 to 18 hours. On weekends, the energy consumption for these hours are even higher. The straight lines in the violin plot for weekends




Figure 1: Quantile plots of hourly consumption across different months for the first household. 10th, 25th, 50th, 75th and 90th percentile are shown. For example, 90th percentile might denote behavior which are extreme and 50th percentile corresponds to a more typical behavior. Evening hours generally exhibits a peak. Some extreme behavior is exhibited in the evening hours of May and June, however, overall energy consumption does not seem to vary much across months. Median and 75th percentile is less than 0.25 Kwh across most months.




Figure 2: Quantile plots of hourly consumption across different months for the second household. 10th, 25th, 50th, 75th and 90th percentile are shown. Distinct evening peaks for few hours across all months. The median consumption also varies across months. This household varies their behavior with seasons and are likely to be using heaters in colder months and air conditioners in hot months like January. This is evident from the 75th and 90th percentile of consumption.




Figure 3: Violin plots of hourly consumption across different day of the week for the second household. A long tailed violin for an hour would imply that the energy distribution is skewed to either right or left, whereas a bulge shaped distribution implies that the energy behavior is more predictable and energy consumption in those hours can only vary in that range where the bulge appears. If an hour has a distribution that seems like a straight line, they are extremely volatile. On weekdays, hours between 17 to 19 hours seems to be extremely volatile compared to other hours. On weekends, energy consumption is volatile even in morning hours.

at 17th and 18th hours suggest that the distribution of energy consumption is uniform demonstrating that any energy value has equal probability in falling in that hour. This suggests that these hours are extremely volatile based on weather conditions/months. Energy consumption distribution in the morning hours of weekdays have a bulge between 0 to 0.25 Kwh, indicating that if we pick up any typical week day, we can say with reasonable certainty that the energy consumption would fall in that range. This is not true for the 17th or 18th hour of the day. The consistent behavior in the morning hours can be attributed to the fact that members in this household are not stay-at-home professionals.

Figure 4 shows distribution of hourly energy usage for two households across different days of the week through violin plots for Household 2. Contrary to Household 1, Household 2's energy consumption increases through noon through 7pm. We can't say with certainty if the morning hours from 10am would manifest a higher or lower level of energy consumption from the households. This indicates that this household might have kids or someone working from home.

A plot of the distribution across months of the year and days of the week might throw some light on the extreme behavior we saw in May and June. Was it only for the months May and June, that this household consumed more energy than they usually do? Figure ?? shows that it is not only those months that saw high energy consumption on Saturday and Sundays. In fact, months like November and December saw higher energy usage than typical even on other weekdays. Still for this household, it can be safely said that most of their activities which involve higher energy consumption are concentrated on weekends. The behavior of the




Figure 4: this is a caption




Figure 5: this is a caption

weekends, as can be observed from the letter values of energy consumption, are different across months which can be attributed to weather conditions.

Figure 6 shows that the second household uniformly distribute their regular activity like using dish washer or heater/air conditioner throughout the week. The distribution of energy consumption on Monday, Friday and Sunday looks quite similar for December. Also, for other months, it is not very clear if weekend behavior varies distinctly from weekday behavior.

- Across days of the week by months

To summarise, we can posit the following for the two households:

- First household typically doesn't routinely use air conditioners in summer (December), or heaters in winter months (May and June). They are strictly 9 to 5 professionals, hence their energy consumption during day time is pretty consistent and only peaks up during few hours in the evening. They do all energy intensive chores (e.g. laundry, vacuum cleaning) mostly in the evenings of weekends.
- Second household typically use air conditioners in summer months and heaters in winter months. This might be a family with children with stay-at-home parents/ work-from-home professionals with extremely varying energy consumption peaking up from noon. Their weekday behavior is not distinctly different from weekends. Also, they are more likely to distribute their energy intensive chores throughout the week and not leave all them for the weekends.

We can keep on slicing and dicing the data in a similar fashion and derive more insights about the behavior of these households.

LV plot of energy consumption across days of week by month of years for t




Figure 6: this is a caption