Mitigating cognitive decline from AI reliance

"the societies ability to perform mental tasks are depleting due to the over reliance of ai, earlier we build the machines and there is a gradual shift to machines building us this our main problem could u provide the exact direction of me for how do i come up with better service or solution addressing real world problems" *Generated by LeapSpace*

AI Overreliance, Human Capability, and Better Service Design: Quick Insights

Key Findings Table

Key finding	What it means for service design	Main populations/settings	Citations
Passive AI use can improve speed now but weaken retention, independent reasoning, and self-regulation later	Do not build "instant answer only" products; require active user participation	Students, knowledge workers, everyday users	[1] [2] [3] [4] [5] [6] [7] [8]
Automation bias is a major risk: users often follow wrong AI advice	Add verification steps, warnings, and human accountability for important decisions	Lab studies, medical training, radiography, forecasting	[6] [9] [10] [11] [12] [13] [14] [15] [16]
AI is not uniformly harmful; outcomes depend on trust calibration, user skill, and task design	Build systems that shape how AI is used, not just what the AI outputs	Education and decision tasks	[8] [17] [18] [19] [20] [21]
Human-centered augmentation works better than replacement-oriented automation	Keep humans as validators, overrides, and decision partners	Healthcare, customer support, education, finance-like workflows	[22] [23] [24] [25] [26] [27] [28] [29] [30] [31]
Productive friction is more protective than explanation alone	Force "attempt first," staged hints, reflection, and source-checking	Training, learning, high-risk AI use	[32] [33] [34] [35] [36] [37] [38] [39] [40] [41] [42] [43]
AI literacy and metacognition are the main protective capabilities	Services should train judgment, not only automate tasks	Students, general users, workers	[1] [3] [36] [44] [45] [46] [47] [48] [49] [50] [51] [52] [53]

Direct Answer

The strongest direction is to build an **AI service that solves a real problem while preserving user capability**, not an AI that replaces the user's thinking [31] [54] [55].

A good concrete direction is a **"cognitive guardrail layer"** for education, junior knowledge work, customer support, healthcare support, or financial guidance: the user must first make an attempt, then the system gives bounded hints, shows confidence and sources, asks for verification, and requires a final human justification before completion [7] [12] [15] [34] [37] [38] [53].

If you want exact product rules, use these five:

1. **Human first attempt** before AI answer [36] [50] [53].
2. **AI as critic or coach, not primary author** [31] [34] [35].
3. **Mandatory verification** for important outputs [12] [37] [38].
4. **Confidence-based escalation to a human expert** in sensitive cases [23] [38] [39] [40].
5. **Measure learning and independence, not just speed** [7] [8] [41] [56].

The best MVP is likely a **stage-unlocked assistant**: attempt → hint → alternative view → evidence → final answer, with analytics for retention, correction of wrong AI outputs, and independence over time [8] [36] [50] [57].

Confidence level: High - this recommendation matches the strongest cross-source pattern: augmentation with friction, verification, and accountability preserves capability better than seamless automation [22] [31] [37] [38].

Study Scope

The evidence covers conceptual work, experiments, randomized and repeated-task studies, systematic reviews, meta-analysis, and design/governance literature from roughly 2015-2025, with emphasis on education, human-AI decision workflows, healthcare-related settings, customer support, and general digitally mediated work [7] [8] [12] [13] [21] [22] [28] [39] [55].

Assumptions & Limitations

The evidence is stronger on **short-term task effects** such as advice-taking, retention, and error propagation than on **long-term society-wide cognitive decline**, because objective longitudinal studies of executive control and attention remain limited [7] [8] [58]. Also, the literature supports design principles and workflow patterns more than a single proven commercial business model [55] [59].

Suggested Further Research

- Compare guardrails head-to-head: friction vs explanations vs warnings vs escalation [39] [40] [41].
- Test long-term workplace skill retention under sustained AI use, especially for junior workers [57] [58].
- Measure whether AI literacy reduces automation bias outside classrooms [15] [49] [50].

- Build domain case studies showing commercial viability plus competence preservation [28] [55].
- Study trust calibration under increasingly accurate AI systems [16] [17] [18].

Full Report

Foundational Context: What the Real Problem Is

Your concern is best framed not as "AI is making people stupid," but as a **human-AI allocation problem**: when AI removes too much mental effort, users may gain convenience while losing retention, judgment, and error-detection ability over time [7] [8] [12]. The literature describes this through **cognitive offloading**: using external tools to reduce mental demand [47]. Offloading is not inherently bad; it becomes harmful when it is passive, excessive, or misaligned with the user's own metacognitive judgment about what should still be done internally [48] [60].

A second core concept is **automation bias**: people tend to accept system recommendations, including wrong ones, especially when the system seems capable or convenient [9] [10] [11] [12]. This matters because AI products increasingly mediate learning, work, and service decisions [31] [55].

Taken together, these findings suggest that the central design question is not "How do I add more AI?" but **"Which parts should the human still do to remain competent?"** [31] [54] [55].

Confidence level: High - this framing is directly supported by both the cognitive offloading literature and the augmentation-oriented design literature [31] [47].

How AI Overreliance Can Deplete Mental Performance

Memory erosion and cognitive offloading

The clearest causal evidence comes from delayed retention studies. A randomized study found that unrestricted ChatGPT use as a study aid reduced surprise-test performance 45 days later: AI-assisted students scored lower than those using traditional study methods, indicating weaker durable retention [7]. A repeated-task study similarly found immediate gains on lower-order tasks but weaker long-term retention on delayed tests after ChatGPT or Google support [8]. The broader pattern across studies is that AI can help complete tasks now while weakening internalization when the user offloads too much of the cognitive work [1] [2] [3] [4] [5] [6] [7].

This does not mean all external support is harmful. The offloading literature argues that people use tools adaptively, especially under high load, but competence is better preserved when tool reliability and use conditions are transparent and when offloading decisions remain metacognitively guided [47] [60] [61] [62].

Automation bias and bad advice-taking

Multiple experiments show that people follow incorrect AI advice more than no advice, and sometimes more than incorrect human advice [12] [14]. In medical training, faulty AI suggestions increased participant errors even when the task was manageable without AI assistance [13]. In radiography training, participants sometimes switched from a better answer to a worse one after AI feedback, especially when the AI was wrong in pathological cases [16]. A faulty-AI experiment also found reduced critical reasoning performance, but a warning nudge nearly doubled performance relative to faulty AI alone [15].

A notable conflict in the evidence is that **higher AI capability can both help and harm**. Accurate AI may improve immediate performance [13], but high perceived accuracy can also increase passive trust and overreliance, especially at higher automation levels [12] [17] [18].

Reduced analytical reasoning and independent problem-solving

Educational evidence links AI reliance with lower originality, weaker analytical reasoning, and poorer self-regulated problem-solving when students use AI passively [19] [63] [64] [65] [66]. A meta-analysis found an overall positive effect of generative AI on learning outcomes, but no statistically significant effect on metacognition, which suggests that performance gains do not automatically translate into stronger self-monitoring or judgment [21]. In a problem-solving study, higher achievers engaged in more exploration and critical analysis, while lower achievers were more likely to apply outputs immediately without deep understanding [20].

So the evidence does **not** support a simplistic “AI always harms learning” claim [21]. Instead, it supports a narrower claim: **AI improves performance more reliably than it improves thinking quality**, unless the task structure forces reflection [8] [21].

Moderators of harm

Risk is not uniform. Vulnerability changes with age, expertise, task difficulty, trust, and perceived AI accuracy [17] [18] [67] [68]. Less experienced users are often more susceptible to following bad outputs, although experienced users are not immune [67] [68]. Higher automation and higher apparent system accuracy can increase overreliance rather than reduce it [16] [18].

Confidence level: High - the evidence for short-term harms in retention and advice-taking is strong across multiple empirical designs; confidence is lower only for long-run population-level decline [7] [12].

What the Evidence Suggests About Protecting Human Capability

AI literacy and metacognitive training

The most consistent mitigation is not banning AI, but teaching users how to question it and themselves [1] [44] [45] [46] [49]. Project-based AI literacy improved metacognitive strategies such as reviewing concepts, choosing strategies, and reflecting on shortfalls [49]. Reflection prompts, journals, and structured reflection assignments help users explain why they accepted or rejected AI suggestions [36] [50] [53]. Prompt-writing instruction also matters: bounded, precise prompting supports deeper comprehension and more useful AI feedback [51] [52].

Guided friction and deliberate challenge

The mitigation literature repeatedly favors **productive friction** over seamless convenience [32] [33] [34] [35]. Guided critique, side-by-side comparison, justification of strengths and weaknesses, and teacher-led discussion appear to strengthen evaluation skill and reduce passive dependence [34] [35] [36]. Even imperfect outputs or technical failures can deepen understanding if they push the user to inspect, compare, and repair [32] [33].

This pattern implies a practical design rule: **good AI learning products should sometimes slow the user down on purpose** [33] [36].

Transparency, verification, and escalation

In higher-risk contexts, guardrails repeatedly include human oversight, “trust but verify” practices, plain-language notice, testing, certification, auditability, runtime monitoring, and confidence-based routing to humans [37] [38] [39] [40] [41] [42] [43] [69]. The evidence also warns that explanations alone are insufficient; in one automation-bias study, explaining the AI did not reduce reliance on bad recommendations [12]. Adaptive guardrails may outperform fixed ones because they can detect novel misuse or mutated failure cases [39] [40].

Confidence level: High - multiple intervention and governance sources converge on metacognition, friction, and verification as the most promising capability-preserving protections [34] [37] [49].

Service and Product Models That Solve Real Problems Without Replacing People

Human-in-the-loop service design

The strongest service pattern is **meaningful human accountability**, not symbolic oversight [23] [29] [30]. In practice, that means the human is a validator, override authority, or accountable decision partner within the workflow [24] [26] [27]. Interaction design matters: collaboration should feel understandable, low-burden, and oriented toward the domain problem rather than interface management [22] [25].

Hybrid intelligence and mixed-initiative systems

The augmentation literature recommends **hybrid intelligence**: AI handles routine work while humans retain judgment, empathy, exception handling, and responsibility [31] [54] [70]. Mixed-initiative systems preserve control by letting users actively manipulate, question, and redirect the workflow rather than merely receive outputs [54]. Human-centered work design further recommends protecting autonomy, skill use, and feedback loops, rather than optimizing only for automation efficiency [55].

Domain-specific directions

Several domains fit your goal particularly well:

- **Education / study support**: stage-unlocked tutoring, critique-first workflows, retention analytics [7] [36] [50].
- **Junior knowledge work**: drafting support that requires user hypotheses, evidence checks, and revision rationale [55] [57].
- **Customer support**: AI handles routine triage, but humans remain accessible for empathy, fairness, and vulnerable users [28].
- **Healthcare support**: AI assists with pattern recognition or information summarization, but clinicians remain accountable decision partners under explicit governance [23] [29] [30].
- **Finance or advisory services**: AI can structure options, but high-stakes judgment should remain reviewable, interpretable, and escalatable [38] [71].

Confidence level: High - the cross-domain evidence strongly favors accountable augmentation over full replacement [28] [31].

A Clear Direction for Designing a Better Solution

1) Pick the right problem

Choose a problem where:

- users face real cognitive burden,
- wrong answers are costly,
- skill retention matters,
- and full automation would be harmful [31] [55] [59].

Best targets include learning support, junior analyst work, customer-support decision support, healthcare support workflows, and advisory contexts [28] [31] [70].

2) Define the non-replacement rule

Write a product rule such as: **"The user must think before the AI helps."** This is the core protection against passive delegation [7] [50]. Your AI should primarily do one of three roles:

- **Coach** - asks questions and gives hints [36] [50]
- **Critic** - reviews the user's draft or decision [34] [35]
- **Verifier** - checks evidence, confidence, and consistency [37] [38]

Avoid making it the default **author** of the final answer in skill-building contexts [7] [8].

3) Build the workflow in stages

A strong service flow is:

1. **User first attempt** [53]
2. **AI hint, not full answer** [32] [33]
3. **Alternative explanation or counterexample** [34] [35]
4. **Evidence/source/confidence display** [42] [43]
5. **User justification for final choice** [36] [50]
6. **Escalation to human expert if confidence is low or stakes are high** [23] [38] [39]

This staged design directly addresses the mechanisms behind overreliance: offloading, trust inflation, and poor error detection [12] [15].

4) Add measurable guardrails

Your service should log:

- whether the user attempted independently,
- whether they caught wrong AI output,
- how often they escalated,
- delayed retention or re-performance,
- and whether independence improves over time [7] [8] [41] [56] [57].

This is important because productivity alone can hide deskilling [8] [21].

5) Test the product against the right outcomes

Do not evaluate only on speed, user satisfaction, or task completion. Also test:

- delayed recall [7]
- correction of faulty AI outputs [15] [16]
- reasoning quality and justification [36] [50]
- calibrated trust rather than blanket trust [12] [18]
- need for human escalation [30] [38]

6) Position the offering clearly

A strong market position is **"augmentation with skill retention"** rather than "faster answers" [31] [55]. Taken together, the literature suggests this is both socially valuable and differentiated from many current AI products, which optimize for convenience and may intensify dependency [1] [6] [55].

Confidence level: High - these design steps are directly derived from the best-supported patterns in the evidence base, though commercial performance remains unproven by the supplied studies [31] [37].

Best Service Concepts You Could Build

Option A: AI Gym

A training product that alternates no-AI, limited-AI, and critique-AI modes to strengthen thinking rather than replace it [34] [36]. Best for students and junior workers [7] [57].

Option B: Trust Calibration Dashboard

A layer that detects fast acceptance of AI outputs and injects warnings, counterexamples, or verification tasks [15] [39] [40]. Best for enterprises using copilots in analysis or operations [38].

Option C: Human Capability Analytics

A B2B tool for schools or employers measuring independence, retention, and error-correction under AI use [8] [41] [57]. Best if your customers care about workforce capability, not only output volume [55].

Option D: Stage-Unlocked Assistant

The most practical MVP: users unlock stronger help only after effort, reflection, and verification [32] [33] [50]. This fits education, customer support training, and junior analyst workflows [28] [70].

Final Conclusion

The evidence supports your underlying concern in a qualified way: **AI overreliance can reduce retention, independent reasoning, and decision quality when people offload too much and stop thinking actively** [7] [12] [15]. But the literature does **not** show that the answer is less AI in general [17] [21]. Instead, the best direction is to build **AI services that preserve human agency, require verification, create productive friction, and measure competence over time** [31] [34] [37] [38].

So the exact direction for you is:

Build a real-world AI service where the user must think first, the AI helps second, and the system proves that human capability is being preserved. [31] [55]

Overall confidence level: High - the conclusion is well supported across cognitive, educational, human-in-the-loop, and governance evidence, with the main uncertainty being long-term societal-scale effects rather than the near-term workflow risks and design implications [7] [41] [58].

References

1. Vieira, F. (2026) Neuropsychological Effects of Overreliance on Artificial Intelligence. *Psychological and Neurological Consequences of AI: Dependency, Laziness, and Reduced Critical Thinking*. https://doi.org/10.4018/979-8-3373-9484-8.ch012
2. Gill, A.A., Janjua, F., Zahoor, M., Afzal, A. (2026) Cognitive Offloading to Cognitive Atrophy: A Neuropsychological Framework of AI Dependency, Automation Bias, and the Erosion of Critical Thinking. *Psychological and Neurological Consequences of AI: Dependency, Laziness, and Reduced Critical Thinking*. https://doi.org/10.4018/979-8-3373-9484-8.ch008
3. Kayyali, M. (2026) Attention, Memory, and Self-Regulation Under AI Dependence: Executive Functions at Risk. *Psychological and Neurological Consequences of AI: Dependency, Laziness, and Reduced Critical Thinking*. https://doi.org/10.4018/979-8-3373-9484-8.ch003
4. Britel, I., Moummou, H., Aghdou, Z., (...), El-Mansoury, B. (2026) Neuroplastic Consequences of Artificial Intelligence Dependency: Effects on Executive Networks and Cognitive Control. *Psychological and Neurological Consequences of AI: Dependency, Laziness, and Reduced Critical Thinking*. https://doi.org/10.4018/979-8-3373-9484-8.ch011
5. Noorbehbahani, F., Oyibo, K. (2027) AI Over-Reliance and Cognitive Decline: Evidence from Higher Education Students. *Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, LNICST*. https://doi.org/10.1007/978-3-032-33957-7_33
6. Dilip Charaan, R.M.D., Machap, K., Ganapathy, S., (...), Santhoshkumar, S.P. (2026) Automating the Thinking Process: Neural and Psychological Implications of Constant AI Support and Assistance. *Psychological and Neurological Consequences of AI: Dependency, Laziness, and Reduced Critical Thinking*. https://doi.org/10.4018/979-8-3373-9484-8.ch004

7. Barcauí, A. (2025) ChatGPT as a cognitive crutch: Evidence from a randomized controlled trial on knowledge retention. *Social Sciences and Humanities Open*. https://doi.org/10.1016/j.ssaho.2025.102287
8. Akgün, M., Toker, S. (2025) Short-Term Gains, Long-Term Gaps: The Impact of GenAI and Search Technologies on Retention. *Communications in Computer and Information Science*. https://doi.org/10.1007/978-3-031-99264-3_6
9. Saha, S., Singh, M.K., Choudhary, P.K. (2026) From Algorithmic Output to Human Understanding: Building Critical Agency and Trust in AI-Mediated Research and Education. *Epistemic Trust in AI-Generated Knowledge: Global Trends in Research Ethics*. https://doi.org/10.4018/979-8-2600-1232-1.ch013
10. Fregosi, C., Fischer, S., Natali, C., (...), Cabitza, F. (2026) Human Agency and Skill in AI-Supported Work: Countering Cognitive Offloading. *CHIWORK 2026 - Adjunct Proceedings of the 5th Annual Symposium on Human-Computer Interaction for Work*. https://doi.org/10.1145/3805029.3818273
11. Liel, Y., Zalmanson, L. (2025) Turning Off Your Better Judgment: Algorithmic Conformity in Artificial Intelligence-Human Collaboration. *Journal of Management Information Systems*. https://doi.org/10.1080/07421222.2025.2561390
12. Vered, M., Livni, T., Howe, P.D.L., (...), Sonenberg, L. (2023) The effects of explanations on automation bias. *Artificial Intelligence*. https://doi.org/10.1016/j.artint.2023.103952
13. Vicente, L., Matute, H., Fregosi, C., Cabitza, F. (2025) Machine learning systems as mentors in human learning: A user study on machine bias transmission in medical training. *International Journal of Human Computer Studies*. https://doi.org/10.1016/j.ijhcs.2025.103474
14. Sele, Daniela, Chugunova, Marina (2024) Putting a human in the loop: Increasing uptake, but decreasing accuracy of automated decision-making. *PLoS ONE*. https://doi.org/10.1371/journal.pone.0298037
15. Wingerter, T.L., Straub, T., Schweitzer, S. (2025) Mitigating Automation Bias in Generative AI Through Nudges: A Cognitive Reflection Test Study. *Procedia Computer Science*. https://doi.org/10.1016/j.procs.2025.09.331
16. Rainey, Clare, Bond, Raymond, McConnell, Jonathan, (...), McFadden, Sonyia (2025) The impact of AI feedback on the accuracy of diagnosis, decision switching and trust in radiography. *PLoS ONE*. https://doi.org/10.1371/journal.pone.0322051
17. Wang, T., Yang, Y., Zhou, J. (2026) Conflicting Information and AI Capabilities in Calibrating Overreliance: Age-Differentiated Mechanisms of Human–AI Collaboration. *International Journal of Human-Computer Interaction*. https://doi.org/10.1080/10447318.2026.2686773
18. Kriheli, B., Levner, E. (2026) The AI Overtrust Paradox in Vulnerability Search: When Greater Trust in AI Reduces Perceived Search Effectiveness. *Algorithms*. https://doi.org/10.3390/a19090792
19. Lin, X., Tan, H. (2025) A Systematic Review of Generative AI in K–12: Mapping Goals, Activities, Roles, and Outcomes via the 3P Model. *Systems*. https://doi.org/10.3390/systems13100840

20. Chen, M.-S., Hsu, T.-P., Hsu, T.-C. (2024) GAI-Assisted Personal Discussion Process Analysis. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. https://doi.org/10.1007/978-3-031-65884-6_20

21. Chen, S., Cheung, A.C.K. (2025) Effect of generative artificial intelligence on university students learning outcomes: A systematic review and meta-analysis. *Educational Research Review*. https://doi.org/10.1016/j.edurev.2025.100737

22. Gil, M., Albert, M., Fons, J., Pelechano, V. (2020) Engineering human-in-the-loop interactions in cyber-physical systems. *Information and Software Technology*. https://doi.org/10.1016/j.infsof.2020.106349

23. Zhang, Y., Yan, H., Qi, J. (2025) From Silent Accomplices to Intelligent Colleagues: Governing Risks in Healthcare LLMs Through Dynamic Human-Machine Loop Configurations. *Americas Conference on Information Systems, AMCIS 2025*. https://www.scopus.com/pages/publications/105025479489

24. Industrial, N.A., Singgih, M.L., Gunarta, I.K. (2025) Human-in-the-Loop Artificial Intelligence for Asset Management: A Systematic Review of Applications, Methods, and Research Challenges. *Proceedings of 2025 IEEE International Conference on Data and Software Engineering, ICoDSE 2025*. https://doi.org/10.1109/ICoDSE68111.2025.11351812

25. Dix, A., Schwendicke, A., Pannasch, S., (...), Helmert, J.R. (2021) Augmented perception and interaction. *Tactile Internet: with Human-in-the-Loop*. https://doi.org/10.1016/B978-0-12-821343-8.00018-6

26. Awasthi, L.S., Awasthi, K.S., Rai, A.K. (2024) Integrating human expertise and decision-making with artificial intelligence systems. *Sustainability Principles and Applications in Engineering Practice*. https://www.scopus.com/pages/publications/85202112091

27. Grosheva, K. (2021) Augmenting Machine-Human Intelligence with Human-in-the-Loop. *Management for Professionals*. https://doi.org/10.1007/978-3-030-57642-4_24

28. Geslevich Packin, N. (2025) Paywalling humans. *Theoretical Inquiries in Law*. https://doi.org/10.1515/til-2025-0009

29. Salloch, S., Eriksen, A. (2024) What Are Humans Doing in the Loop? Co-Reasoning and Practical Judgment When Using Machine Learning-Driven Decision Aids. *American Journal of Bioethics*. https://doi.org/10.1080/15265161.2024.2353800

30. Peng, Y., Yang, C., Yu, G. (2025) An exploration of accountability frameworks for artificial intelligence-driven clinical decision support systems. *Academic Journal of Naval Medical University*. https://doi.org/10.16781/j.CN31-2187/R.20250443

31. Akata, Z., Balliet, D., de Rijke, M., (...), Welling, M. (2020) A Research Agenda for Hybrid Intelligence: Augmenting Human Intellect with Collaborative, Adaptive, Responsible, and Explainable Artificial Intelligence. *Computer*. https://doi.org/10.1109/MC.2020.2996587

32. Passerini, C., Gasparotto, S. (2026) Integrating Generative AI in Design Education: Metacognitive Patterns in AI-Naive Students. *IEEE Global Engineering Education Conference, EDUCON*. https://doi.org/10.1109/EDUCON67543.2026.11574333

33. Suwardika, G., Sopandi, A.T., Indrawan, I.P.O., Masakazu, K. (2026) Flipped design thinking with generative AI for digital literacy in ODL. *Asian Association of Open Universities Journal*. https://doi.org/10.1108/AAOUJ-11-2025-0206

34. Promsiri, T. (2025) AI and the psychology of educational disruption: Historical patterns and cognitive implications. *Acta Psychologica*. https://doi.org/10.1016/j.actpsy.2025.105637

35. Xia, M., Guo, S. (2025) Understanding learners' perceptions of artificial intelligence-mediated Informal Digital Learning of English: A Q methodology approach. *Acta Psychologica*. https://doi.org/10.1016/j.actpsy.2025.105980

36. Barrios-Beltran, D. (2025) Exploring the efficacy of ChatGPT-4 feedback in second language Spanish writing. *System*. https://doi.org/10.1016/j.system.2025.103771

37. Laplante, P., Voas, J. (2022) Zero-Trust Artificial Intelligence?. *Computer*. https://doi.org/10.1109/MC.2021.3126526

38. Urquhart, L.D., McGarry, G., Crabtree, A. (2022) Legal Provocations for HCI in the Design and Development of Trustworthy Autonomous Systems. *ACM International Conference Proceeding Series*. https://doi.org/10.1145/3546155.3546690

39. Yang, R., Fu, M., Tantithamthavorn, C., (...), Chua, J. (2025) AdaptiveGuard: Towards Adaptive Runtime Safety for LLM-Powered Software. *Proceedings - 2025 40th IEEE/ACM International Conference on Automated Software Engineering, ASE 2025*. https://doi.org/10.1109/ASE63991.2025.00279

40. Bassani, E., Sánchez, I. (2025) On Guardrail Models' Robustness to Mutations and Adversarial Attacks. *EMNLP 2025 - 2025 Conference on Empirical Methods in Natural Language Processing, Findings of EMNLP 2025*. https://doi.org/10.18653/v1/2025.findings-emnlp.922

41. Serpanos, D., Wolf, M. (2024) Safety and Artificial Intelligence in Cyberphysical Systems. *Computer*. https://doi.org/10.1109/MC.2024.3350289

42. Obar, J.A., D'Agostino, G.P., Akinyemi, M. (2025) Aligned with the Blueprint for an AI Bill of Rights? An artificial intelligence transparency evaluation of company privacy notices and explanations. *Telecommunications Policy*. https://doi.org/10.1016/j.telpol.2025.102977

43. Quinn, M., Piper, B., Bliss, J.P., Keever, D. (2020) Recommended Methods for Using the 2020 NIST Principles for AI Explainability. *Proceedings - 2020 IEEE International Conference on Big Data, Big Data 2020*. https://doi.org/10.1109/BigData50022.2020.9377760

44. Zhang, J., Yao, Z., Kang, D., (...), Gao, N. (2026) A SEM–ANN analysis to examine impact of AI overreliance through a social cognitive lens: the roles of dependency, FOMO, addiction, and anxiety. *BMC Psychology*. https://doi.org/10.1186/s40359-026-04246-6

45. Noorbehbahani, F., Oyibo, K. (2026) AI-overdependence and human cognitive decline: Hazards, evidence, and mitigation strategies. *Computers in Human Behavior Reports*. https://doi.org/10.1016/j.chbr.2026.101102

46. Galindo-Domínguez, H., Delgado, N., Sainz-De-La-Maza, M., Etxabe, J.-M. (2026) Self-regulation and overreliance on artificial intelligence: Unpacking a paradox through a mixed-methods study in higher education. *Computers in Human Behavior*. https://doi.org/10.1016/j.chb.2026.108985

47. Risko, E.F., Gilbert, S.J. (2016) Cognitive Offloading. *Trends in Cognitive Sciences*. https://doi.org/10.1016/j.tics.2016.07.002

48. Dunn, T.L., Risko, E.F. (2016) Toward a Metacognitive Account of Cognitive Offloading. *Cognitive science*. https://doi.org/10.1111/cogs.12273

49. Kong, S.-C., Cheung, M.-Y.W., Tsang, O. (2024) Developing an artificial intelligence literacy framework: Evaluation of a literacy course for senior secondary students using a project-based learning approach. *Computers and Education: Artificial Intelligence*. https://doi.org/10.1016/j.caeai.2024.100214

50. Sperber, L., MacArthur, M., Minnillo, S., (...), Whithaus, C. (2025) Peer and AI Review + Reflection (PAIRR): A human-centered approach to formative assessment. *Computers and Composition*. https://doi.org/10.1016/j.compcom.2025.102921

51. Groothuijsen, S., van den Beemt, A., Remmers, J.C., van Meeuwen, L.W. (2024) AI chatbots in programming education: Students' use in a scientific computing course and consequences for learning. *Computers and Education: Artificial Intelligence*. https://doi.org/10.1016/j.caeai.2024.100290

52. Naamati-Schneider, L., Alt, D. (2025) Developing AI literacy in medical and health professions education: Exploring ChatGPT, ChatBots development, and simulation-based learning. *Nurse Education in Practice*. https://doi.org/10.1016/j.nepr.2025.104572

53. Sidorkin, A.M. (2025) Extended executive cognition, a learning outcome for the AI age. *Computers and Education Open*. https://doi.org/10.1016/j.caeo.2025.100294

54. Horvitz, E. (1999) Principles of mixed-initiative user interfaces. *Conference on Human Factors in Computing Systems - Proceedings*. https://doi.org/10.1145/302979.303030

55. Parker, S.K., Grote, G. (2022) Automation, Algorithms, and Beyond: Why Work Design Matters More Than Ever in a Digital World. *Applied Psychology*. https://doi.org/10.1111/apps.12241

56. Cheng, Z., Wohnig, S., Gupta, R., (...), Wolff, R. (2025) Position: Benchmarking is Broken - Don't Let AI be its Own Judge. *Advances in Neural Information Processing Systems*. https://www.scopus.com/pages/publications/105048520968

57. Balalojanan, V., Vigneswaran, V., Sukirthan, T., (...), Ragel, R.G. (2025) AI Dependency in Sri Lankan Higher Education: Effects of Chatbot Overuse on Student Learning and Problem-Solving. *ICIIS 2025 - Next-Gen Engineering for Industry 5.0: Innovating Intelligent Systems for Human Centric Future: Proceedings of 2025 IEEE 19th International Conference on Industrial and Information Systems*. https://doi.org/10.1109/ICIIS69028.2026.11450932

58. Klarin, J., Hoff, E., Larsson, A., Daukantaité, D. (2024) Adolescents' use and perceived usefulness of generative AI for schoolwork: exploring their relationships with executive functioning and academic achievement. *Frontiers in Artificial Intelligence*. https://doi.org/10.3389/frai.2024.1415782

59. Bender, E.M., Gebru, T., McMillan-Major, A., Shmitchell, S. (2021) On the dangers of stochastic parrots: Can language models be too big?. *FAccT 2021 - Proceedings of the 2021 ACM Conference on Fairness, Accountability, and Transparency*. https://doi.org/10.1145/3442188.3445922

60. Weis, P.P., Wiese, E. (2019) Using Tools to Help Us Think: Actual but Also Believed Reliability Modulates Cognitive Offloading. *Human Factors*. https://doi.org/10.1177/0018720818797553

61. Gilbert, S.J. (2015) Strategic offloading of delayed intentions into the external environment. *Quarterly Journal of Experimental Psychology*. https://doi.org/10.1080/17470218.2014.972963

62. Gilbert, S.J. (2015) Strategic use of reminders: Influence of both domain-general and task-specific metacognitive confidence, independent of objective memory ability. *Consciousness and Cognition*. https://doi.org/10.1016/j.concog.2015.01.006

63. Pitts, G., Rani, N., Mildort, W., Cook, E.-M. (2026) Students' Reliance on AI in Higher Education: Identifying Contributing Factors. *Communications in Computer and Information Science*. https://doi.org/10.1007/978-3-032-12773-0_9

64. Si, S., Qi, Y., Xu, J., Qi, X. (2026) When Thinking Is Outsourced: Cognitive Offloading and the Heterogeneity of Critical Thinking Among Chinese University Students Using Generative Artificial Intelligence. *Journal of Intelligence*. https://doi.org/10.3390/jintelligence14070116

65. Venugopalachar, S., Chinnasamy, A., Vijayalakshmi, K. (2026) AI-Induced Cognitive Atrophy: Experimental, Neuroplastic, and Evolutionary Perspectives. *Psychological and Neurological Consequences of AI: Dependency, Laziness, and Reduced Critical Thinking*. https://doi.org/10.4018/979-8-3373-9484-8.ch002

66. Miranda, J.P.P., Cruz, M.A.D., Fernandez, A.B., (...), Gaña, E.P. (2025) Erosion of critical academic skills due to AI dependency among tertiary students: A path analysis. *Pitfalls of AI Integration in Education: Skill Obsolescence, Misuse, and Bias*. https://doi.org/10.4018/979-8-3373-0122-8.ch002

67. Net, Jose M, Collado-Mesa, Fernando (2025) Bias in Artificial Intelligence: Impact on Breast Imaging. *Journal of Breast Imaging*. https://doi.org/10.1093/jbi/wbaf027

68. https://www.sciencedirect.com/science/article/pii/S1179188820000142

69. Mahajan, S., Agarwal, R., Gupta, M. (2025) Algorithmic Bias Under the EU AI Act: Compliance Risk, Capital Strain, and Pricing Distortions in Life and Health Insurance Underwriting. *Risks*. https://doi.org/10.3390/risks13090160

70. Huang, M.-H., Rust, R.T. (2018) Artificial Intelligence in Service. *Journal of Service Research*. https://doi.org/10.1177/1094670517752459

71. Rudin, C. (2019) Stop explaining black box machine learning models for high stakes decisions and use interpretable models instead. *Nature Machine Intelligence*. https://doi.org/10.1038/s42256-019-0048-x