

C# Methods

A **method** is a block of code which only runs when it is called.

You can pass data, known as parameters, into a method.

Methods are used to perform certain actions, and they are also known as **functions**.

Why use methods? To reuse code: define the code once, and use it many times.

Create a Method

A method is defined with the name of the method, followed by parentheses **()**. C# provides some pre-defined methods, which you already are familiar with, such as `Main()`, but you can also create your own methods to perform certain actions:

Example

Create a method inside the `Program` class:

```
class Program
```

```
{
```

```
    static void MyMethod()
```

```
    {
```

```
        // code to be executed
```

```
    }
```

```
}
```

Example Explained

- `MyMethod()` is the name of the method
- `static` means that the method belongs to the `Program` class and not an object of the `Program` class. You will learn more about objects and how to access methods through objects later in this tutorial.
- `void` means that this method does not have a return value. You will learn more about return values later in this chapter

Note: In C#, it is good practice to start with an uppercase letter when naming methods, as it makes the code easier to read.

Call a Method

To call (execute) a method, write the method's name followed by two parentheses **()** and a semicolon;

In the following example, `MyMethod()` is used to print a text (the action), when it is called:

Example

Inside `Main()`, call the `myMethod()` method:

```
static void MyMethod()  
{  
    Console.WriteLine("I just got executed!");  
}
```

```
static void Main(string[] args)  
{  
    MyMethod();  
}
```

```
// Outputs "I just got executed!"
```

A method can be called multiple times:

Example

```
static void MyMethod()  
{  
    Console.WriteLine("I just got executed!");  
}
```

```
static void Main(string[] args)
```

```
{
```

```
MyMethod();
```

```
MyMethod();
```

```
MyMethod();
```

```
}
```

```
// I just got executed!
```

```
// I just got executed!
```

```
// I just got executed!
```