





Α

В

1 | 2

3 |

PRODUCT NUMBER

|51720-10400804AA|

NOTES:

I. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME YI4.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

HOUSING MATERIAL: UL 94 V-0 GLASS FILLED

HIGH-TEMP THERMOPLASTIC

POWER CONTACT MATERIAL: COPPER ALLOY SIGNAL PIN MATERIAL: COPPER ALLOY

3. PLATING:

SIGNAL PINS: 30u"/0.76um Au OVER 50u"/1.27um Ni

POWER CONTACTS: 50 u "/I.27 um Ni UNDER ALL

WITH 30u"/0.76um Au ON CONTACT AREA

AND SnPb ON PCB INTERFACE

MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.

5. PRODUCT SPECIFICATION GS-12-149. APPLICATION SPECIFICATION BUS-20-067.

6. PACKAGED IN TRAYS.

PCB NOTES:

7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.

MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.

 \emptyset .0453 \pm .0010 [I.151 \pm 0.025] DRILLED HOLES PLATED WITH .0003 [0.008] MIN SnPb OVER .001 [0.03] TO .003 [0.08] Cu PLATING TO ACHIEVE Ø.040±.003 [1.02±.07] HOLE.

"DIM XXX" TO BE DETERMINED BY THE CUSTOMER.

CONNECTOR KEEP-OUT ZONE.

| mat'l code | | | SEE | NOTE 2 | | tolerances unless otherwise specified | | | | CUSTOMER | | | | D | k | | | | | | |
|------------|-----|------|------|--------|--------|---------------------------------------|---------------------|-----|----------------------------|---------------------|-----|-----------|-------|-----------|----------|--------------------|----------|------|-------|------|---|
| ltr | ecn | no. | dr | date | | .XX±.01/0.X±0.3 | | | COPY | | | FCI | | | | www.fciconnect.com | | | | | |
| A | | | | | linear | .XXX | .XXX±.005/0.XX±0.13 | | projection | | | title | | 4P | + 8 | SS + | + 4P | | | | |
| | | | | | 1 | .XXXX±.0020/0.XXX | | | <u>-0.051</u> | $\Rightarrow \in 1$ | | | RIG | нΤ | ANG | - | | HF A | n | ᄗ | |
| | | | | | angles | ı 0°±2° ' | | | $\mid \Psi \mid \neg \mid$ | | | יייו | | 7110 | | OOL | ULIN | 1167 | יטו | - '' | |
| | | | | | dr | M. MOSTOLLER | | 8/4 | /03 | INC | Ή/ | MM | produ | ct fam | iily | Р | 'wrBl | lade | code | | |
| | | | | | engr | M. MOSTOLLER | | | | - | | size | dwg | dwg no | | | | | 213 | | |
| | | | | | chr | H. BRE | H. BREWBAKER 8/4/ | | /03 | scale | | Д | 517 | 51720-104 | | | 4410800 | | sheet | | |
| | | | | | appd | M. MOSTOLLER | | 8/4 | 8/4/03 | | 1:1 | | Η | 311 | 20 | 104 | 40000444 | | 4 (| f | 4 |
| she | | revi | sion | | | | | | | | | | | | | | | | | | |
| ind | lex | she | eet | | | | | | | | | | | <u> </u> | | | | | | | |
| | | | | Pro/E | | | | 3 | | | co | cage code | | | 26 | 4 | | | | | |

1 2

STATUS: Released

22526

Printed: Dec 20, 2010

Α

PDM: Rev:A