



King Abdulaziz University

**Faculty of Computing & Info Tech.
Computer Science Department**

Midterm-Exam (24-10-1444 / 14-05-2023)

Course: CPCS203 (Programming II)

Term: Spring (2023), Time: 80 Minutes

Student ID: -----Section: -----

Student Name: -----

Instructors: Mark [✓], Your Theory Instructor

Dr. Emad []

Dr. Asif []

Section	Max. Mark	Obtained Mark	Total Mark
I	05		
II	15		
III	05		

Part I (5 marks)

Answer the following MCQ questions:

1. Given a **String** variable named **line1**, Which statements that used to read the first line of a file named "Story" and stores it in **line1**. [0.5 marks]

- a) File fileInput = new File("Story");
Scanner scan = new Scanner(fileInput);
String line1 = scan.nextLine();
- b) File fileInput = new File("Story");
Scanner scan = new Scanner(fileInput);
String line1 = fileInput.nextLine();
- c) File fileInput = new File(Story);
Scanner scan = new Scanner (fileInput);
String line1 = scan.nextLine();
- d) File fileInput = new File("Story");
Scanner scan = new Scanner();
String line1 = scan.next();

2. What is the output of the following program? [0.5 marks]

```
import java.io.FileNotFoundException;  
import java.io.PrintWriter;  
  
public class MidExamQuestion {  
    public static void main(String[] args) throws FileNotFoundException {  
        java.io.File file = new java.io.File("input.txt");  
        PrintWriter output = new java.io.PrintWriter(file);  
        output.println("Hello \n world Java");  
        output.close();  
        java.util.Scanner input = new java.util.Scanner(file);  
        System.out.println(input.nextLine());  
    }  
}
```

- a) world Java
- b) Hello world Java
- c) Print nothing
- d) Hello

3. Which of the following Regular Expressions can be used to match strings representing Saudi phone numbers that must consist of exactly 10 digits and start with "05": [0.5 marks]

- a) 05\d{8}
- b) 05\d{10}
- c) 05.{8}
- d) {05}8

4. Which of the following statements will produce a TRUE value? [0.5 marks]

- a) "Test" == new String("Test")
- b) new String("Test") == new String("Test")
- c) "Test".equals(new String("Test"))
- d) "Test" == "test"

5. Which of the following is considered a valid constructor signature for a class named **Test**? [0.5 marks]

- a) public void Constructor()
- b) public void Test()
- c) Test()
- d) None of the above

6. Which of the following statements is considered false about constructors? [0.5 marks]

- a) Constructors are used to initialize objects
- b) Constructors can be invoked for an object using the access operator “.”
- c) Programmers are allowed to develop classes without implementing any constructor
- d) A class can have more than one constructor

7. Assume S is an array of 5 Students.

Which statement will return the second Student's id?

[0.5 mark]

```
public class Student {  
    private int id;  
    public int getId(){ return id; }  
}
```

- a) int id = S[2].getId();
- b) int id = S.getId();
- c) int id = S[1].getId();
- d) int id = S[1].id;
- e) int id = (new Student()).getId();

8. Why the following code cause an error?

[1 mark]

```
public class Test extends A {  
    public static void main(String[] args) {  
        Test t = new Test();  
        t.print();  
    }  
}  
  
class A {  
    String s;  
  
    A(String s) {  
        this.s = s;  
    }  
  
    public void print() {  
        System.out.println(s);  
    }  
}
```

- a) Because class Test does not have a default constructor
- b) Because class A does not have a default constructor
- c) Because the main is inside Test class
- d) Because of the method print have no argument

9. Which keyword used to invoke a constructor or method in a superclass?

[0.5 mark]

- a) new
- b) static
- c) instanceof
- d) super
- e) this

Part II (15 marks)

Answer the following questions by tracing the code or identifying the errors in the code:

1. What is the output of the following program?

[2.0 marks]

```
import java.io.File;
import java.io.FileNotFoundException;
import java.io.PrintWriter;

public class MidExamQuestion {
    public static void main(String[] args) throws
FileNotFoundException {
        File file = new File("input.txt");
        PrintWriter output = new PrintWriter(file);

        for (int i = 1; i <=4; i++) {
            output.println("2 4 3 5 7 6");
        }
        output.close();

        java.util.Scanner input = new java.util.Scanner(file);

        double sum = 0;
        int i=1;

        while (input.hasNextLine()) {
            String line = input.nextLine();
            String[] values = line.split(" ");
            sum += Integer.parseInt(values[values.length - i]);
            i++;
            System.out.println(sum);
        }

    }
}
```

Answer:

2. What is the output of the following program?

[1.5 marks]

```
public class Main {  
  
    public static void main(String[] args) {  
        String s1 = "Welcome";  
        String s2 = s1;  
        StringBuilder b1 = new StringBuilder(" CPCS203");  
        StringBuilder b2 = new StringBuilder(" Exam");  
  
        b1 = b1.replace(5, 8, "");  
        s1 += b1.toString();  
        b2 = b1;  
        b2.insert(0, "My");  
  
        System.out.println( s1 );  
        System.out.println( s2 );  
        System.out.println( b1.toString() );  
        System.out.println( b2.toString() );  
    }  
}
```

Answer:

3. What is the output of the following program?

[1.5 mark]

```
public class Test {  
    int x;  
    public Test(int x) {  
        this.x = x;  
    }  
    public void myMethod(int x) {  
        x = 5;  
        System.out.println(this.x);  
    }  
    public static void main(String[] args) {  
        Test t = new Test(3);  
        t.myMethod(1);  
    }  
}
```

Answer:

4. What is the output of the following program? Justify your answer?

[2.0 marks]

```
public class Main {
    public static void main(String[] args) {
        Student s1;
        Student s2;
        s1.setName("Ahmed");
        s1.setGPA(5);
        s2 = s1;
        System.out.println(s1.getName() + "-" + s1.getGPA());
        System.out.println(s2.getName() + "-" + s2.getGPA());
    }
}
//-----
--
class Student {
    String name;
    double gpa;
    public Student() { }

    public Student(String studentName) {
        name = studentName;
    }
    public String getName() { return name; }
    public void setName(String newName) { name = newName; }
    public double getGPA() { return gpa; }
    public void setGPA(double newGPA) { gpa = newGPA; }
}
```

Answer:

5. As known, a method can be defined as static if it does not reference any instance data or invoke any instance method. Which methods in the following class can be defined as static? [1.0 marks]

```
public class Student {
    private int age;
    private String name;
    private static int numberOfObjects = 0;
    public int getAge() {
        return age;
    }
    public int GetNumberOfObjects() {
        return numberOfObjects;
    }
    public void setAge(int age) {
        this.age = age;
    }
    public String getName() {
        return name;
    }
    public void setName(String name) {
        this.name = name;
    }
    public int lengthOfName() {
        return name.length();
    }
    public void WelcomeMessage1(String name) {
        System.out.println("Hello " + name + "\nWelcome to the
CS course");
    }
    public void WelcomeMessage2(String name) {
        if (name.equals(this.name)) {
            System.out.println("Hi,how are you" + name);
        }
    }
}
```

Answer:

6. What is the output of the following program?

[2.0 marks]

```
public class MidExams {
    int i;
    static int s;
    public MidExams() {
        i++;
        s++;
    }
    public static void main(String[] args) {
        MidExams f1 = new MidExams();
        MidExams f2 = new MidExams();
        System.out.println("f2.i is " + f2.i + " f1.s is " + f1.s);
        MidExams f3 = new MidExams();
        System.out.println("f3.i is " + f3.i + " f3.s is " + f3.s);
    }
}
```

Answer:

7. What is the output of the following program?

[1.0 mark]

```
public class MidTermExam {

    public static void main(String[] args) {
        String w1 = "LEVEL";
        PalindromChecker p1 = new PalindromChecker(w1);
        String w2 = p1.getWord().append("EL").toString();
        PalindromChecker p2 = new PalindromChecker(w2);
        System.out.println(p1.IsPalindrom());
        System.out.println(p2.IsPalindrom());
    }
}

class PalindromChecker {

    private StringBuilder word;

    public PalindromChecker(String s) {
        word = new StringBuilder(s);
    }

    public StringBuilder getWord() {
        return this.word;
    }

    public boolean IsPalindrom() {
        return
word.toString().equals(word.reverse().toString());
    }
}
```

Answer:

8. What is the output of the following program?

[1.5 marks]

```
public class Item {
    String itemName;
    double price;
    public Item(String itemName, double price) {
        this.itemName = itemName;
        this.price = price;
    }
}

public class ShoppingCart {
    Item[] items = new Item[100];

    public void addItem(Item item) {
        for(int i=0; i<items.length; i++)
            if(items[i] == null){
                items[i] = item;
                return;
            }
    }

    public void removeItem(Item item) {
        for(int i=0; i<items.length; i++)
            if(items[i] == item)
                items[i] = null;
    }

    public double getTotalCartPrice() {
        double total = 0;
        for(int i=0; i<items.length; i++)
            if(items[i] != null)
                total += items[i].price;
        return total;
    }

    public static void main(String[] args) {
        ShoppingCart cart = new ShoppingCart(100);
        cart.addItem(new Item("Memory Card", 30));
        cart.addItem(new Item("Memory Card", 30));
        cart.addItem(new Item("PC screen", 500));
        System.out.println( cart.getTotalCartPrice() );
        cart.removeItem(new Item("Memory Card", 30));
        System.out.println( cart.getTotalCartPrice() );
    }
}
```

Answer:

9. What is the output of the following program?

[1.5 marks]

```
class Class1 {
    private int stId;
    Class1(String x) {
        this("T",2);
        System.out.println("D ");
    }
    Class1() {
        System.out.println("X ");
    }
    Class1(String y, int stId) {
        System.out.println(y+" "+stId);
    }
}
//=====
class SubClass1 extends Class1
{
    SubClass1() {
        super("S", 8);
    }
    SubClass1(String y) {
        this();
    }
}
class SubClass2 extends SubClass1
{
    SubClass2() {
        System.out.println("J");
    }
}
//=====
public class ContractorChanning {

    public static void main(String[] args) {
        SubClass2 st = new SubClass2();

    }

}
```

10. Given the following definitions of classes, which ones are immutable?


[1.0 mark]

```
public class Name {
    private StringBuilder fristName;
    public Name(StringBuilder fristName) {
        this.fristName = fristName;
    }
    public StringBuilder getFristName() {
        return fristName;
    }
    public void setFristName(StringBuilder fristName) {
        this.fristName = fristName;
    }
}
//-----
public class Student {
    Name name;
    public Student(Name name) {
        this.name = name;
    }
    public Name getName() {
        return name;
    }
}
//-----
public class Teacher {
    private String name;
    public Teacher(String name) {
        this.name = name;
    }
    public String getName() {
        return name;
    }
}
```

Answer:

Part III (5.0 marks): Answer the following Question:

From the given UML class diagram, answer the following questions:



- a) Translate the UML class diagram of the Customer into a Java class and make sure that the code must represent the customer class type **ONLY**.

[3.0 marks]

b) The relationship between **Person** and **PersonAddress** classes is: [1.0 marks]

- a) Aggregation
- b) Inheritance
- c) Dependency
- d) There is no relationship.

c) The relationship between **Customer** and **Person** classes is: [1.0 marks]

- a) Aggregation
- b) Inheritance
- c) Dependency
- d) There is no relationship.