


الاختبار اللي جانا كان شبيه جدا ب 21 ، وفيه أسئلة جات نسخ لصق


1- جازيه بالزبط :

Q6 [1 Mark]: Consider the following E-R diagram.




Which one of the following relational schema diagrams represents a correct mapping for the above E-R diagram?


a)



b)



c)




2- هذا كمان جا زيہ بالزبط

Q8 [1 Mark]: Is the mapping of the following E-R diagrams equivalent?

a) Yes the mapping of the two E-R diagrams leads to identical relational schema diagram.
 b) No the mapping of the two E-R diagrams leads to different relational schema diagrams.

3- هذا كمان كان مشابه بس تغيير بسيط بالكلاسات



- a) Foreign key approach, add the primary key of PLAYER as a foreign key in TEAM.
 b) Foreign key approach, add the primary key of TEAM as a foreign key in PLAYER
 c) Merge the TEAM and PLAYER in one relation TEAM PLAYER

جا زيہ نسخ لصق :

Q16: _____ stores the meta-data of a particular database.

- a) Catalog
- b) Model
- c) View
- d) State

هذا السؤال جا زيہ ، الكلاسات كانت غير وكان فيه :

Two weak entities

Q2 [2 Marks]: Consider the E-R diagram below for a Bank system, then answer the following T/F questions.

25


It is possible in this system to have a customer with no account or no loan.	TRUE	FALSE
Every bank must have at least one bank branch.	TRUE	FALSE
A loan may be associated with more than one bank branch.	TRUE	FALSE
Each loan and account must be associated with a customer.	TRUE	FALSE

لازم تفهموا العلاقات و تفرقوا بين

full and partial participate

هذا السؤال كان ماثبه جدا الفرق انه وحدة من العلاقات كانت ثلاثية
الحل يكون في حالة العلاقة الثالثة انه تاخذوا الفورن كي لكل علاقة وتفصلوه ،


Q4 [2 Marks]: Map the following E-R diagram into a schema diagram.



هذا السؤال جا الزبط زيه وكل الأسئلة المتعلقة به ، الاختلافات ممكن بيعرض القيم بس الفكرة نفسها جات بالزبط

Part III: DB Constraints [Total 6 Marks, 1 Mark Each]

Given the following Clinic DB, answer questions Q9 through Q14. Apply all questions to the following original database.



CREATE VISIT

(

....

FOREIGN KEY (DoctorID) REFERENCES DOCTOR (DoctorID);

FOREIGN KEY (PatientID) REFERENCES PATIENT (PatientID) ON UPDATE CASCADE;

....

)

Q9: What would happen when this operation is executed?

Q9: What would happen when this operation is executed?

INSERT INTO DOCTOR VALUES ('D003', 'Amal F.')

- a) The operation will be successfully executed.
- ☒ b) The operation will be rejected because it violates the key constraints.
- c) The operation will be rejected because it violates the entity integrity constraints.
- ✓ d) The operation will be rejected because it violates the referential integrity constraints.

Q10: What would happen when this operation is executed?

UPDATE VISIT

SET PatientID='P006'

WHERE DoctorID='D001' AND Vdate='12-1-2021'

- a) The operation will be successfully executed.
- b) The operation will be rejected because it violates the key constraints.
- c) The operation will be rejected because it violates the entity integrity constraints.
- ☒ d) The operation will be rejected because it violates the referential integrity constraints.

Q11: What would happen when this operation is executed?

DELETE FROM DOCTOR
WHERE DoctorID='D003'

- ☒ a) The operation will be successfully executed.
- b) The operation will be rejected because it violates the key constraints.
- c) The operation will be rejected because it violates the entity integrity constraints.
- d) The operation will be rejected because it violates the referential integrity constraints.

Q12: What would happen when this operation is executed?

DELETE FROM DOCTOR
WHERE DoctorID='D001'

- a) The operation will be successfully executed.
- b) The operation will be rejected because it violates the key constraints.
- c) The operation will be rejected because it violates the entity integrity constraints.
- ☒ d) The operation will be rejected because it violates the referential integrity constraints.

X — Q13: What would happen when this operation is executed?

UPDATE PATIENT
SET PatientID='P006'
WHERE PatientID='P004'

- ✓ a) The operation will be successfully executed.
- ✓ b) The operation will be rejected because it violates the key constraints.
- c) The operation will be rejected because it violates the entity integrity constraints.
- ☒ d) The operation will be rejected because it violates the referential integrity constraints.

Q14: What would happen when this operation is executed?

INSERT INTO VISIT VALUES ('D004', 'P006', NULL)

- a) The operation will be successfully executed.
- b) The operation will be rejected because it violates the key constraints.
- c) The operation will be rejected because it violates the entity integrity constraints.
- ☒ d) The operation will be rejected because it violates the referential integrity constraints.

لازم تفهموا كل نوع من الكونستراينت

أيضا جا سؤال رسم ER

السؤال ما كان صعب ، مشابه لاسئلة كثير بالنماذج ،

بس انتبهوا الويك انتيتي لازم تحطوا خط متقطع لوحدة من (attributes) ، كثير بنات نقصوا بسبب نسيانهم

برضو اكتبو (justification) او شرح مبسط للعلاقات و (Full and partial) اللي سويتوها، عشان لو فيه علاقات فهمتوها بطريقة غلط الدكتوراة ما تنقصكم

وبالتوفيق