

# RWorksheet\_sayson#3a

Adrian T. Sayson

2025-10-13

#1.

LETTERS

```
## [1] "A" "B" "C" "D" "E" "F" "G" "H" "I" "J" "K" "L" "M" "N" "O" "P" "Q" "R" "S"  
## [20] "T" "U" "V" "W" "X" "Y" "Z"
```

letters

```
## [1] "a" "b" "c" "d" "e" "f" "g" "h" "i" "j" "k" "l" "m" "n" "o" "p" "q" "r" "s"  
## [20] "t" "u" "v" "w" "x" "y" "z"
```

#a

```
first_eleven <- head(LETTERS, 11)  
first_eleven
```

```
## [1] "A" "B" "C" "D" "E" "F" "G" "H" "I" "J" "K"
```

#b

```
odd_letters <- LETTERS  
odd <- odd_letters[seq(1, length(odd_letters), 2)]  
odd
```

```
## [1] "A" "C" "E" "G" "I" "K" "M" "O" "Q" "S" "U" "W" "Y"
```

#c

```
vowel_letters <- LETTERS  
vowels <- vowel_letters [c(1, 5, 9, 15, 21)]  
vowels
```

```
## [1] "A" "E" "I" "O" "U"
```

#d

```
last_five <- tail(letters, 5)  
last_five
```

```
## [1] "v" "w" "x" "y" "z"
```

```

#e
between <- letters[c(15:24)]
between

## [1] "o" "p" "q" "r" "s" "t" "u" "v" "w" "x"

#2a.
#a
city <- c("Tuguegarao City", "Manila", "Iloilo City", "Tacloban City", "Samal Island", "Davao City")
city

## [1] "Tuguegarao City" "Manila"           "Iloilo City"       "Tacloban City"
## [5] "Samal Island"      "Davao City"

#b
temp <- c(42, 39, 34, 34, 30, 27)
temp

## [1] 42 39 34 34 30 27

#c
weather <- data.frame(city, temp)
weather

##          city  temp
## 1 Tuguegarao City    42
## 2 Manila            39
## 3 Iloilo City        34
## 4 Tacloban City      34
## 5 Samal Island       30
## 6 Davao City         27

#d
names(weather) <- c("City", "Temperature")
weather

##          City Temperature
## 1 Tuguegarao City        42
## 2 Manila                  39
## 3 Iloilo City             34
## 4 Tacloban City            34
## 5 Samal Island              30
## 6 Davao City                 27

#e
str(weather)

## 'data.frame':   6 obs. of  2 variables:
##   $ City      : chr  "Tuguegarao City" "Manila" "Iloilo City" "Tacloban City" ...
##   $ Temperature: num  42 39 34 34 30 27

```

```

#The data frame displays the average temperature of the corresponding city. It says that there are 6 ob

#f
weather [3, ]

##           City Temperature
## 3 Iloilo City          34

weather [4, ]

##           City Temperature
## 4 Tacloban City          34

#g
weather[which.max(weather$Temperature), ]

##           City Temperature
## 1 Tuguegarao City         42

weather[which.min(weather$Temperature), ]

##           City Temperature
## 6 Davao City            27

#2b.
#a
mat <- matrix(data = c(1:8, 11:14), 3, 4)
mat

##      [,1] [,2] [,3] [,4]
## [1,]     1     4     7    12
## [2,]     2     5     8    13
## [3,]     3     6    11    14

#b
mat * 2

##      [,1] [,2] [,3] [,4]
## [1,]     2     8    14    24
## [2,]     4    10    16    26
## [3,]     6    12    22    28

#c
mat [2, ]

## [1]  2  5  8 13

```

```

#d
mat [1:2 ,2:3]

##      [,1] [,2]
## [1,]    4    7
## [2,]    5    8

#e
mat [3, 2:3]

## [1] 6 11

#f
mat [, 4]

## [1] 12 13 14

#g
mat <- matrix(data = c(1:12),3,4)
rownames(mat) <- c("isa", "dalawa", "tatlo")
colnames(mat) <- c("uno", "dos", "tres", "quattro")
print(mat)

##      uno dos tres quattro
## isa     1   4    7    10
## dalawa  2   5    8    11
## tatlo   3   6    9    12

#h
mat <- matrix(data = c(1:8, 11:14),3,4)
dim(mat) <- c(6, 2)
print(mat)

##      [,1] [,2]
## [1,]    1    7
## [2,]    2    8
## [3,]    3   11
## [4,]    4   12
## [5,]    5   13
## [6,]    6   14

#3.
array_data <- array(c(1, 2, 3, 6, 7, 8, 9, 0, 3, 4, 5, 1))
array_data

## [1] 1 2 3 6 7 8 9 0 3 4 5 1

```

```
#a
array_data <- array(c(1, 2, 3, 6, 7, 8, 9, 0, 3, 4, 5, 1))
repeated <- rep(array_data, each = 2)
repeated_3d <- array(repeated)
repeated_final <- array(repeated, dim = c(2, 3, 4))
print (repeated_final)
```

```
## , , 1
##
##      [,1] [,2] [,3]
## [1,]     1     2     3
## [2,]     1     2     3
##
## , , 2
##
##      [,1] [,2] [,3]
## [1,]     6     7     8
## [2,]     6     7     8
##
## , , 3
##
##      [,1] [,2] [,3]
## [1,]     9     0     3
## [2,]     9     0     3
##
## , , 4
##
##      [,1] [,2] [,3]
## [1,]     4     5     1
## [2,]     4     5     1
```

```
#b
print (repeated_final)
```

```
## , , 1
##
##      [,1] [,2] [,3]
## [1,]     1     2     3
## [2,]     1     2     3
##
## , , 2
##
##      [,1] [,2] [,3]
## [1,]     6     7     8
## [2,]     6     7     8
##
## , , 3
##
##      [,1] [,2] [,3]
## [1,]     9     0     3
## [2,]     9     0     3
##
## , , 4
```

```

##      [,1] [,2] [,3]
## [1,]    4    5    1
## [2,]    4    5    1

# The array has 3 dimensions as seen in "dim" in repeated_final <- array(repeated, dim = c(2, 3, 4)).

#c
rownames <- letters[1:2]
colnames <- LETTERS[1:3]
dimnames_3d <- c("1st-Dimensional Array", "2nd-Dimensional Array", "3rd-Dimensional Array", "4th-Dimens
dimnames(repeated_final) <- list(rownames, colnames, dimnames_3d)
print(repeated_final)

## , , 1st-Dimensional Array
##
##   A B C
## a 1 2 3
## b 1 2 3
##
## , , 2nd-Dimensional Array
##
##   A B C
## a 6 7 8
## b 6 7 8
##
## , , 3rd-Dimensional Array
##
##   A B C
## a 9 0 3
## b 9 0 3
##
## , , 4th-Dimensional Array
##
##   A B C
## a 4 5 1
## b 4 5 1

```