## **Essential of Data Science Lab Assignment-3**

```
import numpy as np
```

```
array2=np.array([[11,12,13],[14,15,16],[17,18,19]])
array2

array([[11, 12, 13], [14,
```

Matrix Operation

```
resultarray=array1+array2 print("\nUsing
Operator:\n",resultarray)
resultarray=np.add(array1,array2)
print("\nUsing Numpy
Function:\n",resultarray)
```

```
Using Operator:
[[12 14 16]
[18 20 22]
[24 26 28]]

Using Numpy Function:
[[12 14 16]
[18 20 22]
[24 26 28]]
```

Subtraction

```
resultarray=array1-array2 print("\nUsing
Operator:\n",resultarray)
resultarray=np.subtract(array1,array2)
print("\nUsing Numpy
Function:\n",resultarray)
```

```
Using Operator:

[[-10 -10 -10]

[-10 -10 -10]

[-10 -10 -10]]

Using Numpy Function:

[[-10 -10 -10]

[-10 -10 -10]

[-10 -10 -10]
```

Multiplication

```
resultarray=array1*array2 print("\nUsing
Operator:\n",resultarray)
resultarray=np.multiply(array1,array2)
print("\nUsing Numpy
Function:\n",resultarray)
     Using Operator:
      [[ 11 24 39]
[ 56 75 96]
[119 144 171]]
     Using Numpy Function:
[[ 11 24 39]
[ 56 75 96]
      [119 144 171]]
  Division
resultarray=array1/array2 print("\nUsing
Operator:\n",resultarray)
resultarray=np.divide(array1,array2)
print("\nUsing Numpy
Function:\n",resultarray)
     Using Operator:
      [[0.09090909 0.16666667 0.23076923]
      [0.28571429 0.33333333 0.375 ] [0.41176471
     0.44444444 0.47368421]]
     Using Numpy Function:
      [[0.09090909 0.16666667 0.23076923]
      [0.28571429 0.33333333 0.375
      [0.41176471 0.44444444 0.47368421]]
Mod
resultarray=array1%array2
print("\nUsing Operator:\n",resultarray)
resultarray=np.mod(array1,array2)
print("\nUsing Numpy Function:\n",resultarray)
     Using Operator:
      [[1 2 3]
[4 5 6]
     Using Numpy Function:
      [7 8 9]]
Dot Product
resultarray=np.dot(array1,array2)
print("",resultarray)
      [[ 90 96 102]
      [216 231 246]
      [342 366 390]]
```

Transpose

```
resultarray=np.transpose(array1)
print(resultarray)
#0r
resultarray=array1.transpose()
print(resultarray)
      [2 5 8]
[3 6 9]]
[[1 4 7]
      [2 5 8]
[3 6 9]]
Horizontal and vertical stacking of Numpy Arrays
Horizontal Stacking
resultarray=np.hstack((array1,array2)) resultarray
      array([[ 1, 2, 3, 11, 12, 13],
4, 5, 6, 14, 15, 16],
[ 7, 8, 9, 17, 18, 19]])
   Vertical Stacking
resultarray=np.vstack((array1,array2))
resultarray
      array([[ 1, 2, 3],
      4, 5, 6],

[ 7, 8, 9],

[11, 12, 13],
               [14, 15, 16],
[17, 18, 19]])
Custom sequence generation
Range
import numpy as np
```

**Empty Array** 

Linearly Separable

Emply Like Some other array

**Identity Matrix** 

Arithmetic and Statistical Operations, Mathematical Operations, Bitwise Operators

[0.09090909 0.16666667 0.23076923 0.28571429 0.33333333]

Arithmetic Operation

```
array1=np.array([1,2,3,4,5])
array2=np.array([11,12,13,14,15])
print(array1) print(array2)

[1 2 3 4 5]
[11 12 13 14 15]
```

```
# Addition
print(np.add(array1,array2))
# Subtraction
print(np.subtract(array1,array2))
# Multiplication
print(np.multiply(array1,array2))
# Division
print(np.divide(array1,array2))

[12 14 16 18 20]
[-10 -10 -10 -10 -10]
```

Statistical and Mathematical Operations

[11 24 39 56 75]

```
array1=np.array([1,2,3,4,5,9,6,7,8,9,9])
# Standard Deviation
print(np.std(array1))
#Minimum
print(np.min(array1))
#Summation
print(np.sum(array1))
#Median
print(np.median(array1))
#Mean
print(np.mean(array1))
#Mode from scipy import stats print("Most Frequent
element=",stats.mode(array1)[0]) print("Number of
Occarances=",stats.mode(array1)[1])
# Variance
print(np.var(array1))
     2.7990553306073913 1
     6.0
     5.7272727272727275 Most Frequent
     element= [9]
     Number of Occarances= [3]
     7.834710743801653
```

**Bitwise Operations** 

```
array1=np.array([1,2,3],dtype=np.uint8) array2=np.array([4,5,6])
# AND resultarray=np.bitwise_and(array1,array2)
print(resultarray)
# OR resultarray=np.bitwise_or(array1,array2)
print(resultarray)
#LeftShift
resultarray=np.left_shift(array1,2)
print(resultarray) #RightShift
resultarray=np.right_shift(array1,2)
print(resultarray)

[0 0 2]
[5 7 7]
[ 4 8 12]
[ 0 0 0]
```

```
### You can get Binary Representation of Number
###### print(np.binary_repr(10,8))
resultarray=np.left_shift(10,2) print(resultarray)
print(np.binary_repr(np.left_shift(10,2),8))

00001010
```

40 00101000

Copying and viewing arrays

Сору

```
array1=np.arange(1,10)
print(array1)
newarray=array1.copy()
print(newarray)
##modification in Original
Array array1[0]=100
print(array1) print(newarray)
      [1 2 3 4 5 6 7 8 9]
[100 2 3 4 5
[1 2 3 4 5 6 7 8 9]
View
array1=np.arange(1,10)
print(array1)
newarray=array1.view()
print(newarray)
##modification in Original
Array array1[0]=100
print(array1) print(newarray)
      [1 2 3 4 5 6 7 8 9]
      [100 2 3 4 5 6 7 8 9]
[100 2 3 4 5 6 7 8 9]
Searching
array1=np.array([[1,2,3,12,5,7],[94,5,6,7,89,44],[7,8,9,11,13,14]])
print(array1)
      [[ 1 2 3 12 5 7]
[94 5 6 7 89 44]
[ 7 8 9 11 13 14]]
np.sort(array1,axis=0)#Horizontally Sort
      array([[ 1, 2, 3, 7, 5, 7], 7, 5, 6, 11, 13, 14], [94, 8, 9, 12, 89, 44]])
np.sort(array1,axis=1)# Vertically Sort
      array([[ 1, 2, 3, 5, 7, 12], 5, 6, 7, 44, 89, 94], [ 7, 8, 9, 11, 13, 14]])
Searching
array1=np.array([1,2,3,12,5,7])
```

**ء** 

np.searchsorted(array1,7,side="left")#Perform Search After sorting

Counting

```
array1=np.array([1,2,3,12,5,7,0])
print(np.count_nonzero(array1))#Return total Non Zero element
print(np.nonzero(array1))#Return Index
print(array1.size)#Total Element
     (array([0, 1, 2, 3, 4, 5], dtype=int64),)
Data Stacking
array1=np.array(np.arange(1,5).reshape(2,2))
print(array1)
array2=np.array(np.arange(11,15).reshape(2,2))
print(array2)
     [3 4]]
[[11 12]
      [13 14]]
newarray=np.stack([array1,array2],axis=0)
print(newarray)
     [[[ 1 2]
[ 3 4]]
       [[11 12]
[13 14]]]
newarray=np.stack([array1,array2],axis=1)
print(newarray)
        [13 14]]]
Append
array1=np.arange(1,10).reshape(3,3)
print(array1)
array2=np.arange(21,30).reshape(3,3)
print(array2)
      [4 5 6]
[7 8 9]]
     [[21 22 23]
       [24 25 26]
[27 28 29]]
np.append(array1,array2,axis=0)
     array([[ 1, 2, 3],
     array([]

4, 5, 6],

[ 7, 8, 9],

[21, 22, 23],

25, 26],
              [24, 25, 26],
[27, 28, 29]])
```

```
np.append(array1,array2,axis=1)
     array([[ 1, 2, 3, 21, 22, 23],
4, 5, 6, 24, 25, 26],
[ 7, 8, 9, 27, 28, 29]])
  Concat
array1=np.arange(1,10).reshape(3,3)
print(array1)
array2=np.arange(21,30).reshape(3,3)
print(array2)
      [[1 2 3]
       [7 8 9]]
       [24 25 26]
       [27 28 29]]
np.concatenate((array1,array2),axis=0)
     4, 5, 6],

[ 7, 8, 9],

[21, 22, 23],

[24, 25, 26],
              [27, 28, 29]])
np.concatenate((array1,array2),axis=1)
     array([[ 1, 2, 3, 21, 22, 23],
4, 5, 6, 24, 25, 26],
[ 7, 8, 9, 27, 28, 29]])
import numpy as np
# using loadtxt() arr =
np.loadtxt("F:\\ISO\\EDS\\NOTES\\dataset\\testmarks1.csv",delimiter=",",skiprows=1)
print(type(arr)) arr.shape
      <class 'numpy.ndarray'>
      (10, 5)
Unsupported Cell Type. Double-Click to inspect/edit the content.
EDS=arr[:,1]
print(EDS)
      [43.05 43.47 42.24 39.24 40.9 39.47 41.68 42.19 44.75 46.95]
SON=arr[:,2] print(SON)
```