COMPANY PROFILE



مؤسسة همس الروايا للمقاولات

HAMS AL RAWAYA For Contracting Est.

Reliable & Dependable Rental Solutions

+966 54 079 7840, +966 50 047 7867

info@halrawaya.com | brahma.prakash@halrawaya.com www.halrawaya.com

Building No: 6488, Nouh,Al Manfuhah 3244, Postal Code: 12685, Riyadh,Saudi Arabia

OVERVIEW

About Hams Al Rawaya For Contracting Est.

Hams Al Rawaya For Contracting Est. is a Saudi-based equipment rental and general construction services company committed to supporting contractors, project owners, and industrial businesses with reliable equipment and responsive rental solutions. We provide a practical fleet of construction and access equipment designed to meet the demanding requirements of construction, infrastructure, industrial, and maintenance projects across Saudi Arabia.

Our equipment rental portfolio includes Generators, Aerial Work Platforms, Boom Lifts, Scissor Lifts, Telehandlers, Forklifts, and other specialized construction equipment, enabling our clients to access the right machinery without the cost and complexity of ownership.

We focus on equipment quality, operational safety, availability, and dependable service. Our machines are selected to deliver efficient performance across diverse working environments, while our professional team ensures responsive support throughout the rental period.

At Hams Al Rawaya, we understand that equipment availability directly impacts project productivity. That is why we strive to provide flexible rental solutions, well-maintained equipment, timely delivery, and dedicated customer support helping our clients keep their projects moving safely, efficiently, and on schedule.

Your Vision. Our Mission.

Rental Products

Aerial Work Platforms (AWP)

Scissor Lifts
Articulated Boom Lifts
Telescopic Boom Lifts
Boom Lifts

Material Handling Equipment

Fork lifts
Boom Trucks
Cranes

Compressed Air

Air Compressors
Compressed-air solutions for construction and industrial sites

Power Generation

Silent Diesel Generators
Canopied Diesel Generators
Containerized Diesel Generators
Generator Sets — approximately 30 KVA to 2,000 KVA
Load Banks
Fuel Tanks
ATS Systems
Power Cables
HV/LV Panels



Scissor Lifts

Providing access up to 18m, our range of scissor lifts offer both indoors and outdoors solutions, with large deck working areas perfect as a replacement to scaffolding. Our range includes electric and diesel options.



3219-7.8m Electric Scissor

Working Height	7.8m
Closed Length	1.78m
Closed Height	2.11m
Stowed Height (guardrails lowered)	1.64m
Closed Width	0.81m
Platform Size	1.63m x 0.71m
Platform Length (deck extended)	2.53m
Max SWL	227kg
Weight	1312kg

Alternative machines: GS1932, GS2032

Manufacturer: Skyjack

GS19-7.8m Electric Scissor

Working Height	7.8m
Closed Length	1.82m
Closed Height	2.11m
Stowed Height (guardrails lowered)	1.76m
Closed Width	0.81m
Platform Size	1.64m x 0.74m
Platform Length (deck extended)	2.54m
Max SWL	227kg
Weight	1503kg

Alternative machines: 3219, GS19, GS20

Manufacturer: Genie

Aerial Work Platforms (AWP) | Scissor Lifts

GS20-7.92m Electric Scissor

Working Height	7.92m
Closed Length	2.45m
Closed Height	2.1m
Stowed Height (guardrails lowered)	1.75m
Closed Width	0.81m
Platform Size	2.21m x 0.7m
Platform Length (deck extended)	3.2m
Max SWL	363kg
Weight	1559kg

Manufacturer
Genie



3226-9.9m Electric Scissor Lift

Working Height	9.92m
Closed Length	2.32m
Closed Height	2.15m
Stowed Height (guardrails lowered)	1.91m
Closed Width	0.81m
Platform Size	2.13m x 0.71m
Platform Length (deck extended)	3.23m
Max SWL	227kg
Weight	1890kg

Alternative machines
GS2632

Manufacturer
Skyjack

Indoor use only



4632-11.75m Electric Scissor Lift

Working Height	11.8m
Closed Length	2.31m
Closed Height	2.24m
Stowed Height (guardrails lowered)	1.88m
Closed Width	1.17m
Platform Size	2.11m x 1.07m
Platform Length (deck extended)	3.01m
Max SWL	317kg
Weight	2300kg

Alternative machines
GS32

Manufacturer
Skyjack



4626-9.9m Electric Scissor

Working Height	9.9m
Closed Length	2.31m
Closed Height	2.15m
Stowed Height (guardrails lowered)	1.79m
Closed Width	1.17m
Platform Size	2.11m x 1.07m
Platform Length (deck extended)	3.01m
Max SWL	454kg
Weight	2130kg

Alternative machines
GS2646E

Manufacturer
Skyjack



GS2632-9.92m Electric Narrow Scissor Lift

Working Height	9.92m
Closed Length	2.44m
Closed Height	2.26m
Stowed Height (guardrails lowered)	1.91m
Closed Width	0.81m
Platform Size	2.26m x 0.79m
Platform Length (deck extended)	3.18m
Max SWL	227kg
Weight	1956kg

Alternative machines
3226

Manufacturer
Genie

Indoor use only



GS32-11m Electric Scissor

Working Height	11.8m
Closed Length	2.31m
Closed Height	2.24m
Stowed Height (guardrails lowered)	1.88m
Closed Width	1.17m
Platform Size	2.11m x 1.07m
Platform Length (deck extended)	3.01m
Max SWL	317kg
Weight	2300kg

Alternative machines
GS32

Manufacturer
Skyjack



Aerial Work Platforms (AWP) | Scissor Lifts

GS32-12m Diesel Scissor 4WD

Working Height	11.75m
Closed Length	2.67m
Closed Height	2.45m
Stowed Height (guardrails lowered)	1.83m
Closed Width	1.73m
Platform Size	2.51m x 1.55m
Platform Length (deck extended)	3.96m
Max SWL	454kg
Weight	4115kg

Manufacturer
Genie



GS4047-14m Electric Narrow Scissor

Working Height	13.89m
Closed Length	2.44m
Closed Height	2.54m
Stowed Height (guardrails lowered)	1.88m
Closed Width	1.19m
Platform Size	2.26m x 1.15m
Platform Length (deck extended)	3.36m
Max SWL	350kg
Weight	3221kg

Manufacturer
Genie

Indoor use only



GS43-15.1m Diesel Scissor 4WD

Working Height	15.1m
Closed Length	4.88m
Closed Height	2.93m
Stowed Height (guardrails lowered)	2.25m
Closed Width	2.29m
Platform Size	4.81m x 1.83m
Platform Length (deck extended)	7.38m
Max SWL	680kg
Weight	7323kg

Alternative machines
GS53
Manufacturer
Genie



GS3369-12m Diesel Scissor 4WD

Working Height	11.75m
Closed Length	3.12m
Closed Height	2.59m
Stowed Height (guardrails lowered)	1.92m
Closed Width	1.75m
Platform Size	2.79m x 1.6m
Platform Length (deck extended)	1.52m
Max SWL	454kg
Weight	3557kg

Manufacturer
Genie



4069-14.19m Bi-Energy Scissor Lift

Working Height	14.2m
Closed Length	3.1m
Closed Height	2.83m
Stowed Height (guardrails lowered)	2.01m
Closed Width	1.75m
Platform Size	2.92m x 1.65m
Platform Length (deck extended)	3.83m
Max SWL	360kg
Weight	5300kg

Manufacturer
JLG



4394RT-15.11m Diesel Scissor Lift

Working Height	13.11m
Closed Length	3.86m
Closed Height	1.79m
Stowed Height (guardrails lowered)	1.10m
Closed Width	2.39m
Platform Size	3.81m x 2.18m
Platform Length (deck extended)	4.03m
Max SWL	680kg
Weight	7150kg

Alternative machines
GS4390
Manufacturer
JLG



GS53-18.2m
Diesel Scissor Lift 4WD

Working Height	18.15m
Closed Length	4.88m
Closed Height	3.15m
Stowed Height (guardrails lowered)	2.47m
Closed Width	2.29m
Platform Size	4.81m x 1.83m
Platform Length (deck extended)	7.38m
Max SWL	680kg
Weight	8050kg

Alternative machines
GS4390
Manufacturer
Genie

JCPT2223RTB-22m
Scissor Lift

Working Height	22.00 m
Safe Working Load	750 kg
Platform/Deck Size	4.59 x2.25 m
Power	Electric/Diesel
Platform Height	20 m
Closed Width	2.46 m
Closed Height	3.00 m
Outreach	0
Non marking Tyres	Yes

Boom Lifts / Man Lifts

Our boom lifts offer access up to 56m, equipped with industry-leading outreach and capacity for incredible operational accessibility. Our products are engineered to suit a wide variety of working environments.



Aerial Work Platforms (AWP) | Boom/Man Lifts

G34N-12.52m Electric Narrow Articulated Boom

Working Height	**12.62m**
Horizontal Outreach	**6.78m**
Closed Length	5.64m
Closed Height	2.0m
Closed Width	1.73m
Platform Size	1.42m x 0.76m
Rotation	355°
Max SWL	227g
Weight	5443kg

Alternative machines: HR12NB, HR15NB

Manufacturer: Genie

HR15NB-15.4m Bi Energy Narrow Artic Boom

Working Height	**15.4m**
Horizontal Outreach	**9.6m**
Closed Length	5.0m
Closed Height	2.1m
Closed Width	1.5m
Platform Size	1.5m x 0.7m
Rotation	360°
Max SWL	225kg
Weight	6680kg

Alternative machines: Z34/22BE, HR12NB

Manufacturer: Nifty/t

fitted with manufacturers secondary guarding as standard

Z30N-11.14m Electric Narrow Artic Boom R/J

Working Height	**10.89m**
Horizontal Outreach	**6.25m**
Closed Length	5.31m
Closed Height	2.0m
Closed Width	1.2m
Platform Size	1.17m x 0.76m
Rotation	355°
Max SWL	227kg
Weight	5450kg

Manufacturer: Genie

Z45DJX-16m Diesel Articulated Jib Boom 4WD

Working Height	**16.0m**
Horizontal Outreach	**7.6m**
Closed Length	6.78m
Closed Height	2.08m
Closed Width	2.23m
Platform Size	1.82m x 0.76m
Rotation	359°
Max SWL	227kg
Weight	6542kg (Alt) 6892kg (Foam Filled)

Alternative machines: Z45D, Z45D-R, Z45/25DJX

Manufacturer: Genie

Z60-20m Hybrid Articulating Boom 4WD

Working Height	**20.16m**
Horizontal Outreach	**11.15m**
Closed Length	6.3m
Closed Height	2.62m
Closed Width	2.49m
Platform Size	1.83m x 0.76m
Rotation	355°
Max SWL	227kg
Weight	7756kg

Manufacturer: Genie

S65X-21.8m Diesel Stick Boom 4WD

Working Height	**21.8m**
Horizontal Outreach	**17.1m**
Closed Length	9.5m
Closed Height	2.72m
Closed Width	2.5m
Platform Size	1.83m x 0.76m
Rotation	Continuous
Max SWL	227kg
Weight	10102kg
Reach Below Ground	2.71m

Alternative machines: G65X, 66JX, S60X

Manufacturer: Genie

Aerial Work Platforms (AWP) | Boom/Man Lifts

860SJ-28.21m Diesel Stick Boom 4WD

Working Height	**28.21m**
Horizontal Outreach	**22.86m**
Closed Length	12.19m
Closed Height	3.05m
Closed Width	2.49m
Platform Size	2.44m x 0.91m
Rotation	360°
Max SWL	230kg
Weight	17200kg
Reach Below Ground	3m

Alternative machines
GtI5X
Manufacturer
JLG

1200SJP-38.73m Diesel Stick Boom 4WD

Working Height	**38.73m**
Horizontal Outreach	**22.86m**
Closed Length	10.64m
Closed Height	3.05m
Closed Width	2.49m
Platform Size	2.44m x 0.91m
Rotation	Continuous
Max SWL	230kg
Weight	18500kg
Operational Full Width	3.81m

Alternative machines
S125
Manufacturer
JLG

SX125-40.1m Diesel Boom Lift


Working Height	**40.15m**
Horizontal Outreach	**24.38m**
Closed Length	14.25m
Closed Height	3.05m
Closed Width	2.49m
Platform Size	1.83m x 0.76m
Rotation	360°
Max SWL	454kg
Weight	20700kg
Reach Below Ground	2.89m

Manufacturer
Genie

SX150-48m Diesel Stick Boom 4wd

Working Height	**48.02m**
Horizontal Outreach	**24.38m**
Closed Length	16.18m
Closed Height	3.05m
Closed Width	2.49m
Platform Size	2.44m x 0.91m
Rotation	Continuous
Max SWL	340kg
Weight	23236kg
Reach Below Ground	0.91m
Operational Full Width	5.03m

Alternative machines
SX180
Manufacturer
Genie



Material Handling Equipments

Forklifts



We provide fleet of 40+ units, ranging from 3.5 tons, work across Saudi Arabia in industries spanning everything from Defense to Oil & Gas, automobile and retail warehouses. All our forklift rental units have Load Test Certificates and the necessary statutory and regulatory compliance. And all our forklift and AWP lifts are manned by experienced Safety Trained operators.



Material Handling Equipments

Boom Trucks





We provide fleet ranging from 4.5 to 15 tons, work across Saudi Arabia. All our boom truck rental units have Load Test Certificates and the necessary statutory and regulatory compliance. And all our boom truck are manned by experienced Safety Trained operators.

Material Handling Equipments

We provide fleet ranging from 50 to 220 tons, work across Saudi Arabia. All our Cranes rental units have Load Test Certificates and the necessary statutory and regulatory compliance. And all our cranes are manned by experienced Safety Trained operators.



Rental of Transportation vehicles









Industrial Air Compressor Rental

We provide complete solutions for compressed air on sites, ensuring that you have the necessary equipment to get the job done. Our wide range of air compressors, ranging from 185 cfm to 1025 cfm, allows us to cater to projects of any size. Whether you have a short-term or long-term project, we can support you with air compressors of any capacity. We are also providing the air compressors with and without aftercooler with the range of 100 PSI to 175 PSI & 7 Bar to 12 bar.



Industrial Air Compressor Rental



Tower Light Rentals



Container & Portable Cabin Rentals







Safety Products



Lifting Products

