Exercise 2

1. SELECT COUNT (*) AS total_employees
FROM employees;

TotalEmployees
10

2. SELECT SUM (salary) AS Total_salary
FROM employees
WHERE department = 'IT';

total_salary
220000

3. SELECT AVG(salary) AS average_salary,
FROM employees
WHERE department = 'HR';

average_salary
49300

4. SELECT MIN (salary) AS min_salary,
MAX (salary) AS max_salary,
FROM employees;

min_salary	max_salary
48000	62000

5. SELECT SUM (salary) AS total_salary,
department
FROM employees
GROUP BY department;

Scanned with CamScanner

department	total_salary
IT	220000
HR	99000
Finance	119000
Marketing	105000

6. SELECT COUNT(*) AS number_in_city,
city
FROM employees
GROUP BY city;

city	number_in_city
New York	2
Chicago	3
Los Angeles	2
San Francisco	2
Houston	1

7. SELECT AVG(salary) AS average_salary,
department
FROM employees
GROUP BY department
ORDER BY average_salary DESC;

department	average_salary
Finance	59500
IT	55000
Marketing	52500
HR	49500

Scanned with CamScanner

8. SELECT SUM(salary) AS total_salary,
department,
FROM employees
GROUP BY department
HAVING SUM(salary) > 100000;

department	total_salary
IT	220000
Finance	119000
Marketing	105000

9. SELECT COUNT(*) AS total,
city
FROM employee
GROUP BY city
HAVING COUNT(*) > 1
ORDER BY total DESC;

city	total
Chicago	3
New York	2
Los Angeles	2
San Francisco	2

10. SELECT AVG(salary) AS average_salary,
department
FROM employees
GROUP BY department
ORDER BY average_salary DESC
LIMIT 1;

→

department	avg_sala
Finance	59500

Scanned with CamScanner