

Vapi + Maqsam Personalization Server (Production Setup Guide)

Objective

Build a backend service that:

- Receives incoming call requests from Vapi
- Extracts caller phone number
- Looks up customer details (Google Sheets / Supabase)
- Passes dynamic variables (e.g., `customerName`) to Vapi assistant

Architecture Overview

Maqsam → Vapi (SIP Call)



Server Endpoint (/assistant-selector)



Lookup (Google Sheets / Supabase)



Return assistant + variables → Vapi



Voice Assistant speaks dynamic response

Project Setup

1. Initialize Project

```
mkdir vapi-server
```

```
cd vapi-server
```

```
npm init -y
```

```
npm install express googleapis
```

Google Sheets Setup (Option 1)

Sheet Format

Name	Phone
------	-------

Rajkumar	919373329763
----------	--------------

Steps

1. Go to Google Cloud Console
 2. Enable **Google Sheets API**
 3. Create **Service Account**
 4. Download `credentials.json`
 5. Share Google Sheet with:
`your-service-account@project.iam.gserviceaccount.com`
-

Server Implementation

`server.js`

```
const express = require("express");
const { google } = require("googleapis");
```

```
const app = express();
app.use(express.json());
```

```
// CONFIG
const SPREADSHEET_ID = "1Y0lr91_i3bGIAw_Ldql1Vjn2rr5mPOMbaSPHn7XtXxo";
const RANGE = "Sheet1!A:B"; // Name + Phone
```

```
// AUTH
const auth = new google.auth.GoogleAuth({
  keyFile: "theta-cider-472214-p9-4433c7cf21a6.json", // your downloaded file
  scopes: ["https://www.googleapis.com/auth/spreadsheets.readonly"],
});
```

```
async function getCustomerName(phoneNumber) {
  const client = await auth.getClient();
  const sheets = google.sheets({ version: "v4", auth: client });
```

```
  const response = await sheets.spreadsheets.values.get({
    spreadsheetId: SPREADSHEET_ID,
    range: RANGE,
  });
```

```
  const rows = response.data.values;
```

```
  if (!rows || rows.length === 0) return null;
```

```
  // Skip header row
  for (let i = 1; i < rows.length; i++) {
    const name = rows[i][0];
    const phone = rows[i][1];
```

```
    if (!phone) continue;
```

```
    // Normalize phone
    if (phone.replace(/\D/g, "") === phoneNumber.replace(/\D/g, "")) {
      return name;
    }
  }
}
```

```
  return null;
}
```

```
app.post("/assistant-selector", async (req, res) => {
  try {
    if (req.body.message?.type === "assistant-request") {
```

```
      console.log("Incoming request");
```

```
      const phoneNumber = req.body.message?.call?.customer?.number;
```

```
      console.log("PHONE:", phoneNumber);
```

```
      const customerName = await getCustomerName(phoneNumber);
```

```
      console.log("FOUND NAME:", customerName);
```

```
      res.json({
        assistantId: "02b53341-2f4f-44aa-a264-292e0ad57589",
        assistantOverrides: {
          variableValues: {
            customerName: customerName || "there"
          }
        }
      });
    }
  }
});
```

```
    }  
  }  
});  
}  
} catch (err) {  
  console.error("ERROR:", err);  
}
```

```
res.json({  
  assistantId: "02b53341-2f4f-44aa-a264-292e0ad57589",  
  assistantOverrides: {  
    variableValues: {  
      customerName: "there"  
    }  
  }  
});  
}
```

```
app.listen(3000, () => console.log("Server running"));
```

Local Testing

Run server:

node server.js

Start ngrok:

ngrok http 3000

Example URL:

<https://abc123.ngrok-free.app>

Vapi Configuration

Phone Number Settings

Assistant → ✕ NONE

Server URL → <https://abc123.ngrok-free.app/assistant-selector>

Assistant Prompt Example

VAPI

Hello {{customerName}}, how can I help you today?