Grid Properties

Created by Alex Dewez-Lopez, last modified by Genevieve Wang on 01 Sep 2020



Quick Links

- Breakpoints
- Columns
- Fluid Grid
- Margins
- Container width
- Max-width
- Gutters
- Research findings and rationale

Breakpoints

The following 3 breakpoints have been defined:

- 768px
- 1024px
- 1680px

Sketch design specs for breakpoints

Rationale

Data from T.com analytics (Sept 1st 2019) shows a large amount of users with screens over 1680px (roughly 15%). 48% of all users have screens over 1360px wide. Comparing data from last year, this is an increasing trend.

The previous large breakpoint was at 1360px and left a lot of white space on screens 1920+ (3.2M users); the designs weren't making optimal use of visual real-estate, so the decision was made to introduce a larger breakpoint which would visually fit in a better way.

Columns

The grid is based on 12 columns.

12 columns is a common approach to grids as it allows for multiple single digit divisors: 1, 2, 3, 4, 6 & 12 and easily caters to 2, 3, 4 and 6 sections horizontally.

Fluid Grid

Developers are required to programmatically allow the layout to stretch to 100% of the viewport width up until the max-width.

This is in contrast to a fixed layout which would have a static width at different breakpoints.

Rationale

Using a fluid grid system allows the layout to use the optimal amount of visual real-estate at any viewport size.

Margins

7.5% of viewport on each side of container

Using percentage so content responds in a fluid environment.

Container width

85% of viewport.

Using percentage so content responds in a fluid environment.

Max-width

- Designers are required to design layouts and components which don't exceed 1428px
- Developers are required to add a max-width of 1428px to the fluid layout

Rationale

Ultra wide screens exist and there's an increasing trend at viewport 1920 and higher. We want to cater to these sizes without adding a large amount of effort overhead in terms of design and development; we've added the new 1680px breakpoint which takes up a comfortable amount of space within a large screen without being too spaced out or narrow.

Gutters

```
viewportXS: 16px
viewportSM: 32px
viewportMD: 40px
viewportLG: 56px
```

Rationale

Large gutters to accommodate enough white space between columns/components.

Research findings and rationale

Rule	Value(s)	Rationale
Breakpoints	• 768px • 1024px • 1680px	Data from tcom analytics (sept 1st 2019) shows a large amount of users with screens over 1680px (roughly 15%), with 48% of all users over 1360px. Comparing data from last year, this is an increasing trend. The previous large breakpoint was at 1360px and left a lot of white space on screens 1920+ (3.2M users); the designs weren't making optimal use of visual real-estate, so the decision was made to introduce a larger breakpoint which would visually fit in a better way.
Size naming convention	Use T-shirt naming convention	T-Shirt sizing is a standard across the web, we didn't see a need to change this convention.

Rule	Value(s)	Rationale
Viewport Name, Breakpoint Name	• "viewportXS" - 0px to 767px • "viewportSM" - 768px to 1023px • "viewportMD" - 1024px to 1679px • "viewportLG" - 1680+ • "breakpointSM" - 768px • "breakpointMD" - 1024px • "breakpointLG" - 1680px	Values are based on breakpoints. We start with XS to be future friendly as we can add a XL for bigger screen sizes.
Design sizes	These values are the viewport sizes that designers should design for. • 360px designing for viewportXS • 768px designing for viewportSM • 1360px designing for viewportMD • 1680px designing for viewportLG	In general we should cater to the highest percentage of users and makes sure the design looks best there. viewportXS: Using the data from tcom analytics (sept 1st 2019), only 1.5% of users are at the 320px range whereas about 46% are on 360px or 375px. Designers should sense-check the design reads well on 320px while designing for 360px. viewportSM: The "tablet" users are relatively small group when comparing to "mobile" and "desktop", only accounting for 8% of users, with 7% at the 768px viewport size. viewportMD: 1360px is effectively the mid point between 1024px and 1680px. There's a very small percentage of users at 1024px and the amount of users increases as the viewport size increases. We recommend designing for 1360px as it is a midpoint and should look comfortable on either side of the viewportMD size. Designer should sense-check the 1024px viewport width. viewportLG: as our max-width is 1428px with a margin of 126px, it is logical to design for 1680px.
Fluid width	Developers are required to programmatically allow the layout to stretch to 100% of the viewport width up until the max-width. *This is in contrast to a fixed layout which would have a static width at different breakpoints.*	Using a fluid grid system allows the layout to use the optimal amount of visual real-estate at *any* viewport size.
Max-width	• Designers are required to design layouts and components which don't exceed 1428px • Developers are required to add a max-width of 1428px to the fluid layout	Ultra wide screens exist and there's an increasing trend at viewport 1920 and higher. We want to cater to these sizes without adding a large amount of effort overhead in terms of design and development; we've added the new 1680px breakpoint which takes up a comfortable amount of space within a large screen without being too spaced out or narrow.
Columns	12	12 columns is a common approach to grids as it allows for multiple single digit divisors: 1, 2, 3, 4, 6 & 12 and easily caters to 2, 3, 4 and 6 sections horizontally.
Container width	85% of viewport	Using percentage so content responds in a fluid environment
Margins	7.5% of viewport on each side of container	Using percentage so content responds in a fluid environment
Gutters	viewportXS: 16px viewportSM: 32px viewportMD: 40px viewportLG: 56px	Large gutters to accommodate enough white space between columns/components

No labels