# Text Input Helper - Autofill Types

Created by Genevieve Wang, last modified on 15 Jan 2021

Autofill allows users to pre-fill personal data stored on their device into certain text fields. Where applicable, an autofill type should be added to a Text Input Helper.

1. Name
2. Personal Details
3. Address
4. Credit Card
5. Telephone
6. User Credentials
7. Misc.

Note: Some autofill types will be platform-specific.

## Name

| Type | Android | iOS |
|---|---|---|
| **Full Name** | `AUTOFILL_HINT_PERSON_NAME` | name |
| **Family/Last Name** | `AUTOFILL_HINT_PERSON_NAME_FAMILY` | familyName |
| **Given/First Name** | `AUTOFILL_HINT_PERSON_NAME_GIVEN` | givenName |
| **Middle Name** | `AUTOFILL_HINT_PERSON_NAME_MIDDLE` | middleName |
| **Middle Name Initials** | `AUTOFILL_HINT_PERSON_NAME_MIDDLE_INITIAL` | - |
| **Name Prefix**<br>(The prefix or title, such as "Mrs.", "Mr.", "Miss", "Ms.", "Dr.", or "Mlle.".) | `AUTOFILL_HINT_PERSON_NAME_PREFIX` | namePrefix |
| **Name Suffix**<br>(The suffix, such as "Jr.", "B.Sc.", "PhD.", "MBASW", or "IV".) | `AUTOFILL_HINT_PERSON_NAME_SUFFIX` | nameSuffix |
| **Nickname** | - | nickname |

## Personal details

| Type | Android | iOS |
|---|---|---|
| **Birth Date Full** | `AUTOFILL_HINT_BIRTH_DATE_FULL` | - |
| **Birth Date Day** | `AUTOFILL_HINT_BIRTH_DATE_DAY` | - |
| **Birth Date Month** | `AUTOFILL_HINT_BIRTH_DATE_MONTH` | - |
| **Birth Date Year** | `AUTOFILL_HINT_BIRTH_DATE_YEAR` | - |
| **Email Address** | `AUTOFILL_HINT_EMAIL_ADDRESS` | emailAddress |
| **Gender** | `AUTOFILL_HINT_GENDER` | - |

## Address

| Type | Android | iOS |
|---|---|---|

| Type | Android | iOS |
| --- | --- | --- |
| **Address Full** | `AUTOFILL_HINT_POSTAL_ADDRESS` | fullStreetAddress |
| **Address Country**<br>(Country name or code) | `AUTOFILL_HINT_POSTAL_ADDRESS_COUNTRY` | countryName |
| **Address Extended** | `AUTOFILL_HINT_POSTAL_ADDRESS_EXTENDED_ADDRESS`<br>Can be autofilled with auxiliary address details. | - |
| **Address with Postcode** | `AUTOFILL_HINT_POSTAL_ADDRESS_EXTENDED_POSTAL_CODE` | |
| **Address with Locality** | `AUTOFILL_HINT_POSTAL_ADDRESS_LOCALITY`<br>Can be autofilled with an address locality (city/town). | addressCity<br>or<br>sublocality |
| **Address with Region** | `AUTOFILL_HINT_POSTAL_ADDRESS_REGION`<br>Can be autofilled with a region/state. | addressState |
| **Address with City and State** | | addressCityAndState |
| **Street Address** | `AUTOFILL_HINT_POSTAL_ADDRESS_STREET_ADDRESS` | - |
| | - | - |
| **Postcode** | `AUTOFILL_HINT_POSTAL_CODE` | postalCode |
| **Location** | - | location |

## Credit card details

| Type | Android | iOS |
| --- | --- | --- |
| **Credit Card Expiration Day** | `AUTOFILL_HINT_CREDIT_CARD_EXPIRATION_DAY` | - |
| **Credit Card Expiration Month** | `AUTOFILL_HINT_CREDIT_CARD_EXPIRATION_MONTH` | - |
| **Credit Card Expiration Year** | `AUTOFILL_HINT_CREDIT_CARD_EXPIRATION_YEAR` | - |
| **Credit Card/Account Number** | `AUTOFILL_HINT_CREDIT_CARD_NUMBER` | creditCardNumber |
| **Credit Card Security Code** | `AUTOFILL_HINT_CREDIT_CARD_SECURITY_CODE` | - |
| **Credit Card Type**<br>(e.g. Mastercard) | - | - |
| **Credit Card Name** | - | - |
| **Credit Card Given Name** | - | - |
| **Credit Card Additional Name** | - | - |
| **Credit Card Family Name** | - | - |

### Telephone

| Type | Android | iOS |
|---|---|---|
| **Phone Number's Country Code** | `AUTOFILL_HINT_PHONE_COUNTRY_CODE`<br>Hint indicating that this view can be autofilled with a phone number's country code. | - |
| **Phone Number without Country Code** | `AUTOFILL_HINT_PHONE_NATIONAL` | telephoneNumber |
| **Phone Number with Country Code** | `AUTOFILL_HINT_PHONE_NUMBER` | - |
| **Current Device Phone Number** | `AUTOFILL_HINT_PHONE_NUMBER_DEVICE` | - |
| **Phone Number Area Code**<br>The area code, with any country-internal prefix applied if appropriate. | - | - |
| **Phone Number Extension Code**<br>A telephone extension code within the phone number, such as a room or suite number in a hotel or an office extension in a company. | - | - |

### User Credentials

| Type | Android | iOS |
|---|---|---|
| **Username** | `AUTOFILL_HINT_USERNAME` | username |
| **New Username** | `AUTOFILL_HINT_NEW_USERNAME` | - |
| **Password** | `AUTOFILL_HINT_PASSWORD` | password |
| **New Password** | `AUTOFILL_HINT_NEW_PASSWORD` | newPassword |
| **One Time Password** | `AUTOFILL_HINT_SMS_OTP` | oneTimeCode |

### Misc.

| Type | Android | iOS |
|---|---|---|
| **Organisation Name** | - | organizationName |
| **Organisation Title**<br>(e.g. "Senior Technical Writer", "President", or "Assistant Troop Leader".) | - | jobTitle |

| Type | Android | iOS |
| --- | --- | --- |
| **Transaction Currency** | - | - |
| **Transaction Amount** | - | - |
| **Language (Preferred)** | - | - |
| **IMPP** | - | - |
| **On** | - | - |
| **Photo** | - | - |
| **URL** | - | URL |

No labels

Atlassian