Text Input Helper - Library

Created by Davyd Geyl, last modified by Genevieve Wang on 17 Feb 2021

This page contains the logic built into each Text Input Helper.

- Names
  - Given Name
  - Nickname
  - Family Name
  - Bank Account Name
  - Middle Name
  - Cardholder Name
- Email Address
- Generic
- Numeric
  - Account Number (Legacy)
  - Account Number (13-digit)
  - Australian Business Number
  - Australian Contact Number
  - Australian Home Number
  - Australian Mobile Number
  - Bank Account Number
  - BSB Number
  - Postcode
  - Card Number
  - Security Code
- Contributed Input Helpers
  - SIM Number
  - Website Address

Names

Name inputs included cover personal names to Telstra service nicknames and bank account information. There are relatively few limitations on characters and length limits in order to accommodate names from different backgrounds as well as those with special characters (e.g. Mary-Kate O'Brien).

Given Name

Pattern name	**InputHelperGivenName**
Properties	
Label	Given name/s
Keyboard	name
Capitalisation	words
Autofill Type	**Android:** AUTOFILL_HINT_PERSON_NAME_G
	iOS: givenName
	Web: given-name
Spellchecking	no
Input validation	
Character set	No limitations

Nickname

Pattern name	**InputHelperNickname**
Properties	
Label	Nickname
Keyboard	name
Capitalisation	words
Autofill Type	**Android:** N/A
	iOS: nickname
	Web: nickname
Spellchecking	no
Input validation	
Character set	No limitations

Family Name

Pattern name	**InputHelperFamilyName**
Properties	
Label	Family name
Keyboard	name
Capitalisation	words
Autofill Type	**Android:** AUTOFILL_HINT_PERSON_NAME_F
	iOS: familyName
	Web: family-name
Spellchecking	no
Input validation	
Character set	No limitations

Bank Account Name

Pattern name	**InputHelperBankAccountName**
Properties	
Label	Account name
Keyboard	name
Capitalisation	words
Autofill Type	N/A
Spellchecking	no
Input validation	
Character set	No limitations

Middle Name

Pattern name	**InputHelperMiddleName**
Properties	
Label	Middle name
Keyboard	name
Capitalisation	words
Autofill Type	**Android:** AUTOFILL_HINT_PERSON_NAME_M
	iOS: middleName
	Web: additional-name
Spellchecking	no
Input validation	
Character set	No limitations

Cardholder Name

Pattern name	**InputHelperCardholderName**
Properties	
Label	Cardholder name
Keyboard	name
Capitalisation	words
Autofill Type	**Android:** N/A
	iOS: N/A
	Web: cc-name
Spellchecking	no
Input validation	
Character set	No limitations

Email Address

Pattern name	**InputHelperEmail**
Properties	
Label	Email address
Help text	N/A
Keyboard	email
Capitalisation	none
Autofill Type	**Android:** AUTOFILL_HINT_EMAIL_ADDRESS
	iOS: emailAddress
	Web: email
Spellchecking	no
Input validation	
Maximal Length	none
Character set	ASCIIPrintableCharacterSet
Value validation	
Rule 1	
Type	Valid email format
Regex (Web)	`"(?im)^(?=.{1,64}@)(?:(\"[^\"\\\\]*(?:\\\\.[^\"\\\\]*)*\"@)|([`
Regex (Android/iOS)	`^[\\w!#$%&'*+/=?`{\|}~^-]+(?:\\.[\\w!#$%&'*+/=?`{|}~^-]+)*@(?:[`
Comments	This regex implements standardised email address according to RFC 5322. More information on it in this Wikipedia article. Test cases demo. Web: Original implementation article by user557597. Android/iOS: Java email validation using regex
Error Message	Invalid entry. Email must be in the format of 'user@example.com'.



Generic

This input helper allows user to input any characters without any validation logic.

Pattern name	**InputHelperGeneric**

Properties	
Label	Label
Help text	Help text - show/hide as needed.
Keyboard	asciiCharacters
Capitalisation	none
Autofill Type	N/A
Spellchecking	no
Input validation	
Maximal Length	N/A (variable)
Character set	ASCIIPrintableCharacterSet
Required field	Required = True/False
(Error Text)	Required field.
Formatting	
Format	None
Chunking	No



Numeric

Numeric inputs have several validation parameters built in to help users prevent input errors, such as surfacing numeric keyboards and specifying minimum and/or maximum lengths of each input. A few inputs have additional rules built in to address common input errors such as Australia mobile prefixes and ABN validation.

Account Number (Legacy)

Legacy Consumer and Small Business customers can have Telstra Account numbers that are either 9, 10 or 13 digits long.

Pattern name	**InputHelperAccountNumberLegacy**
Properties	
Label	Account number
Help text	This is the account number found on your bill.
Keyboard	asciiNumbers
Capitalisation	none
Autofill Type	N/A
Spellchecking	no
Input validation	
Maximal Length	13
Character set	ASCIINumbersCharacterSet
Value validation	
Rule 1	
Type	Incorrect Length
Length required	[9, 10, 13]
Error Message	Invalid length. Account number must be 9, 10 or 13 digits.
Formatting	
	9 DIGITS
Format	Delimiter at positions 2, 7
Delimiter	Space [U+0020]
Unformatted example	123456789
Formatted example	12 34567 89
	10 DIGITS
Format	Delimiter at positions 3, 7



Delimiter	Space [U+0020]
Unformatted example	1234567890
Formatted example	123 4567 890
	13 DIGITS
Format	Delimiter at positions 4, 9
Delimiter	Space [U+0020]
Unformatted example	2000089896435
Formatted example	2000 08989 6435
Chunking	No

Account Number (13-digit)

Customers with a strategic (Salesforce) account will have a 13 digit account number

Pattern name	**InputHelperAccountNumber13**
Properties	
Label	Account number
Help text	This is the 13-digit number found on your bill.
Keyboard	asciiNumbers
Capitalisation	none
Autofill Type	n/a
Spellchecking	no
Input validation	
Maximal Length	13
Character set	ASCIINumbersCharacterSet
Value validation	
Rule 1	
Type	Minimal Length
Length required	13
Error Message	Invalid length. Account number must be 13 digits.
Formatting	
Format	Delimiter at positions 4, 9
Delimiter	Space [U+0020]
Unformatted example	2000089896435
Formatted example	2000 08989 6435
Chunking	Yes







Australian Business Number

The Australian Business Number (ABN) is a unique 11 digit identifier issued to all entities registered in the Australian Business Register.

Pattern name	**InputHelperABN**
Properties	
Label	Australian Business Number (ABN)
Help text	This is an 11-digit number.
Keyboard	asciiNumbers
Capitalisation	none
Autofill Type	N/A

Spellchecking	no
Input validation	
Maximal Length	11
Character set	ASCIINumbersCharacterSet
Value validation	
Rule 1	
Type	Verification
Verification algorithm	ABN verification algorithm
Error Message	Invalid number. The ABN entered is not recognised.
Formatting	
Format	Delimiters at positions 2, 5 and 8
Delimiter	Space [U+0020]
Unformatted example	51824753556
Formatted example	51 824 753 556
Chunking	Yes





Australian Contact Number

This field will accept any Australian number between 6 to 10 digits, including home, mobile and business numbers (e.g. 13xxxx, 1800xxx).

Pattern name	**InputHelperAustralianContactNumber**
Properties	
Label	Contact number
Help text	This must be an Australian phone number.
Keyboard	asciiNumbers
Capitalisation	none
Autofill Type	**Android:** AUTOFILL_HINT_PHONE_NATIONAL
	iOS: telephoneNumber
	Web: tel
Spellchecking	no
Input validation	
Maximal Length	10
Character set	ASCIINumbersCharacterSet
Required field	Required = True/False
(Error Text)	Required field.
Value validation	
Rule 1	
Type	Minimal Length
Length Required	6
Error Message	Invalid length. Contact number must be at least 6 digits.
Formatting	
Format	None
Chunking	None







Australian Home Number

This field will accept any Australian home phone number beginning with the following area codes: 02, 03, 07, 08.

Pattern name	**InputHelperAustralianHomePhoneNumber**
Properties	
Label	Home phone number
Help text	Include area code.
Keyboard	asciiNumbers
Capitalisation	none
Autofill Type	**Android:** AUTOFILL_HINT_PHONE_NATIONAL
	iOS: telephoneNumber
	Web: tel
Spellchecking	no
Input validation	
Maximal Length	10
Character set	ASCIINumbersCharacterSet
Required field	Required = True/False
(Error Text)	Required field.
Value validation	
Rule 1	
Type	Compulsory Prefix + Minimal Length
Prefix	02, 03, 07, 08
Length required	10
Error Message	Invalid entry. Home phone number must begin with area code and be 10 digits.
Formatting	
Format	Delimiter at positions 2 and 6
Delimiter	Space [U+0020]
Unformatted example	0288884444
Formatted example	02 8888 4444
Chunking	Yes



Australian Mobile Number

Australian mobile number without country code.

Pattern name	**InputHelperAustralianMobileNumber**
Properties	
Label	Mobile number
Help text	N/A
Keyboard	asciiNumbers
Capitalisation	none
Autofill Type	**Android:** AUTOFILL_HINT_PHONE_NATIONAL
	iOS: telephoneNumber
	Web: tel
Spellchecking	no
Input validation	
Maximal Length	10
Character set	ASCIINumbersCharacterSet
Value validation	
Rule 1	
Type	Compulsory Prefix + Minimal Length
Prefix	04



Length required	10
Error Message	Invalid entry. Mobile number must begin with '04' and be 10 digits.
Formatting	
Format	Delimiter at positions 4 and 7
Delimiter	Space [U+0020]
Unformatted example	0412345678
Formatted example	0412 345 678
Chunking	Yes

Mobile number

12345

Invalid entry. Mobile number must
with '04' and be 10 digits.

Bank Account Number

Pattern name	**InputHelperBankAccountNumber**
Properties	
Label	Account number
Help text	N/A
Keyboard	asciiNumbers
Capitalisation	none
Autocorrection	no
Spellchecking	no
Input validation	
Maximal Length	10
Character set	ASCIINumbersCharacterSet
Value validation	
Rule 1	
Type	Minimal Length
Length required	6
Error messaged	Invalid length. Account number must be at least 6 digits.
Formatting	
Format	Delimiter to split into groups of 3 to 4 characters, shorter group first.
Delimiter	Space [U+0020]
Unformatted example	6 numbers: 123456 7 numbers: 1234567 8 numbers: 12345678 9 numbers: 123456789 10 numbers: 123456790
Formatted example	6 numbers: 123 456 7 numbers: 123 4567 8 numbers: 1234 5678 9 numbers: 123 456 789 10 numbers: 123 456 7890
Chunking	No

Account number

Account number

Required field.

Account number

Invalid length. Account number mu
least 6 digits.

BSB Number

Pattern name	**InputHelperBSB**
Properties	
Label	BSB number
Help text	N/A

Keyboard	asciiNumbers
Capitalisation	none
Autofill Type	N/A
Spellchecking	no
Input validation	
Maximal Length	6
Character set	ASCIINumbersCharacterSet
Value validation	
Rule 1	
Type	Minimal Length
Length required	6
Error Message	Invalid length. BSB must be 6 digits.
Formatting	
Format	Delimiter at position 3
Delimiter	Hyphen-minus [U+002D]
Unformatted example	062000
Formatted example	062-000
Chunking	Yes

BSB number

BSB number

Required field.

BSB number

000

Invalid length. BSB must be 6 digit

Postcode

Valid for Australian post codes only.

Pattern name	**InputHelperPostcode**
Properties	
Label	Postcode
Help text	N/A
Keyboard	asciiNumbers
Capitalisation	none
Autofill Type	**Android:** AUTOFILL_HINT_POSTAL_CODE
	iOS: postalCode
	Web: postal-code
Spellchecking	no
Input validation	
Maximal Length	4
Character set	ASCIINumbersCharacterSet
Value validation	
Rule 1	
Type	Minimal Length
Length required	4
Error Message	Invalid length. Postcode must be 4 digits.
Formatting	
Format	None
Chunking	No

Postcode

Postcode

Required field.

Postcode

200

Invalid length. Postcode must be 4

Card Number

For credit and debit cards. Note: Telstra accepts Mastercard, Visa, Amex and Diner's Club (Source).

Pattern name	**InputHelperCardNumber**			
Properties				
Label	Card number			
Help text	We accept Mastercard, Visa, Amex and Diners Club.			
Keyboard	asciiNumbers			
Capitalisation	none			
Autofill Type	**Android:** AUTOFILL_HINT_CREDIT_CARD_NUMBER			
	iOS: creditCardNumber			
	Web: cc-number			
Spellchecking	no			
Input validation				
Maximal Length	16			
Character set	ASCIINumbersCharacterSet			
Value validation				
Rule 1				
Type	Card number verification			
Verification/Checksum	Luhn algorithm			
Error Message	Invalid entry. Please check you've entered the card numbers correctly.			
Rule 2				
Type	Card type verification (IIN prefix, minimal length)			
Card type	Amex	Mastercard	Visa	Diners Cl
Prefix (IIN)	34, 37	2221-2720, 51-55	4	300-305,
Length required	15	16	16	14
Error Message	Invalid card type. Please enter a different card.			
Formatting				
	AMEX / Diners Club			
Format	Delimiters at positions 4, 10			
Delimiter	Space [U+0020]			
Unformatted example	378282246310005			
Formatted example	3782 822463 10005			
	Visa / Mastercard			
Format	Delimiters at positions 4, 8, 12			
Delimiter	Space [U+0020]			
Unformatted example	5105105105105100			
Formatted example	5105 1051 0510 5100			
	Invalid cards			
Format	Delimiters at positions 4, 8, 12			
Delimiter	Space [U+0020]			
Unformatted example	1111222233335555			
Formatted example	1111 2222 3333 5555			
Chunking	Yes			

Card number

We accept Mastercard, Visa, Amex anc
Club.

Card number

We accept Mastercard, Visa, Amex and
Club.

Required field.

Card number

We accept Mastercard, Visa, Amex and
Club.

00000000000

Invalid entry. The number entered i
recognised.

Card number

We accept Mastercard, Visa, Amex and
Club.

00000000000

Invalid card. This card type is not a

Security Code

Used to verify credit and debit cards.

Pattern name	**InputHelperCardSecurityCode**
Properties	
Label	Security code

Help text	This is a 3 or 4-digit number on your card.
Keyboard	asciiNumbers
Capitalisation	none
Autofill Type	**Android:** AUTOFILL_HINT_CREDIT_CARD_SECURITY_CODE
	iOS: N/A
	Web: cc-csc
Spellchecking	no
Input validation	
Maximal Length	4
Character set	ASCIINumbersCharacterSet
Required field	Required = True/False
(Error Text)	Required field.
Value validation	
Rule 1	
Type	Minimal Length
Length required	3
Error Message	Invalid length. Security code must be 3 or 4 digits.
Formatting	
Format	None
Chunking	No

Security code

This is a 3 or 4-digit number on your c

Security code

This is a 3 or 4-digit number on your ca

Required field.

Security code

This is a 3 or 4-digit number on your ca

00

Invalid length. Security code must
digits.

Contributed Input Helpers

These input helpers have been created by other feature teams and brought into the Able library as a reusable component. If you have any questions regarding one of these input helpers, please reach out to the owner.

SIM Number

Owner: @Victor Te

Pattern name	**InputHelperSIMNumber**
Properties	
Label	SIM number
Help text	A SIM number is 13 digits found on the back of the SIM.
Keyboard	asciiNumbers
Capitalisation	none
Autofill Type	**Android:** N/A
	iOS: N/A
	Web: N/A
Spellchecking	no
Input validation	
Maximal Length	13
Character set	ASCIINumbersCharacterSet
Required field	Required = True/False
(Error Text)	Required field.
Value validation	
Rule 1	
Type	Minimal Length
Length required	13
Error Message	Invalid length. A SIM number is 13 digits found on the back of the SIM.
Formatting	

SIM number

A SIM number is 13 digits found on the
the SIM.

SIM number

A SIM number is 13 digits found on the
the SIM.

Input value

Invalid length. A SIM number is 13
found on the back of the SIM.

SIM number

A SIM number is 13 digits found on the
the SIM.

Input value

Required field.

Format	None
Chunking	No

Website Address

Owner: @Rihana Ries

Pattern name	**InputHelperWebsiteAddress**
Properties	
Label	Website address
Help text	N/A
Keyboard	email
Capitalisation	none
Autofill Type	**Android:** N/A
	iOS: N/A
	Web: N/A
Spellchecking	no
Input validation	
Character set	ASCIIPrintableCharacterSet
Required field	Required = True/False
(Error Text)	Required field.
Value validation	
Rule 1	
Type	Valid website format
Regex (iOS)	"^(https?://)?(www\\.)?([-a-z0-9]{1,63}\\.)*?[a-z0-9-]{0,61}[a-z0-9]\\.[a-z]{2,6}(/[-\\w@\\+\\.~#\\?&/=%]*)?$"
Error Message	Invalid entry. Website must be in the format of 'example.com'.
Formatting	
Format	None

Website address

Website address

Input value

Required field.

Website address

Input value

Invalid entry. Website must be in th
of 'example.com'.

No labels

Atlassian