LogiPeek API

Version 1.0.0 | OpenAPI 3.0.3

`Base URL: https://api.vigo.uz`

Generated 10/11/2026, 8:26:33 PM

LogiPeek Backend API

210 endpoints in 45 groups

Authentication

POST `/api/v1/auth/change-password/`

Change Password

Change the authenticated user's password. Requires the current password for verification.

Request body

`application/json - ChangePassword`

Responses

`200`

POST `/api/v1/auth/forgot-password/`

Forgot Password

If an account exists for the provided phone number, a one-time password (OTP) will be sent to reset the account password. For security reasons, this endpoint always returns the same success response regardless of whether the phone number is registered.

Request body

`application/json - ForgotPassword`

Responses

`200`
`400 - Validation error.`

POST `/api/v1/auth/login/`

Login

Authenticate a user using their phone number and password. Returns the authenticated user's information together with a JWT access/refresh token pair.

Request body

`application/json - Login`

Responses

`200`
`400 - Validation error.`
`401 - Invalid credentials or inactive account.`

POST `/api/v1/auth/logout/`

Logout

Invalidate a refresh token and log the user out. After logout, the supplied refresh token can no longer be used to obtain new access tokens.

Request body

`application/json - Logout`

Responses

`200`

POST `/api/v1/auth/refresh/`

Refresh Access Token

Generate a new JWT access token using a valid refresh token. The refresh token is rotated and blacklisted on use (`ROTATE_REFRESH_TOKENS` + `BLACKLIST_AFTER_ROTATION`), so the response includes both the new access token and the new refresh token - the client must persist both.

Request body

`application/json - Refresh`

Responses

`200`
`401 - No response body`

POST `/api/v1/auth/register/`

Create Account

Create a new user account after successful OTP verification. Returns the created user together with an access/refresh JWT token pair.

Request body

`application/json - CreateAccount`

Responses

`201`

POST `/api/v1/auth/register/start/`

Start Registration

Start the registration process by sending a one-time password (OTP) to the supplied phone number. The OTP must be verified before the account can be created.

Request body

`application/json - RegisterStart`

Responses

`200`
`400`
`503`

POST `/api/v1/auth/register/verify/`

Verify Registration OTP

Verify the one-time password (OTP) sent to the user's phone number. After successful verification, the client may proceed with account creation.

Request body

`application/json - VerifyOTP`

Responses

`200`

POST `/api/v1/auth/reset-password/`

Reset Password

Reset a user's password using a valid one-time password (OTP). The OTP must have been obtained through the **Forgot Password** endpoint before calling this endpoint.

Request body

`application/json - ResetPassword`

Responses

`200`

Billing

GET /api/v1/billing/payment-card/

Get Payment Card Details

Return the card to transfer subscription payments to, together with the short instruction note set by an admin. Answers 409 while no card is configured or the configured one has been deactivated - there is no fallback destination to offer, so the payment flow has to stop rather than show an empty card number.

Responses

200
409 - No active payment card is configured.

GET /api/v1/billing/payments/

List all payments belonging to the authenticated user.

Responses

200

GET /api/v1/billing/payments/{payment_id}/

Retrieve a single payment.

Parameters

payment_id - path, string (uuid) - required

Responses

200

POST /api/v1/billing/payments/{payment_id}/initialize/

Pay A Pending Payment

Register a pending payment with the payment gateway and return a fresh payment_url to redirect the user to. Safe to call again if a previous payment_url has gone stale (e.g. its provider session expired) - each call re-registers and returns a new one.

Parameters

payment_id - path, string (uuid) - required

Responses

200 - Payment registered with the gateway.
400 - Payment is not pending.
404 - Requested resource not found.

POST /api/v1/billing/payments/{payment_id}/receipt/

Upload Payment Receipt

Attach a photo or screenshot of the bank transfer to one of the caller's own card-transfer payments, which moves it to `awaiting_review`. Also accepted for a payment that was previously rejected: the payer answers a rejection by uploading a corrected receipt against the same payment, so each payment can carry several receipts and the last one is the one under review.

Parameters

payment_id - path, string (uuid) - required

Request body

multipart/form-data - PaymentReceiptUpload

Responses

201 - Receipt uploaded and queued for review.
400 - Unsupported image, or this payment is not waiting for a receipt.
404 - Requested resource not found.

GET /api/v1/billing/receipts/{receipt_id}/file/

Download Payment Receipt

Serve the receipt image uploaded against a card-transfer payment. Readable by the payer themselves and by staff who can view payments; anyone else gets a 403.

Parameters

receipt_id - path, string (uuid) - required

Responses

200 - Receipt image.
403 - Permission denied.
404 - Requested resource not found.

Billing Settings

GET /api/v1/billing/settings/

Get Billing Settings

Retrieve the authenticated user's billing configuration. Returns the current billing mode, subscription status, and active plan.

Responses

200
401 - Authentication credentials were not provided.

PATCH /api/v1/billing/settings/

Update Billing Settings

Update the authenticated user's billing mode. Only cargo owners can update their billing mode. Drivers always use subscriptions and cannot change this setting. Available modes: - subscription: Pay a recurring fee for unlimited listings - pay_per_listing: Pay a commission fee for each accepted listing

Request body

application/json - PatchedBillingSettingsUpdate

Responses

200
400 - Validation error or business rule violation.
401 - Authentication credentials were not provided.
403 - Only cargo owners can update billing settings.

Booking Documents

GET /api/v1/bookings/{booking_id}/documents/

List Booking Document Evidence

List immutable document evidence for a visible booking.

Parameters

booking_id - path, string (uuid) - required

Responses

200

GET /api/v1/bookings/{booking_id}/documents/{document_id}/file/

Download Booking Document Evidence

Serve booking-owned snapshot evidence after authorization.

Parameters

booking_id - path, string (uuid) - required
document_id - path, string (uuid) - required

Responses

200 - Immutable booking evidence file.
404 - Booking, evidence, or snapshot file not found.

Booking Events

GET /api/v1/bookings/{booking_id}/events/

List Booking Events

Retrieve the complete activity history for a booking. Events include booking status changes and other important actions performed during the booking lifecycle.

Parameters

booking_id - path, string (uuid) - required

Responses

200

Booking Lifecycle

POST `/api/v1/bookings/{booking_id}/cancel/`

Cancel Booking

Cancel a booking before it is completed. Only users who have permission to manage the booking may perform this action.

Parameters

booking_id - path, string (uuid) - required

Responses

200
403 - Permission denied.
404 - Requested resource not found.

POST `/api/v1/bookings/{booking_id}/complete/`

Complete Booking

Finalize the booking after the cargo owner confirms successful delivery. This is the final step in the booking workflow.

Parameters

booking_id - path, string (uuid) - required

Responses

200
403 - Permission denied.
404 - Requested resource not found.

POST `/api/v1/bookings/{booking_id}/mark-delivered/`

Mark Delivered

Confirm that the cargo has been delivered to its destination. Requires a photo of the delivered cargo and the recipient's signature as proof of delivery.

Parameters

booking_id - path, string (uuid) - required

Request body

application/json - MarkDelivered

Responses

200
400 - No response body
403 - Permission denied.
404 - Requested resource not found.

POST `/api/v1/bookings/{booking_id}/pickup-cargo/`

Pickup Cargo

Confirm that the cargo has been collected from the sender. Requires a photo of the cargo taken at the pickup location as proof of pickup.

Parameters

booking_id - path, string (uuid) - required

Request body

application/json - PickupCargo

Responses

200
400 - No response body
403 - Permission denied.
404 - Requested resource not found.

POST /api/v1/bookings/{booking_id}/start-delivery/

Start Delivery

Begin transporting the cargo to the destination.

Parameters

booking_id - path, string (uuid) - required

Responses

200
403 - Permission denied.
404 - Requested resource not found.

POST /api/v1/bookings/{booking_id}/start-trip/

Start Trip

Mark the booking as started. Called by the assigned driver when leaving for the cargo pickup location.

Parameters

booking_id - path, string (uuid) - required

Responses

200
403 - Permission denied.
404 - Requested resource not found.

Bookings

GET /api/v1/bookings/

List Bookings

Retrieve all bookings associated with the authenticated user. Drivers receive bookings assigned to them, while cargo owners receive bookings created from their cargo listings.

Responses

200

GET /api/v1/bookings/{booking_id}/

Retrieve Booking

Retrieve detailed information about a specific booking that belongs to the authenticated user.

Parameters

booking_id - path, string (uuid) - required

Responses

200

GET /api/v1/bookings/{booking_id}/media/{media_kind}/

Retrieve Booking Proof Media

Serve private lifecycle proof images to booking participants.

Parameters

booking_id - path, string (uuid) - required
media_kind - path, string - required

Responses

200 - Booking proof image.
404 - Booking or proof image not found.

Cargo Offers

GET /api/v1/bookings/listings/{listing_id}/offers/

List Offers Sent For A Listing

Parameters

listing_id - path, string (uuid) - required

Responses

200

GET /api/v1/bookings/offers/

List Offers I've Received

Retrieve all cargo offers sent to the authenticated driver.

Responses

200

POST /api/v1/bookings/offers/

Send Offer To A Driver

Send a direct offer for one of your cargo listings to a specific driver.

Request body

application/json - CargoOfferCreate

Responses

201
400 - Offer cannot be created.

DELETE /api/v1/bookings/offers/{offer_id}/

Withdraw Offer

Withdraw a previously sent offer.

Parameters

offer_id - path, string (uuid) - required

Responses

200
400 - Offer cannot be withdrawn.
404 - Requested resource not found.

PATCH /api/v1/bookings/offers/{offer_id}/accept/

Accept Offer

Accept an owner's offer. The owner already committed to this driver by sending the offer, so a real booking (booking_id) is created immediately regardless of billing mode - the driver can go now. No second owner confirmation and no payment step ever blocks this response. requires_payment reflects whether the owner still owes a platform fee for this booking (pay-per-listing only) - informational for the driver, who never sees a payment_url. The owner settles it afterwards from their own Payments screen.

Parameters

offer_id - path, string (uuid) - required

Request body

application/json - PatchedCargoOfferAccept

Responses

200
400 - Offer cannot be accepted.
403 - Permission denied.
404 - Requested resource not found.

PATCH /api/v1/bookings/offers/{offer_id}/reject/

Reject Offer

Parameters

offer_id - path, string (uuid) - required

Responses

200
400 - Offer cannot be rejected.
404 - Requested resource not found.

GET `/api/v1/bookings/offers/sent/`

List All Offers I've Sent

Retrieve every cargo offer the authenticated owner has sent, across all of their listings.

Responses

200

Cargo Owner

GET `/api/v1/cargo/profile/`

Retrieve Cargo Owner Profile

Retrieve the authenticated cargo owner's profile.

Responses

200

PATCH `/api/v1/cargo/profile/`

Update Cargo Owner Profile

Update the authenticated cargo owner's profile. Only the supplied fields are modified.

Request body

application/json - PatchedCargoOwnerProfileUpdate

Responses

200

Cargo Owner Applications

PATCH `/api/v1/bookings/applications/{application_id}/accept/`

Accept Driver Application

Accept a driver's application. Subscription users immediately receive a booking. Pay-per-listing users receive a payment URL. The booking is created after the payment succeeds.

Parameters

application_id - path, string (uuid) - required

Responses

200
400 - Application cannot be accepted.
403 - Permission denied.
404 - Requested resource not found.

PATCH `/api/v1/bookings/applications/{application_id}/reject/`

Reject Driver Application

Reject a driver's application for the cargo listing. Rejected applications cannot be accepted unless a new application is submitted.

Parameters

application_id - path, string (uuid) - required

Responses

200
400 - Application cannot be rejected.
403 - Permission denied.
404 - Requested resource not found.

GET `/api/v1/bookings/listings/{listing_id}/applications/`

List Listing Applications

Retrieve all driver applications submitted for a cargo listing. Used by cargo owners to review available drivers before making a selection.

Parameters

listing_id - path, string (uuid) - required

Responses

200

Chat

`GET` `/api/v1/chat/bookings/{booking_id}/block/`

Get Chat Block Status

Whether the authenticated user has blocked this booking's other participant.

Parameters

booking_id - path, string (uuid) - required

Responses

200
404 - Requested resource not found.

`POST` `/api/v1/chat/bookings/{booking_id}/block/`

Block Chat Counterpart

Block the other participant in this booking from messaging the authenticated user.

Parameters

booking_id - path, string (uuid) - required

Responses

204 - No response body
404 - Requested resource not found.

`DELETE` `/api/v1/chat/bookings/{booking_id}/block/`

Unblock Chat Counterpart

Unblock the other participant in this booking.

Parameters

booking_id - path, string (uuid) - required

Responses

204 - No response body
404 - Requested resource not found.

`GET` `/api/v1/chat/bookings/{booking_id}/messages/`

List Chat Messages

Retrieve all messages exchanged for a booking. Only participants of the booking are allowed to access the conversation.

Parameters

booking_id - path, string (uuid) - required

Responses

200
404 - Requested resource not found.

`PATCH` `/api/v1/chat/bookings/{booking_id}/messages/{message_id}/`

Edit Chat Message

Edit the text of a message. Only the original sender may edit their own message.

Parameters

booking_id - path, string (uuid) - required
message_id - path, string (uuid) - required

Request body

application/json - PatchedUpdateMessage

Responses

200
400 - Validation error.
403 - Permission denied.

404 - Requested resource not found.

DELETE /api/v1/chat/bookings/{booking_id}/messages/{message_id}/

Delete Chat Message

Delete a message. Only the original sender may delete their own message.

Parameters

booking_id - path, string (uuid) - required
message_id - path, string (uuid) - required

Responses

204 - No response body
403 - Permission denied.
404 - Requested resource not found.

GET /api/v1/chat/bookings/{booking_id}/messages/{message_id}/image/

Retrieve Chat Message Image

Serve a chat message's image to the two booking participants only.

Parameters

booking_id - path, string (uuid) - required
message_id - path, string (uuid) - required

Responses

200 - Chat message image.
404 - Requested resource not found.

POST /api/v1/chat/bookings/{booking_id}/messages/read/

Mark Chat Messages Read

Mark all of the other participant's unread messages in this booking's chat as read. Only participants of the booking are allowed to call this.

Parameters

booking_id - path, string (uuid) - required

Responses

204 - No response body
404 - Requested resource not found.

POST /api/v1/chat/bookings/{booking_id}/messages/send/

Send Chat Message

Send a new message in the booking chat. Only participants of the booking are allowed to send messages.

Parameters

booking_id - path, string (uuid) - required

Request body

application/json - SendMessage

Responses

201
400 - Validation error.
404 - Requested resource not found.

POST /api/v1/chat/bookings/{booking_id}/messages/unread/

Mark Chat Messages Unread

Mark all of the other participant's messages in this booking's chat as unread. Only participants of the booking are allowed to call this.

Parameters

booking_id - path, string (uuid) - required

Responses

204 - No response body
404 - Requested resource not found.

GET /api/v1/chat/bookings/{booking_id}/mute/

Get Chat Mute Status

Whether the authenticated user has muted this booking's other participant.

Parameters

booking_id - path, string (uuid) - required

Responses

200
404 - Requested resource not found.

POST /api/v1/chat/bookings/{booking_id}/mute/

Mute Chat Counterpart

Silence push notifications for messages from this booking's other participant.

Parameters

booking_id - path, string (uuid) - required

Responses

204 - No response body
404 - Requested resource not found.

DELETE /api/v1/chat/bookings/{booking_id}/mute/

Unmute Chat Counterpart

Restore push notifications for this booking's other participant.

Parameters

booking_id - path, string (uuid) - required

Responses

204 - No response body
404 - Requested resource not found.

Document Review

PATCH /api/v1/documents/{document_id}/review/

Review Document

Approve or reject an uploaded document. Only authorized staff members with verification management permission can access this endpoint.

Parameters

document_id - path, string (uuid) - required

Request body

application/json - PatchedDocumentReview

Responses

200
400 - Invalid review request.
403 - Permission denied.
404 - Requested resource not found.

GET /api/v1/documents/review/

List all documents waiting for staff review.

Responses

200

Documents

GET /api/v1/documents/

List Documents

Retrieve all documents uploaded by the authenticated user.

Responses

200

POST /api/v1/documents/

Upload Document

Upload or replace a verification document.

Request body

application/json - DocumentUpload

Responses

201
400 - Invalid document.

GET /api/v1/documents/{document_id}/

Retrieve Document

Retrieve or delete a document.

Parameters

document_id - path, string (uuid) - required

Responses

200
404 - Requested resource not found.

DELETE /api/v1/documents/{document_id}/

Delete Document

Retrieve or delete a document.

Parameters

document_id - path, string (uuid) - required

Responses

204 - Document deleted.
403 - Permission denied.
404 - Requested resource not found.

GET /api/v1/documents/{document_id}/file/

Download Document

Serve the uploaded file for the specified document. Only the document owner or authorized verification staff can access this file.

Parameters

document_id - path, string (uuid) - required

Responses

200 - Document file.
403 - Permission denied.
404 - Requested resource not found.

Driver Applications

GET /api/v1/bookings/applications/

List My Applications

Retrieve all cargo applications submitted by the authenticated driver.

Responses

200

POST /api/v1/bookings/applications/

Create Application

Submit an application for a marketplace cargo listing. Only drivers can create applications. Applications require currently available shipment documents; failures return ``missing_listing_documents`` and ``expired_listing_documents``.

Request body

application/json - DriverApplicationCreate

Responses

201
400 - Application cannot be created.

DELETE /api/v1/bookings/applications/{application_id}/

Cancel Application

Withdraw a previously submitted driver application.

Parameters

application_id - path, string (uuid) - required

Responses

200
400 - Application cannot be cancelled.
404 - Requested resource not found.

Driver Documents

GET /api/v1/drivers/documents/

List Driver Documents

Retrieve all verification documents uploaded by the authenticated driver.

Responses

200

POST /api/v1/drivers/documents/

Upload Driver Document

Upload a new verification document for the authenticated driver.

Request body

application/json - DriverDocumentCreate

Responses

201
400 - Validation error.

PATCH /api/v1/drivers/documents/{id}/

Update Driver Document

Update an uploaded verification document. Only the provided fields are updated.

Parameters

id - path, string (uuid) - required

Request body

application/json - PatchedDriverDocumentCreate

Responses

200
400 - Validation error.
404 - Requested resource not found.

DELETE /api/v1/drivers/documents/{id}/

Delete Driver Document

Delete one of the authenticated driver's uploaded verification documents.

Parameters

id - path, string (uuid) - required

Responses

204 - Document deleted successfully.
404 - Requested resource not found.

Drivers

GET /api/v1/drivers/availability/

Retrieve My Availability

Retrieve the authenticated driver's current online/offline state and last-known position.

Responses

200

PATCH /api/v1/drivers/availability/

Toggle Availability

Go online or offline on the cargo owners' drivers map. Going online requires a current position (latitude/longitude).

Request body

application/json - PatchedDriverAvailabilityUpdate

Responses

200

POST /api/v1/drivers/availability/ping/

Update My Position

Update the authenticated driver's last-known position while online. Fails if the driver isn't currently online.

Request body

application/json - DriverAvailabilityPing

Responses

200

GET /api/v1/drivers/profile/

Retrieve Driver Profile

Retrieve the authenticated driver's profile information.

Responses

200

PATCH /api/v1/drivers/profile/

Update Driver Profile

Update the authenticated driver's profile information. Only the provided fields are updated.

Request body

application/json - PatchedDriverProfileUpdate

Responses

200

GET /api/v1/drivers/route-preferences/

List My Route Preferences

Retrieve the authenticated driver's saved routes - the directions they're currently searching cargo along, shown to cargo owners on the drivers map.

Responses

200

POST /api/v1/drivers/route-preferences/

Add Route Preference

Request body

application/json - DriverRoutePreferenceCreate

Responses

201

`DELETE` `/api/v1/drivers/route-preferences/{preference_id}/`

Remove Route Preference

Parameters

preference_id - path, string (uuid) - required

Responses

204 - No response body

Health

`GET` `/api/health/`

Responses

200
503

Listing Document Requirements

`GET` `/api/v1/cargo/my-listings/{listing_id}/document-requirements/`

Parameters

listing_id - path, string (uuid) - required

Responses

200

`GET` `/api/v1/cargo/my-listings/document-requirements/preview/`

Lets the create-listing wizard preview which listing documents a cargo_type/route/ food_subtype combination will need before the listing itself exists - no listing_id, since the two view above this one both require an already-persisted listing.

Parameters

cargo_type - query, string - required
destination_country - query, string - required
food_subtype - query, string
origin_country - query, string - required

Responses

200

Listing Documents

`GET` `/api/v1/cargo/my-listings/{listing_id}/documents/`

List My Listing Documents

List and upload shipment documents for one owned cargo listing.

Parameters

listing_id - path, string (uuid) - required

Responses

200

`POST` `/api/v1/cargo/my-listings/{listing_id}/documents/`

Upload Listing Document

List and upload shipment documents for one owned cargo listing.

Parameters

listing_id - path, string (uuid) - required

Request body

application/json - ListingDocumentCreate

Responses

201
400 - Validation error.
404 - Requested resource not found.

GET /api/v1/cargo/my-listings/{listing_id}/documents/{document_id}/

Retrieve My Listing Document

Read, replace, or delete one shipment document on an owned listing.

Parameters

document_id - path, string (uuid) - required
listing_id - path, string (uuid) - required

Responses

200
404 - Requested resource not found.

PATCH /api/v1/cargo/my-listings/{listing_id}/documents/{document_id}/

Replace My Listing Document

Read, replace, or delete one shipment document on an owned listing.

Parameters

document_id - path, string (uuid) - required
listing_id - path, string (uuid) - required

Request body

application/json - PatchedListingDocumentUpdate

Responses

200
400 - Validation error.
404 - Requested resource not found.

DELETE /api/v1/cargo/my-listings/{listing_id}/documents/{document_id}/

Delete My Listing Document

Read, replace, or delete one shipment document on an owned listing.

Parameters

document_id - path, string (uuid) - required
listing_id - path, string (uuid) - required

Responses

204 - Listing document deleted.
404 - Requested resource not found.

GET /api/v1/cargo/my-listings/{listing_id}/documents/{document_id}/file/

Download My Listing Document

Serve shipment files only to the cargo owner of the parent listing.

Parameters

document_id - path, string (uuid) - required
listing_id - path, string (uuid) - required

Responses

200 - Listing document file.
404 - Requested resource not found.

Marketplace

GET /api/v1/cargo/marketplace/listings/

List Marketplace Listings

Retrieve all publicly available cargo listings. Supports filtering using the available marketplace query parameters.

Parameters

cargo_type - query, string
destination - query, string
match_my_routes - query, boolean
max_price - query, number
max_weight - query, number
min_price - query, number
min_weight - query, number
origin - query, string
pickup_date - query, string (date)

Responses

200

GET /api/v1/cargo/marketplace/listings/{listing_id}/

Retrieve Marketplace Listing

Retrieve detailed information about a marketplace cargo listing.

Parameters

listing_id - path, string (uuid) - required

Responses

200
404 - Requested resource not found.

GET /api/v1/cargo/marketplace/listings/{listing_id}/document-requirements/

Parameters

listing_id - path, string (uuid) - required

Responses

200

GET /api/v1/drivers/marketplace/

List Drivers On The Map

Retrieve every driver currently visible to cargo owners: online, recently seen, and not already busy on another booking. No proximity/radius filtering - every visible driver is returned.

Responses

200

GET /api/v1/drivers/marketplace/{driver_id}/

Get A Driver's Profile

Retrieve a driver's full profile - vehicle details, verification status, completed trip count, and current route preferences. Only viewable by a cargo owner who has a real relationship with this driver (an application to one of their listings, or an offer they sent), same as saving a driver.

Parameters

driver_id - path, string (uuid) - required

Responses

200

My Listings

GET /api/v1/cargo/my-listings/

List My Cargo Listings

Retrieve all cargo listings created by the authenticated cargo owner.

Responses

200

POST /api/v1/cargo/my-listings/

Create Cargo Listing

Create a new cargo listing for the authenticated cargo owner. Requires billing mode to be configured. If not configured, returns 422 with billing_configuration_required error code.

Request body

application/json - CargoListingCreate

Responses

201
400 - Validation error.
422 - Billing configuration required

GET /api/v1/cargo/my-listings/{listing_id}/

Retrieve Cargo Listing

Retrieve one of the authenticated cargo owner's cargo listings.

Parameters

listing_id - path, string (uuid) - required

Responses

200
404 - Requested resource not found.

PATCH /api/v1/cargo/my-listings/{listing_id}/

Update Cargo Listing

Update an existing cargo listing owned by the authenticated cargo owner. Only the fields provided in the request are updated.

Parameters

listing_id - path, string (uuid) - required

Request body

application/json - PatchedCargoListingUpdate

Responses

200
400 - Validation error.
404 - Requested resource not found.

DELETE /api/v1/cargo/my-listings/{listing_id}/

Delete Cargo Listing

Delete one of the authenticated cargo owner's cargo listings.

Parameters

listing_id - path, string (uuid) - required

Responses

204 - Cargo listing deleted successfully. No response body is returned.
404 - Requested resource not found.

Notifications

GET /api/v1/notifications/

Responses

200

PATCH /api/v1/notifications/{notification_id}/read/

Mark Notification As Read

Mark a notification as read.

Parameters

notification_id - path, string (uuid) - required

Responses

200
404 - Requested resource not found.

POST /api/v1/notifications/device-tokens/

Register Device Token

Register (or reassign, if the token already belongs to another user - e.g. a shared device that logged into a different account) an Expo push token for the authenticated user.

Request body

application/json - RegisterDeviceToken

Responses

204 - No response body

DELETE /api/v1/notifications/device-tokens/

Unregister Device Token

Remove a push token for the authenticated user, e.g. on logout so a shared device stops receiving pushes for an account nobody is signed into anymore.

Responses

204 - No response body

GET /api/v1/notifications/preferences/

Get Notification Preferences

Retrieve the authenticated user's notification preferences. Auto-creates a default (all enabled) row on first access.

Responses

200

PATCH /api/v1/notifications/preferences/

Update Notification Preferences

Update one or more of the authenticated user's notification preferences.

Request body

application/json - PatchedNotificationPreferenceUpdate

Responses

200

PATCH /api/v1/notifications/read-all/

Mark All Notifications As Read

Mark all unread notifications as read.

Responses

200

GET /api/v1/notifications/unread-count/

Unread Notification Count

Retrieve the number of unread notifications for the authenticated user.

Responses

200

Reviews

POST /api/v1/reviews/

Create review

Creates a review for the other participant after a completed booking.

Request body

application/json - ReviewCreate

Responses

201
400 - Validation error.
401 - Authentication required.
403 - Permission denied.

GET /api/v1/reviews/me/

List my reviews

Returns all reviews received by the authenticated user.

Responses

200
401 - Authentication required.

GET /api/v1/reviews/user/{user_id}/

Get user reviews

Returns review statistics and all public reviews for the specified user.

Parameters

user_id - path, string - required

Responses

200
401 - Authentication required.
404 - Requested resource not found.

Saved Cargo

GET /api/v1/favorites/cargo/

List Saved Cargo

Retrieve all cargo listings saved (bookmarked) by the authenticated driver, newest first.

Responses

200

POST /api/v1/favorites/cargo/

Save Cargo Listing

Save a marketplace cargo listing for the authenticated driver. Idempotent: saving an already-saved listing returns the existing record.

Request body

application/json - SavedCargoListingCreate

Responses

201
404 - Requested resource not found.

DELETE /api/v1/favorites/cargo/{listing_id}/

Unsave Cargo Listing

Remove a previously saved cargo listing for the authenticated driver.

Parameters

listing_id - path, string (uuid) - required

Responses

204 - No response body
404 - Requested resource not found.

Saved Drivers

GET /api/v1/favorites/drivers/

List Saved Drivers

Retrieve all drivers saved (bookmarked) by the authenticated cargo owner, newest first.

Responses

200

POST /api/v1/favorites/drivers/

Save Driver

Save a driver for the authenticated cargo owner. Only drivers who have applied to one of the owner's listings can be saved.

Request body

application/json - SavedDriverCreate

Responses

201
400 - No relationship with this driver.

DELETE /api/v1/favorites/drivers/{driver_id}/

Unsave Driver

Remove a previously saved driver for the authenticated cargo owner.

Parameters

driver_id - path, string (uuid) - required

Responses

204 - No response body
404 - Requested resource not found.

schema

GET /api/schema/

OpenApi3 schema for this API. Format can be selected via content negotiation. - YAML: application/vnd.oai.openapi - JSON: application/vnd.oai.openapi+json

Parameters

format - query, string
lang - query, string

Responses

200

Staff

GET /api/v1/staff/departments/

List departments

Retrieve a list of all departments.

Parameters

is_active - query, boolean
page - query, integer
page_size - query, integer

Responses

200
401 - Authentication credentials were not provided.
403 - Permission denied.

GET /api/v1/staff/departments/{id}/

Retrieve department

Retrieve a department by its ID.

Parameters

id - path, string (uuid) - required

Responses

200
401 - Authentication credentials were not provided.
403 - Permission denied.
404 - Department not found.

DELETE `/api/v1/staff/departments/{id}/delete/`

Delete department

Delete a department. Use this endpoint only if departments are intended to be permanently removed from the system.

Parameters

id - path, string (uuid) - required

Responses

204 - Department deleted successfully.
401 - Authentication credentials were not provided.
403 - Permission denied.
404 - Department not found.

PATCH `/api/v1/staff/departments/{id}/update/`

Update department

Partially update a department.

Parameters

id - path, string (uuid) - required

Request body

application/json - PatchedDepartmentUpdate

Responses

200
400 - Validation error.
401 - Authentication credentials were not provided.
403 - Permission denied.
404 - Department not found.

POST `/api/v1/staff/departments/create/`

Create department

Create a new department.

Request body

application/json - DepartmentCreate

Responses

201
400 - Validation error.
401 - Authentication credentials were not provided.
403 - Permission denied.

GET `/api/v1/staff/groups/`

List staff groups

Returns the assignable staff groups used when creating a staff invitation. Only users allowed to manage invitations can read this.

Responses

200
401 - Authentication credentials were not provided.
403 - Permission denied.

POST /api/v1/staff/login/

Staff Login

Authenticate a staff/super_admin user using their phone number and password. Returns the authenticated user's information together with a JWT access/refresh token pair. Accounts that aren't role=staff or role=super_admin are rejected, even with a correct password.

Request body

application/json - Login

Responses

200
400 - Validation error.
401 - Invalid credentials or inactive account.
403 - This account does not have staff access.

GET /api/v1/staff/staff-members/

List staff members

Retrieve a list of all staff members.

Parameters

department - query, string (uuid)
hired_after - query, string (date)
hired_before - query, string (date)
is_active - query, boolean
job_title - query, string
page - query, integer
page_size - query, integer

Responses

200
401 - Authentication credentials were not provided.
403 - Permission denied.

GET /api/v1/staff/staff-members/{id}/

Retrieve staff member

Retrieve a staff member by ID.

Parameters

id - path, string (uuid) - required

Responses

200
401 - Authentication credentials were not provided.
403 - Permission denied.
404 - Staff member not found.

DELETE /api/v1/staff/staff-members/{id}/delete/

Delete staff member

Delete a staff member from the system.

Parameters

id - path, string (uuid) - required

Responses

204 - Staff member deleted successfully.
401 - Authentication credentials were not provided.
403 - Permission denied.
404 - Staff member not found.

PATCH /api/v1/staff/staff-members/{id}/update/

Update staff member

Partially update a staff member.

Parameters

id - path, string (uuid) - required

Request body

application/json - PatchedStaffMemberUpdate

Responses

200
400 - Validation error.
401 - Authentication credentials were not provided.
403 - Permission denied.
404 - Staff member not found.

`POST` `/api/v1/staff/staff-members/create/`

Create staff member

Create a new staff member.

Request body

application/json - StaffMemberCreate

Responses

201
400 - Validation error.
401 - Authentication credentials were not provided.
403 - Permission denied.

Staff Invitations

`GET` `/api/v1/staff/invitations/`

List staff invitations

Returns all staff invitations ordered from newest to oldest.

Parameters

page - query, integer
page_size - query, integer
search - query, string
status - query, string

Responses

200
401 - Authentication credentials were not provided.
403 - Permission denied.

`GET` `/api/v1/staff/invitations/{id}/`

Retrieve staff invitation

Returns the details of a single staff invitation.

Parameters

id - path, string (uuid) - required

Responses

200
401 - Authentication credentials were not provided.
403 - Permission denied.
404 - Invitation not found.

`DELETE` `/api/v1/staff/invitations/{id}/delete/`

Delete staff invitation

Permanently removes an invitation record, regardless of its status. Use revoke instead if the goal is only to stop a pending invitation from being accepted.

Parameters

id - path, string (uuid) - required

Responses

204 - No response body
401 - Authentication required.

403 - Permission denied.
404 - Requested resource not found.

POST /api/v1/staff/invitations/{id}/resend/

Resend staff invitation

Regenerates the invitation token, extends the expiration time, and sends a new invitation email.

Parameters

id - path, string (uuid) - required

Responses

200
400 - Validation error.
401 - Authentication required.
403 - Permission denied.
404 - Requested resource not found.

POST /api/v1/staff/invitations/{id}/revoke/

Revoke staff invitation

Revokes a pending staff invitation. Revoked invitations can no longer be accepted.

Parameters

id - path, string (uuid) - required

Responses

200
400 - Validation error.
401 - Authentication required.
403 - Permission denied.
404 - Requested resource not found.

POST /api/v1/staff/invitations/accept/

Accept staff invitation

Accept a pending staff invitation and create the staff account.

Request body

application/json - AcceptInvitation

Responses

201 - Invitation accepted successfully.
400 - Validation error.
404 - Invitation not found.
409 - Invitation cannot be accepted.

POST /api/v1/staff/invitations/create/

Create staff invitation

Creates a new staff invitation and sends an invitation email to the specified address.

Request body

application/json - StaffInvitationCreate

Responses

201
400 - Validation error
401 - Authentication credentials were not provided.
403 - Permission denied.

Staff Operations

GET /api/v1/staff-operations/dashboard/

Staff Operations Dashboard

Retrieve aggregated operational statistics for the Staff Operations dashboard.

Responses

200
401 - Authentication credentials were not provided.
403 - You do not have permission to access this resource.

Staff Operations - Audit Log

GET /api/v1/staff-operations/audit-log/

List audit log entries

Retrieve a paginated log of administrative actions taken by staff users.

Parameters

action - query, string
actor_id - query, string
date_from - query, string
date_to - query, string
page - query, integer
page_size - query, integer

Responses

200
401 - Authentication credentials were not provided.
403 - You do not have permission to view audit logs.

Staff Operations - Billing

GET /api/v1/staff-operations/billing/overview/

Billing overview

Aggregated subscription/payment counts plus total revenue collected.

Responses

200

GET /api/v1/staff-operations/billing/payment-card/

Get payment card

The single card users transfer payments to. One endpoint for both first-time setup and later edits: the product has exactly one card, so "add" and "edit" are the same action. A GET before anything is configured answers 200 with `configured: false` rather than 404 - the admin screen renders an empty form in that case, which is not an error condition.

Responses

200

PUT /api/v1/staff-operations/billing/payment-card/

Create or update payment card

The single card users transfer payments to. One endpoint for both first-time setup and later edits: the product has exactly one card, so "add" and "edit" are the same action. A GET before anything is configured answers 200 with `configured: false` rather than 404 - the admin screen renders an empty form in that case, which is not an error condition.

Request body

application/json - PaymentCardAdmin

Responses

200

GET /api/v1/staff-operations/billing/payments/

List payments

Parameters

page - query, integer
page_size - query, integer
payment_type - query, string
provider - query, string

search - query, string
status - query, string

Responses

200

GET `/api/v1/staff-operations/billing/payments/{payment_id}/`

Payment details

Parameters

payment_id - path, string - required

Responses

200

POST `/api/v1/staff-operations/billing/payments/{payment_id}/approve/`

Approve payment

Accept the receipt uploaded against a card-transfer payment. The payment's normal success workflow then runs, which is what activates the subscription, and the payer is notified. Idempotent: a payment that is already successful is returned unchanged rather than granting a second subscription period.

Parameters

payment_id - path, string - required

Responses

200

POST `/api/v1/staff-operations/billing/payments/{payment_id}/reject/`

Reject payment

Turn down the receipt uploaded against a card-transfer payment. The reason is required and is sent to the payer verbatim - it is the only thing telling them what to correct. The payment returns to a state they can upload a new receipt from.

Parameters

payment_id - path, string - required

Request body

application/json - PaymentReject

Responses

200

GET `/api/v1/staff-operations/billing/plans/`

List subscription plans

Retrieve every subscription plan, active or archived.

Parameters

page - query, integer
page_size - query, integer

Responses

200

DELETE `/api/v1/staff-operations/billing/plans/{plan_id}/delete/`

Delete subscription plan

Permanently delete a subscription plan. Fails with a 400 if any user has ever subscribed to it - deactivate it instead in that case.

Parameters

plan_id - path, string - required

Responses

204 - No response body

PUT /api/v1/staff-operations/billing/plans/{plan_id}/update/

Update subscription plan

Parameters

plan_id - path, string - required

Request body

application/json - SubscriptionPlan

Responses

200

PATCH /api/v1/staff-operations/billing/plans/{plan_id}/update/

Update subscription plan

Parameters

plan_id - path, string - required

Request body

application/json - PatchedSubscriptionPlan

Responses

200

POST /api/v1/staff-operations/billing/plans/create/

Create subscription plan

Request body

application/json - SubscriptionPlan

Responses

201

GET /api/v1/staff-operations/billing/settings/

Retrieve or update the platform's global billing settings. A genuine singleton - there is exactly one PlatformSettings row.

Responses

200

PUT /api/v1/staff-operations/billing/settings/

Retrieve or update the platform's global billing settings. A genuine singleton - there is exactly one PlatformSettings row.

Request body

application/json - PlatformSettings

Responses

200

PATCH /api/v1/staff-operations/billing/settings/

Retrieve or update the platform's global billing settings. A genuine singleton - there is exactly one PlatformSettings row.

Request body

application/json - PatchedPlatformSettings

Responses

200

Staff Operations - Bookings

GET /api/v1/staff-operations/bookings/

List bookings

Retrieve all bookings for staff users.

Parameters

cargo_owner - query, string
date_from - query, string
date_to - query, string
driver - query, string

page - query, integer
page_size - query, integer
search - query, string
status - query, string

Responses

200
401 - Authentication credentials were not provided.
403 - Permission denied.

GET `/api/v1/staff-operations/bookings/{booking_id}/`

Retrieve booking

Retrieve detailed information about a booking.

Parameters

booking_id - path, string - required

Responses

200
401 - Authentication credentials were not provided.
403 - Permission denied.
404 - Booking not found.

POST `/api/v1/staff-operations/bookings/{booking_id}/cancel/`

Parameters

booking_id - path, string (uuid) - required

Request body

application/json - ForceCancelBooking

Responses

200 - No response body

POST `/api/v1/staff-operations/bookings/{booking_id}/complete/`

Parameters

booking_id - path, string (uuid) - required

Request body

application/json - ForceCompleteBooking

Responses

200 - No response body

POST `/api/v1/staff-operations/bookings/bulk-cancel/`

Force cancel several bookings at once, sharing one reason. Each booking is validated and applied independently - one already in a non-cancellable state doesn't block the rest. Returns which bookings succeeded and which failed with why.

Request body

application/json - BulkBookingAction

Responses

200 - No response body

POST `/api/v1/staff-operations/bookings/bulk-complete/`

Force complete several bookings at once, sharing one reason. Each booking is validated and applied independently - one not currently 'delivered' doesn't block the rest. Returns which bookings succeeded and which failed with why.

Request body

application/json - BulkBookingAction

Responses

200 - No response body

Staff Operations - Cargo Listings

GET /api/v1/staff-operations/listings/

List cargo listings

Retrieve all cargo listings for staff users.

Parameters

cargo_type - query, string
date_from - query, string
date_to - query, string
moderation_status - query, string
owner_id - query, string
page - query, integer
page_size - query, integer
search - query, string
status - query, string

Responses

200
401 - Authentication credentials were not provided.
403 - Permission denied.

GET /api/v1/staff-operations/listings/{listing_id}/

Retrieve cargo listing

Retrieve detailed information about a cargo listing.

Parameters

listing_id - path, string - required

Responses

200
401 - Authentication credentials were not provided.
403 - Permission denied.
404 - Listing not found.

POST /api/v1/staff-operations/listings/{listing_id}/restore/

Restore cargo listing

Restore a suspended cargo listing.

Parameters

listing_id - path, string - required

Responses

200
401 - Authentication credentials were not provided.
403 - Permission denied.
404 - Listing not found.

POST /api/v1/staff-operations/listings/{listing_id}/suspend/

Suspend cargo listing

Suspend a cargo listing by changing its moderation status.

Parameters

listing_id - path, string - required

Responses

200
401 - Authentication credentials were not provided.
403 - Permission denied.
404 - Listing not found.

Staff Operations - Cargo Owners

GET `/api/v1/staff-operations/cargo-owners/`

List cargo owners

Retrieve a list of all cargo owner profiles available to staff users.

Parameters

```
account_status - query, string
owner_type - query, string
page - query, integer
page_size - query, integer
search - query, string
verification_status - query, string
```

Responses

```
200
401 - Authentication credentials were not provided.
403 - You do not have permission to view cargo owners.
```

GET `/api/v1/staff-operations/cargo-owners/{owner_id}/`

Retrieve cargo owner

Retrieve detailed information about a specific cargo owner.

Parameters

```
owner_id - path, string - required
```

Responses

```
200
401 - Authentication credentials were not provided.
403 - You do not have permission to view cargo owners.
404 - Cargo owner not found.
```

POST `/api/v1/staff-operations/cargo-owners/{owner_id}/activate/`

Activate cargo owner

Reactivate a previously suspended cargo owner's account.

Parameters

```
owner_id - path, string - required
```

Responses

```
200
401 - Authentication credentials were not provided.
403 - You do not have permission to manage cargo owners.
404 - Cargo owner not found.
```

DELETE `/api/v1/staff-operations/cargo-owners/{owner_id}/delete/`

Delete cargo owner

Permanently delete a cargo owner's account. Fails with a 400 if the owner has any booking history - suspend the account instead in that case.

Parameters

```
owner_id - path, string - required
```

Responses

```
204 - Cargo owner deleted.
400 - The cargo owner has booking history and can't be deleted.
401 - Authentication credentials were not provided.
403 - You do not have permission to delete cargo owners.
404 - Cargo owner not found.
```

POST /api/v1/staff-operations/cargo-owners/{owner_id}/suspend/

Suspend cargo owner

Suspend a cargo owner's account while preserving all associated data.

Parameters

owner_id - path, string - required

Responses

200
401 - Authentication credentials were not provided.
403 - You do not have permission to manage cargo owners.
404 - Cargo owner not found.

POST /api/v1/staff-operations/cargo-owners/{owner_id}/unverify/

Remove cargo owner verification

Change a verified cargo owner back to the pending verification state.

Parameters

owner_id - path, string - required

Responses

200
401 - Authentication credentials were not provided.
403 - You do not have permission to manage cargo owners.
404 - Cargo owner not found.

POST /api/v1/staff-operations/cargo-owners/{owner_id}/verify/

Verify cargo owner

Approve a cargo owner's verification request.

Parameters

owner_id - path, string - required

Responses

200
401 - Authentication credentials were not provided.
403 - You do not have permission to manage cargo owners.
404 - Cargo owner not found.

Staff Operations - Disputes

GET /api/v1/staff-operations/disputes/

Parameters

page - query, integer
page_size - query, integer
status - query, string

Responses

200

GET /api/v1/staff-operations/disputes/{dispute_id}/

Parameters

dispute_id - path, string (uuid) - required

Responses

200

POST /api/v1/staff-operations/disputes/{dispute_id}/dismiss/

Parameters

dispute_id - path, string (uuid) - required

Request body

application/json - DisputeDismiss

Responses

200

POST /api/v1/staff-operations/disputes/{dispute_id}/investigate/

Parameters

dispute_id - path, string (uuid) - required

Responses

200

POST /api/v1/staff-operations/disputes/{dispute_id}/notes/

Parameters

dispute_id - path, string (uuid) - required

Request body

application/json - DisputeNoteCreate

Responses

201

POST /api/v1/staff-operations/disputes/{dispute_id}/resolve/

Parameters

dispute_id - path, string (uuid) - required

Request body

application/json - DisputeResolve

Responses

200

POST /api/v1/staff-operations/disputes/create/

Request body

application/json - DisputeCreate

Responses

201
404 - Booking not found.

Staff Operations - Drivers

POST /api/v1/staff-operations/drivers/{driver_id}/activate/

Activate Driver

Reactivate a suspended driver account.

Parameters

driver_id - path, string (uuid) - required

Responses

200
401 - Authentication credentials were not provided.
403 - Permission denied.

DELETE /api/v1/staff-operations/drivers/{driver_id}/delete/

Delete Driver

Permanently delete a driver's account. Fails with a 400 if the driver has any booking history - suspend the account instead in that case.

Parameters

driver_id - path, string (uuid) - required

Responses

204 - Driver deleted.
400 - The driver has booking history and can't be deleted.
401 - Authentication credentials were not provided.
403 - Permission denied.

POST /api/v1/staff-operations/drivers/{driver_id}/suspend/

Suspend Driver

Suspend a driver account.

Parameters

driver_id - path, string (uuid) - required

Responses

200
401 - Authentication credentials were not provided.
403 - Permission denied.

POST /api/v1/staff-operations/drivers/{driver_id}/unverify/

Unverify Driver

Remove a driver's verification.

Parameters

driver_id - path, string (uuid) - required

Responses

200
401 - Authentication credentials were not provided.
403 - Permission denied.

POST /api/v1/staff-operations/drivers/{driver_id}/verify/

Verify Driver

Verify a driver account.

Parameters

driver_id - path, string (uuid) - required

Responses

200
401 - Authentication credentials were not provided.
403 - Permission denied.

Staff Operations - Reports

GET /api/v1/staff-operations/reports/bookings/export/

Shared CSV export behaviour: fetch a resource list, serialize it with the same serializer used by the resource's list endpoint, and stream it back as a CSV attachment. Logs the export to the audit trail.

Parameters

ids - query, string

Responses

200

GET /api/v1/staff-operations/reports/cargo-owners/export/

Shared CSV export behaviour: fetch a resource list, serialize it with the same serializer used by the resource's list endpoint, and stream it back as a CSV attachment. Logs the export to the audit trail.

Responses

200

GET /api/v1/staff-operations/reports/drivers/export/

Shared CSV export behaviour: fetch a resource list, serialize it with the same serializer used by the resource's list endpoint, and stream it back as a CSV attachment. Logs the export to the audit trail.

Responses

200

GET `/api/v1/staff-operations/reports/invitations/export/`

Shared CSV export behaviour: fetch a resource list, serialize it with the same serializer used by the resource's list endpoint, and stream it back as a CSV attachment. Logs the export to the audit trail.

Responses

200

GET `/api/v1/staff-operations/reports/listings/export/`

Shared CSV export behaviour: fetch a resource list, serialize it with the same serializer used by the resource's list endpoint, and stream it back as a CSV attachment. Logs the export to the audit trail.

Responses

200

Staff Operations - Support

GET `/api/v1/staff-operations/support/conversations/`

Parameters

page - query, integer
page_size - query, integer
resolved - query, boolean

Responses

200

GET `/api/v1/staff-operations/support/conversations/{conversation_id}/`

Parameters

conversation_id - path, string (uuid) - required

Responses

200

POST `/api/v1/staff-operations/support/conversations/{conversation_id}/messages/`

Parameters

conversation_id - path, string (uuid) - required

Request body

application/json - SupportSendMessage

Responses

201

POST `/api/v1/staff-operations/support/conversations/{conversation_id}/reopen/`

Parameters

conversation_id - path, string (uuid) - required

Responses

200

POST `/api/v1/staff-operations/support/conversations/{conversation_id}/resolve/`

Parameters

conversation_id - path, string (uuid) - required

Responses

200

Staff User Management

GET /api/v1/staff-operations/drivers/

List drivers

Retrieve all drivers for staff management.

Parameters

ordering - query, string
page - query, integer
page_size - query, integer
search - query, string
vehicle_type - query, string
verified - query, string

Responses

200

GET /api/v1/staff-operations/drivers/{driver_id}/

Driver details

Retrieve a driver's details.

Parameters

driver_id - path, string (uuid) - required

Responses

200

Staff Verification

GET /api/v1/staff-operations/verifications/{owner_id}/

Retrieve verification case

Retrieve all pending documents for a single verification case.

Parameters

owner_id - path, string (uuid) - required

Responses

200
404 - Verification case not found.

POST /api/v1/staff-operations/verifications/documents/{document_id}/approve/

Approve document

Approve a pending verification document.

Parameters

document_id - path, string (uuid) - required

Responses

200
400 - Invalid request.
404 - Document not found.

POST /api/v1/staff-operations/verifications/documents/{document_id}/reject/

Reject document

Reject a pending verification document.

Parameters

document_id - path, string (uuid) - required

Request body

application/json - RejectDocument

Responses

200
400 - Invalid request.
404 - Document not found.

GET /api/v1/staff-operations/verifications/queue/

List verification queue

Retrieve pending verification cases for staff review.

Responses

200

Subscription

GET /api/v1/billing/subscription/

Get Current Subscription

Retrieve the authenticated user's current subscription status. Returns the active subscription details if one exists, or inactive status if no subscription exists.

Responses

200 - Current subscription details or inactive status
401 - Authentication credentials were not provided.
403 - Staff users cannot access this endpoint.

POST /api/v1/billing/subscriptions/purchase/

Purchase Subscription

Purchase a subscription plan for the authenticated user. The endpoint creates a payment for the selected plan. The subscription will be activated after successful payment via the mock success endpoint. Only drivers and cargo owners can purchase subscriptions. Plans are filtered by the user's role.

Request body

plan_id - string (uuid)

Responses

200 - Payment created successfully
400 - Validation error or business rule violation.
401 - Authentication credentials were not provided.
403 - Staff cannot purchase subscriptions, or plan role mismatch.
404 - Plan not found or inactive.

Subscription Plans

GET /api/v1/billing/subscription-plans/

List Subscription Plans

Retrieve available subscription plans for the authenticated user's role. Drivers see only driver plans. Cargo owners see only cargo owner plans. Only active plans are returned.

Responses

200
401 - Authentication credentials were not provided.
403 - Staff users cannot access this endpoint.

Support

POST /api/v1/support/callback-request/

Request a Support Callback

Leave a phone number (and an optional message) for the support team to call back - the in-app alternative to calling the support line directly.

Request body

application/json - SupportCallbackRequestCreate

Responses

201

GET /api/v1/support/conversation/

Get My Support Conversation

Retrieve the authenticated user's support conversation and its full message history, creating it if this is their first time opening it.

Responses

200

POST /api/v1/support/conversation/messages/

Send A Support Message

Send a message in the authenticated user's support conversation, creating the conversation on the first message.

Request body

application/json - SupportSendMessage

Responses

201

POST /api/v1/support/conversation/read/

Mark Support Messages Read

Mark every staff message in the authenticated user's support conversation as read.

Responses

204 - No response body

Tracking

GET /api/v1/tracking/bookings/{booking_id}/history/

Retrieve Driver Location History

Retrieve the complete location history recorded for a booking. Returns all GPS points uploaded during the trip.

Parameters

booking_id - path, string (uuid) - required

Responses

200
403 - Permission denied.
404 - Requested resource not found.

GET /api/v1/tracking/bookings/{booking_id}/location/

Retrieve Current Driver Location

Retrieve the driver's most recent known location for a booking. Location is available only when location sharing is enabled for the booking.

Parameters

booking_id - path, string (uuid) - required

Responses

200
403 - Permission denied.
404 - Requested resource not found.

GET /api/v1/tracking/directions/

Get Driving Directions

Proxies an OpenRouteService (OpenStreetMap-based) routing request through the backend. By default the route never crosses an international border - pass is_international=true (for a shipment whose listing is marked international) to allow border crossings.

Parameters

destination_lat - query, number (double) - required
destination_lng - query, number (double) - required
is_international - query, boolean
origin_lat - query, number (double) - required

origin_lng - query, number (double) - required

Responses

400 - Validation error.
503 - No response body

GET /api/v1/tracking/geocode/

Geocode Address

Proxies an OpenStreetMap Nominatim geocoding request through the backend - free, no API key or billing account needed. Also avoids depending on the mobile device's own (unreliable, OEM-dependent) on-device geocoder.

Parameters

address - query, string - required

Responses

400 - Validation error.
503 - No response body

POST /api/v1/tracking/location/

Upload Driver Location

Upload the driver's current GPS location for an active booking. This endpoint is intended to be called periodically by the driver's mobile application during a trip.

Request body

application/json - DriverLocationCreate

Responses

201
400 - Validation error.

GET /api/v1/tracking/reverse-geocode/

Reverse Geocode Coordinate

Proxies an OpenStreetMap Nominatim reverse-geocoding request through the backend - free, no API key or billing account needed. Turns a lat/lng pair (e.g. a pin dropped on the "pick location on map" screen) into a human-readable address label.

Parameters

latitude - query, number (double) - required
longitude - query, number (double) - required

Responses

400 - Validation error.
503 - No response body

---

v1

GET /api/v1/auth/me/

Current authenticated user

Retrieve information about the currently authenticated user.

Responses

200

PATCH /api/v1/auth/me/

Update Own Profile

Partially update the authenticated user's own profile (name, phone, email). Only the provided fields are changed. Role, status, and permissions are not editable through this endpoint.

Request body

application/json - PatchedUpdateCurrentUser

Responses

200

DELETE `/api/v1/auth/me/`

Delete Own Account

Deactivates the authenticated user's account (soft delete). The account is deactivated rather than removed, so bookings, reviews, and chat history other users depend on are preserved. Deactivation takes effect immediately - any existing access token stops working on the very next request.

Responses

`204 - No response body`