Q1.

Read the magazine cutting about research into heart disease.

> **More heart disease in older women.**
>
> Heart disease amongst British women in the 60-79 age group is more common than previous research suggested. A recent study of 4,286 British women in that age group indicated that one in five showed signs of heart disease.

(a) Why can the results of this research **not** be used to draw any conclusions about heart disease amongst women across the world?

.....

.....

1 mark

(b) Give **one** reason why the data collected in this study is likely to be reliable.

.....

.....

1 mark

(c) After reading the magazine cutting, pupils wrote the ideas below.

Decide if each idea is supported by information in the cutting.
Tick the correct box.

Use the information in the cutting as evidence to justify your decision in the third column.

Idea	Is the idea supported by evidence? Tick the correct box.	Use the information in the magazine cutting as evidence to justify your decision
One in five of all British females show signs of heart disease.	Yes ☐ No ☐	
Earlier treatment for heart disease must have been more effective than modern medicines.	Yes ☐ No ☐	
Four out of five British women in the 60-79 age group showed no signs of heart disease.	Yes ☐ No ☐	

3 marks
maximum 5 marks

Q1.

(a) they have only investigated British women

*accept 'it is only **one** country'*

accept 'diet differences elsewhere'

accept 'stress may be different elsewhere'

accept 'different lifestyles elsewhere'

accept 'they have only investigated women in the 60 to 79 age group'

1 (L6)

(b) they used a large sample

accept 'they used 4286 women'

1 (L7)

(c) any **one** from

- no
  data refers only to older women
- no
  if you include all women the rate could be up **or** down

1 (L7)

any **one** from

- no
  no evidence of the impact of treatment

  accept 'no mention of treatment'
- no
  previous research could have underestimated the proportion

  accept 'it does not tell you'

1 (L7)

- yes
  data suggests only 1 in 5 showed signs of heart disease so 4 out of 5 are unlikely to suffer

  accept 'data shows 1 in 5 had signs of heart disease'

1 (L7)

[5]