
Schach Workspace workflow guide

12 October 2026 · Source baseline191526b · Every module and cross-module journey. Only arrows define interactions. New manual cases are NOT_RUN.

AUTH · Authentication and current sessions

Verify real session establishment, MFA, sign-out and current membership boundaries.

Entry: Sign-in screen; Settings → My account; POST /api/auth/login; POST /api/auth/mobile-login



Browser demo sample sign-in does not prove authentication, MFA, authorization or revocation.; Mobile token persistence, HTTPS transport and actual background/resume behavior require a qualified native build/device run.


SETTINGS · Settings

Manage company configuration, account protection, personal attention preferences and idempotent workflow processing.

Entry: Settings → Company; Settings → My account; Settings → Workflow

Settings principal workflow

Source-grounded flow | Current permission, version and original retry controls remain binding




Company leader and platform admin are distinct fixture actors.; Attention preferences change delivery/follow-up settings, not source access.; Attention delivery preferences use versioned PATCH and a form reload, not the canonical unknown-attempt controls used by goals/People; there is no per-user timezone field.

OVERVIEW · Overview

Read scoped work metrics and follow existing task, project, report, finance and goal routes.

Entry: Overview sidebar entry; Open commitments; Overdue tasks; Awaiting review




Overview metrics use authorized workspace rows supplied to this page; do not assume historical or complete paginated report totals.; Standalone Overview scenarios are read/filter/navigation checks; task writes belong to TASKS.

WORK · My work

Locate owned and review-assigned commitments using the personal list, board and filters.

Entry: My work sidebar entry; Personal summary chips; List / Board




Personal source is ownerId = me OR reviewerId = me; collaborator-only or creator-only visibility does not automatically add a task to My work.; Standalone My work scenarios cover read/filter/detail behavior; write/review rules are in TASKS.

TASKS · All tasks and task detail

Create precise commitments, update work, capture evidence and accept through independent review with immutable originals and explicit retry recovery.

Entry: All tasks → New task; Overview → Create task; Task Details / Evidence & time / Activity; All tasks → Import CSV




API fault/retry scenarios require an isolated request-capture fixture; no production fault injection.; 100% progress and In review are not accepted completion; immutable original mode/date/instant/zone remain the reporting baseline.

PROJECTS · Projects and independent milestones

Group authorized work and independently review milestones without rewriting underlying task acceptance.

Entry: Projects → New project; Project detail → Add task; Milestone review; Review project task schedule



Project card counts and some detail overdue/blocked rows derive from currently loaded authorized workspace tasks; current detail accepted/total summary is separate.; Milestone acceptance is a separate human decision and never accepts linked tasks.


CALENDAR · Calendar

Read complete currently authorized calendar ranges using company civil dates and immutable timed instants.

Entry: Calendar; Month / Week; Calendar department / Calendar owner; Open work only

Calendar principal workflow

Source-grounded flow | Current permission, version and original retry controls remain binding




Month renders 42 days; Week renders 7. Current API calendar is complete within its bounded request or unavailable, never a first-100 approximation.; Calendar is read-only; schedule changes require separate explicit schedule controls.; Demo finite sample is labeled and cannot qualify complete server-calendar coverage.

WORKLOAD · Workload

Inspect remaining effort exposure against declared weekly capacity with truthful coverage and current-basis drilldowns.

Entry: Workload; Planning from / Planning to; Inspect work for person; Review selected schedule




Weekly exposure repeats full remaining effort in each overlapping week; it is not hours worked or an employee rating.; Partial weeks use whole recorded weekly capacity; zero/invalid capacity produces unavailable utilization.; Connected server is required; demo does not calculate current complete planning projections.

GOALS · Goals and observations

Maintain goal metadata and append-only observed results with exact authorized evidence and personal reminders.

Entry: Goals → New measured goal; Open goal → Update measured result; Edit metadata; My reminder preference




Task completion and AI suggestions never fabricate a measured business result.; Legacy current values are labeled with unknown earlier history; unavailable evidence does not reveal private IDs/body.; Measurement/reminder server capabilities are absent from finite browser demo.

CONNECT · Connect conversations and work controls

Exercise person-based conversations, current history, daily controls and selected structured/work flows without widening private access.

Entry: Web: Connect list, conversation, Message actions, Conversation details, Find messages, Saved messages, Published work; API: company-qualified conversation/history/records/work-actions/intake routes




No implemented typing/presence UI was found in the inspected Connect/native sources; no presence case is invented. Read position is a per-user cursor, not a per-person seen receipt.; Only implemented dm, group and channel kinds are covered; company-readable retained history applies to public company channels.; Advanced split declarations and selected exports are web/API flows; native parity is not asserted.; Search uses PostgreSQL full text or escaped SQLite substring matching; use unambiguous single-word fictional terms rather than demand identical ranking.

MEDIA · Private files and voice media

Verify reserved exact bytes, fail-closed scanning, current download authority, retention and explicitly selected audio assistance.

Entry: Connect → Attachments & voice notes; media download action; API: conversation media reservation/upload/finalize/download; Operator: isolated scanner/storage/retention controls; local attached-audio assistance




Use LOCAL_CONFIG for storage/scanner/provider-bound acceptance; missing scanner/provider is BLOCKED, never a clean result.; Chat media currently streams io.Copy inside withCommunicationTransaction; no report-style per-chunk fencing or interruption guarantee is claimed.; Attached-audio opt-in assistance is separate from disabled live-call recording/transcription. No inference or provider execution is performed during catalog authorship.; Exported/shared bytes, backups and published business copies cannot be remotely recalled by removing chat source.

CALLS · Self-hosted calling and rollout boundaries

Distinguish current revocable signaling/media behavior from device and production acceptance.

Entry: Web: conversation Calls → Start audio call / Start video call / Join call / End call for everyone; Native: Calls tab, Join call and globally mounted ActiveCall; Operator: self-hosted LiveKit, private signaling gateway, durable call cleanup and staged TURN




Actual media requires LOCAL_CONFIG with isolated self-hosted LiveKit; token issuance alone is not media/audio acceptance.; Current foreground incoming path is the active call list and Join action; OS incoming-call surfaces remain an uncompleted DEVICE gate.; Private LiveKit signaling ingress, trusted TLS, authenticated TURN and deployment capacity are PRODUCTION gates.; Native foreground service/source and exports do not establish physical background/lock/headset/network outcomes; no signed iOS device acceptance is claimed.

FINANCE · Finance and reviewed assistance

Validate exact departmental budgets, independent expense decisions and optional private assistance without payment automation.

Entry: Web Finance and Settings → Company; Company-relative /budgets, /expense-categories, /expenses, /expense-receipts; Company-relative /finance/intakes, /receipt-extractions, /statement-previews, /statement-imports, /reconciliation




Every scenario is proposed NOT_RUN; missing provider/scanner/storage prerequisites are BLOCKED, never PASS.; Current API/code supports reviewed statement imports and full-paid-debit associations/audited unmatch; older FINANCE_GUIDE excludes reconciliation in baseline wording.; Association unmatch reverses association only; no bank transfer, partial payment, refund, paid-economic reversal or general ledger.; Physical camera/keyboard/accessibility and native PostgreSQL concurrency require independent qualification.

REPORTS · Current and historical reports

Validate scoped frozen metrics, durable historical provenance, private revocable output and isolated recipient delivery.

Entry: Web Reports; native More → Reports needs separate DEVICE qualification; Company-relative /reports/tasks/summary, /rows, /export; Company-relative /reports/history/snapshots, /compare, /definitions, /exports, /artifacts; ordinary /attention




All scenarios NOT_RUN; demo metrics do not establish server/source/session acceptance.; Current snapshots are process-local five-minute caches; durable task_history_v1 never invents pre-observation acceptance episodes.; Private storage/worker faults require LOCAL_CONFIG disposable qualification; no email/external delivery implied.; Already written/in-flight bytes and downloaded copies cannot be recalled. Physical native sharing/background handling needs DEVICE qualification.

PEOPLE · People and reviewed administration

Manage company graph and reviewed onboarding, access attestation and departure while protecting private sources, credentials and epoch-bound outputs.

Entry: People → People / Departments / Reporting lines; Reviewed onboarding; Onboarding presets; Review company access; Review company departure




Leadership company administration never grants private conversation metadata/content. Platform suspension remains a separate platform-admin operation.; Credential retry keyring is required for new-account apply; malformed deployment configuration and rotation/restart require separately configured fixtures.; Directory/access review/departure completeness bounds must fail closed rather than attest a truncated snapshot.; Demo lacks real account authentication, cryptographic credential binding, private-source semantics and task-template provisioning.

INBOX · Inbox and attention

Read personal notifications and act on currently authorized attention without converting follow-up controls into task/finance approval.

Entry: Inbox → All updates / Unread; Mark all read; Action required attention list; Open task / Open expense




Notifications and attention are distinct models; marking read/resolve/snooze/route never accepts a task, approves/pays an expense or makes a structured decision.; Some source kinds intentionally have no route/decide capability; ready report links remain recipient-bound and cannot be rerouted.

INTELLIGENCE · Grounded selected-source intelligence

Validate local consent, exact current selected provenance, private bounded jobs, deterministic facts and explicit reviewed canonical publication.

Entry: Company-relative /intelligence/capabilities and /selection-preview; Company-relative /intelligence/jobs, /jobs/{id}, /cancel, /task-preview, /publication-access; Web selected conversation/report source review and canonical task/expense/intake routes



Every case is NOT_RUN and LOCAL_CONFIG; author has not started/invoked a provider. Fresh separately provisioned capacity is required.; Deterministic/test-provider regressions are references, never live-provider or manual PASS. Do not reuse completed native consumed capabilities.; Citations indicate provenance only; factual/language quality, physical devices, production latency/capacity and supply-chain completeness need separate qualification.; Raw result expiry/revocation differs from reviewed independently retained business records; current complete source/destination ACL still gates replay.; Authored review/unknown intent stays scoped RAM only, without persisted source/result cache.


MOBILE · Native usability and private-content lifecycle

Qualify phone interaction, scoped RAM intent, current foreground authority and owned-file cleanup without offline private persistence.

Entry: Native Sign in and company switch; Chats → person picker → conversation route → composer/message-action sheets; More/Work/Calls and OS background/Back/share boundaries

Foreground private content and scoped RAM intent

Source-grounded flow | Current permission, version and original retry controls remain binding




DEVICE cases require physical acceptance or specifically recorded emulator qualification with exact build; DOM tests/Hermes exports do not prove layout, keyboard, accessibility or OS behavior.; 44dp minimum describes native Action controls. Browser widths/CSS pixels are separate and never counted as physical target dimensions.; Authored drafts/frozen sends may survive only in process RAM; fetched history/quotes are separately withheld. Process death is not offline synchronization.; Temporary owned capture/download cache is an explicit file exception; deliberately shared OS copies cannot be recalled.

SECURITY · Company, source and replay authority

Verify current company/private boundaries, exact publication disclosure, session/history epochs and practical transport/copy limits.

Entry: Company-qualified API and Web Connect/work/publication surfaces; Account device/MFA controls; Operator staged origin/ingress and retention review




Company isolation is shared application authorization, not a claim of physical tenant databases, RLS or E2EE. Trusted database/operator components remain outside this application-private boundary.; Chat downloads use current transaction authorization; no per-chunk current-network fencing borrowed from report CSV is required here. Already sent/exported/in-flight copies are irreversible.; Current source-revision changes invalidate fresh actions, but some exact accepted-operation replays deliberately return canonical original outcomes after current access checks; they do not republish new prose.; Authentication/origin/provider checks must use an isolated real API or named staged deployment; browser demo cannot certify them.

OPERATIONS · Runtime, migration, backup and deployment

Prove supported runtime and private preservation separately from production acceptance.

Entry: Operator environment tools




No candidate/task/token proves financial approval, goal outcome, actual media or production acceptance.; Missing provider/device/region/restore prerequisites remain BLOCKED; no retained fixture replay.

JOURNEYS · Cross-module end-to-end journeys

Follow complete business outcomes across modules while retaining current source and independent controls.


Entry: People, Connect, Projects, Finance and current-source workflows



No candidate/task/token proves financial approval, goal outcome, actual media or production acceptance.; Missing provider/device/region/restore prerequisites remain BLOCKED; no retained fixture replay.

JOURNEYS-001 · People onboarding to accountable task and reports


LOCAL · Alpha leader; Owner A; Reviewer R



These are proposed steps. Each numbered expected result is in the workbook/module guide; missing prerequisites remain BLOCKED.

JOURNEYS-002 · Private message disclosure to separately retained reviewed task


LOCAL · Owner A; Member B; Alpha leader; Reviewer R



These are proposed steps. Each numbered expected result is in the workbook/module guide; missing prerequisites remain BLOCKED.

JOURNEYS-003 · Task dependency to separate milestone acceptance and observed goal


LOCAL · Alpha leader; Owner A; Reviewer R



These are proposed steps. Each numbered expected result is in the workbook/module guide; missing prerequisites remain BLOCKED.

JOURNEYS-004 · Same-date timed revision and five-minute-late original commitment


LOCAL · Owner A; Reviewer R



These are proposed steps. Each numbered expected result is in the workbook/module guide; missing prerequisites remain BLOCKED.

JOURNEYS-005 · Budgeted expense to independent payment and department totals


LOCAL · Owner A; Finance F; Alpha leader



These are proposed steps. Each numbered expected result is in the workbook/module guide; missing prerequisites remain BLOCKED.

JOURNEYS-006 · Receipt suggestion to human reviewed canonical draft with unknownACK


LOCAL_CONFIG · Owner A; Finance F; QA operator



These are proposed steps. Each numbered expected result is in the workbook/module guide; missing prerequisites remain BLOCKED.

JOURNEYS-007 · CSV distinct occurrence import to full payment association and audited unmatch


LOCAL_CONFIG · Finance F; Independent payment recorder; QA operator



These are proposed steps. Each numbered expected result is in the workbook/module guide; missing prerequisites remain BLOCKED.

JOURNEYS-008 · Saved report to public Inbox and isolated departed recipient


LOCAL_CONFIG · Saved report owner; Owner A recipient; Member B recipient; QA operator



These are proposed steps. Each numbered expected result is in the workbook/module guide; missing prerequisites remain BLOCKED.

JOURNEYS-009 · Grounded candidate to deliberately reviewed canonical work


LOCAL_CONFIG · Owner A; Reviewer R; QA operator



These are proposed steps. Each numbered expected result is in the workbook/module guide; missing prerequisites remain BLOCKED.

JOURNEYS-010 · Departure handover retires private outputs without changing money or other membership


LOCAL · Alpha leader; Member B; Replacement owners/reviewers; Private source participants



These are proposed steps. Each numbered expected result is in the workbook/module guide; missing prerequisites remain BLOCKED.

JOURNEYS-011 · Native draft survives allowed checks and clears on genuine source loss


DEVICE · Owner A on qualified native build; Authorized revocation operator



These are proposed steps. Each numbered expected result is in the workbook/module guide; missing prerequisites remain BLOCKED.

JOURNEYS-012 · Real calls/background notification follow source grants and actual media

PRODUCTION · Owner A; Member B; Source revocation operator; Device operator



These are proposed steps. Each numbered expected result is in the workbook/module guide; missing prerequisites remain BLOCKED.