Access-profile detail

Content-acquisition states complement the M2 accessibility scores in Figures 2–4.

Task		Content access		Official content detail		Source version clarity	
		CANN	CUDA‡	CANN	CUDA‡	CANN	CUDA‡
Environment and installation							
I	Version compatibility	C	C	4	5	4	4
J	Installation	C	C	5	5	2	3
K	Container setup	C	C	5	4	4	5
Operator development							
C	Library selection	P	C	3	5	3	5
D	Custom operator	N	C	—	5	2	3
L	Operator accuracy	C	C	5	5	2	5
M	Dynamic shapes / tiling	C	C	4	5	4	4
N	Operator fusion	C	C	5	4	2	5
O	Framework integration	C	C	5	5	3	3
Training							
F	Distributed training	C	C	4	5	2	3
P	Mixed precision	C	C	4	5	4	5
Q	Memory / OOM	C	C	5	5	4	5
R	Training convergence	C	C	5	4	3	5
Inference and deployment							
A	Model conversion	C	C	4	5	2	4
H	Quantization	C	C	3	5	2	3
S	Inference serving	C	C	4	5	3	4
T	Dynamic inference	C	C	5	5	2	5
Performance and optimization							
B	Profiling	C	C	4	5	2	4
U	Memory / occupancy	C	C	4	5	5	5
V	Compute-transfer overlap	C	C	4	5	2	5
W	Multi-device communication	C	C	3	4	3	4
Debugging							
E	Error-code diagnosis	C	C	2	5	2	5
X	Memory-error diagnosis	C	C	5	5	2	3
Migration							
Y	Chip migration	P	C	4	5	3	4
Z	Programming concepts	C	C	5	4	5	5
Migration analogy (not in CANN/CUDA summaries)							
G	Migration analogy [CANN / ROCm-HIP]	C	C	4	5	4	3

Content status: C = core obtained; P = partial content obtained; N = not obtained. Access route is recorded separately in the protocol.

‡ For G, CUDA‡ = ROCm/HIP; it is a migration analogy and is excluded from CANN/CUDA summaries.