

# 20250801\_abner\_emmeans.Rmd

2025-08-01

```
# First, fit your model and store it
model <- glm.nb(
  is.referenced.by.count ~ da_factor + log(age.in.months) + container.title +
  container.title*da_factor + log(age.in.months)*da_factor +
  container.title*log(age.in.months) +
  log(age.in.months) * da_factor * container.title,
  data = my_data,
  link = "log"
)
# Define the age values you want to examine (in months)
age_values <- c(12, 36, 60, 120) # Adjust these as needed
# Get emmeans on the link scale for all combinations
emm <- emmeans(model, ~ da_factor + age.in.months | container.title,
  at = list(age.in.months = age_values), CIs = TRUE,
  type = "response")
# Get pairwise comparisons (differences) between da_factor levels
differences <- contrast(
  emm, by = c("age.in.months", "container.title"),
  method = "pairwise",
  ratios = TRUE, CIs = TRUE
)
# See the contrasts
summary(differences)
```

```
## age.in.months = 12, container.title = Antimicrobial Agents and Chemotherapy:
## contrast ratio SE df null z.ratio p.value
## No / Yes 1.813 0.2050 Inf 1 5.265 <.0001
##
## age.in.months = 36, container.title = Antimicrobial Agents and Chemotherapy:
## contrast ratio SE df null z.ratio p.value
## No / Yes 1.211 0.0755 Inf 1 3.069 0.0021
##
## age.in.months = 60, container.title = Antimicrobial Agents and Chemotherapy:
## contrast ratio SE df null z.ratio p.value
## No / Yes 1.004 0.0451 Inf 1 0.081 0.9355
##
## age.in.months = 120, container.title = Antimicrobial Agents and Chemotherapy:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.778 0.0330 Inf 1 -5.925 <.0001
##
## age.in.months = 12, container.title = Applied and Environmental Microbiology:
## contrast ratio SE df null z.ratio p.value
## No / Yes 1.159 0.0797 Inf 1 2.150 0.0316
##
```

```

## age.in.months = 36, container.title = Applied and Environmental Microbiology:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.933 0.0375 Inf 1 -1.727 0.0842
##
## age.in.months = 60, container.title = Applied and Environmental Microbiology:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.843 0.0247 Inf 1 -5.826 <.0001
##
## age.in.months = 120, container.title = Applied and Environmental Microbiology:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.735 0.0168 Inf 1 -13.440 <.0001
##
## age.in.months = 12, container.title = Genome Announcements:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.888 0.6270 Inf 1 -0.169 0.8662
##
## age.in.months = 36, container.title = Genome Announcements:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.912 0.3350 Inf 1 -0.251 0.8020
##
## age.in.months = 60, container.title = Genome Announcements:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.924 0.1950 Inf 1 -0.376 0.7068
##
## age.in.months = 120, container.title = Genome Announcements:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.939 0.0500 Inf 1 -1.175 0.2399
##
## age.in.months = 12, container.title = Infection and Immunity:
## contrast ratio SE df null z.ratio p.value
## No / Yes 1.110 0.1940 Inf 1 0.599 0.5494
##
## age.in.months = 36, container.title = Infection and Immunity:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.964 0.0999 Inf 1 -0.350 0.7267
##
## age.in.months = 60, container.title = Infection and Immunity:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.903 0.0699 Inf 1 -1.315 0.1883
##
## age.in.months = 120, container.title = Infection and Immunity:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.826 0.0527 Inf 1 -2.989 0.0028
##
## age.in.months = 12, container.title = Journal of Bacteriology:
## contrast ratio SE df null z.ratio p.value
## No / Yes 1.083 0.1530 Inf 1 0.565 0.5719
##
## age.in.months = 36, container.title = Journal of Bacteriology:
## contrast ratio SE df null z.ratio p.value
## No / Yes 1.131 0.0945 Inf 1 1.469 0.1419
##
## age.in.months = 60, container.title = Journal of Bacteriology:
## contrast ratio SE df null z.ratio p.value

```

```

## No / Yes 1.153 0.0675 Inf 1 2.438 0.0147
##
## age.in.months = 120, container.title = Journal of Bacteriology:
## contrast ratio SE df null z.ratio p.value
## No / Yes 1.185 0.0388 Inf 1 5.193 <.0001
##
## age.in.months = 12, container.title = Journal of Clinical Microbiology:
## contrast ratio SE df null z.ratio p.value
## No / Yes 1.075 0.1430 Inf 1 0.549 0.5831
##
## age.in.months = 36, container.title = Journal of Clinical Microbiology:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.812 0.0622 Inf 1 -2.721 0.0065
##
## age.in.months = 60, container.title = Journal of Clinical Microbiology:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.712 0.0399 Inf 1 -6.058 <.0001
##
## age.in.months = 120, container.title = Journal of Clinical Microbiology:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.597 0.0279 Inf 1 -11.064 <.0001
##
## age.in.months = 12, container.title = Journal of Microbiology & Biology Education:
## contrast ratio SE df null z.ratio p.value
## No / Yes nonEst NA NA 1 NA NA
##
## age.in.months = 36, container.title = Journal of Microbiology & Biology Education:
## contrast ratio SE df null z.ratio p.value
## No / Yes nonEst NA NA 1 NA NA
##
## age.in.months = 60, container.title = Journal of Microbiology & Biology Education:
## contrast ratio SE df null z.ratio p.value
## No / Yes nonEst NA NA 1 NA NA
##
## age.in.months = 120, container.title = Journal of Microbiology & Biology Education:
## contrast ratio SE df null z.ratio p.value
## No / Yes nonEst NA NA 1 NA NA
##
## age.in.months = 12, container.title = Journal of Virology:
## contrast ratio SE df null z.ratio p.value
## No / Yes 1.253 0.1140 Inf 1 2.482 0.0131
##
## age.in.months = 36, container.title = Journal of Virology:
## contrast ratio SE df null z.ratio p.value
## No / Yes 1.013 0.0513 Inf 1 0.255 0.7988
##
## age.in.months = 60, container.title = Journal of Virology:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.918 0.0344 Inf 1 -2.291 0.0220
##
## age.in.months = 120, container.title = Journal of Virology:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.802 0.0296 Inf 1 -5.974 <.0001
##

```

```

## age.in.months = 12, container.title = mBio:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.976 0.0849 Inf 1 -0.278 0.7813
##
## age.in.months = 36, container.title = mBio:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.825 0.0360 Inf 1 -4.411 <.0001
##
## age.in.months = 60, container.title = mBio:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.763 0.0283 Inf 1 -7.311 <.0001
##
## age.in.months = 120, container.title = mBio:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.686 0.0361 Inf 1 -7.161 <.0001
##
## age.in.months = 12, container.title = Microbiology Resource Announcements:
## contrast ratio SE df null z.ratio p.value
## No / Yes 1.794 0.9710 Inf 1 1.080 0.2800
##
## age.in.months = 36, container.title = Microbiology Resource Announcements:
## contrast ratio SE df null z.ratio p.value
## No / Yes 1.569 0.3480 Inf 1 2.033 0.0421
##
## age.in.months = 60, container.title = Microbiology Resource Announcements:
## contrast ratio SE df null z.ratio p.value
## No / Yes 1.474 0.3000 Inf 1 1.910 0.0562
##
## age.in.months = 120, container.title = Microbiology Resource Announcements:
## contrast ratio SE df null z.ratio p.value
## No / Yes 1.355 0.5030 Inf 1 0.818 0.4134
##
## age.in.months = 12, container.title = Microbiology Spectrum:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.950 0.0733 Inf 1 -0.664 0.5064
##
## age.in.months = 36, container.title = Microbiology Spectrum:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.751 0.0462 Inf 1 -4.657 <.0001
##
## age.in.months = 60, container.title = Microbiology Spectrum:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.673 0.0702 Inf 1 -3.798 0.0001
##
## age.in.months = 120, container.title = Microbiology Spectrum:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.580 0.0983 Inf 1 -3.214 0.0013
##
## age.in.months = 12, container.title = mSphere:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.957 0.1510 Inf 1 -0.276 0.7823
##
## age.in.months = 36, container.title = mSphere:
## contrast ratio SE df null z.ratio p.value

```


```
## No / Yes 0.882 0.0633 Inf 1 -1.753 0.0797
##
## age.in.months = 60, container.title = mSphere:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.849 0.0559 Inf 1 -2.492 0.0127
##
## age.in.months = 120, container.title = mSphere:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.806 0.0871 Inf 1 -1.998 0.0458
##
## age.in.months = 12, container.title = mSystems:
## contrast ratio SE df null z.ratio p.value
## No / Yes 1.124 0.1690 Inf 1 0.773 0.4394
##
## age.in.months = 36, container.title = mSystems:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.897 0.0686 Inf 1 -1.424 0.1546
##
## age.in.months = 60, container.title = mSystems:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.807 0.0708 Inf 1 -2.439 0.0147
##
## age.in.months = 120, container.title = mSystems:
## contrast ratio SE df null z.ratio p.value
## No / Yes 0.700 0.0990 Inf 1 -2.519 0.0118
##
## Tests are performed on the log scale
```

```
# Plot the contrasts
plot(differences, ratios = TRUE)
```

```
## Warning: Removed 4 rows containing missing values or values outside the scale range
## ('geom_point()').
```

```
## Warning: Removed 4 rows containing missing values or values outside the scale range
## ('geom_segment()').
```


```
## Warning: Removed 4 rows containing missing values or values outside the scale range
## ('geom_point()').
```



```
# # working on plotting better
# emmip(model, ~ age.in.months | container.title, CIs = TRUE, type = "response", at = list(age.in.months = 1, container.title = "A"))
#   geom_point(aes(x = age.in.months, y = is.referenced.by.count), data = my_data, size = 1, color = "black")
emmip(differences, ~ age.in.months | container.title, CIs = TRUE, engine = "ggplot")
```

## NOTE: Results may be misleading due to involvement in interactions

```
## Warning: Removed 4 rows containing missing values or values outside the scale range
## ('geom_segment()').
## Removed 4 rows containing missing values or values outside the scale range
## ('geom_point()').
```



## The Other Plot from Abner

- Also, I think this result would be even clearer if you made a plot with “age” in the horizontal axis, “predicted citations” in the vertical axis, and lines colored by “da\_factor”.

```
library(DHARMA)
```

```
## This is DHARMA 0.4.7. For overview type '?DHARMA'. For recent changes, type news(package = 'DHARMA')
```

```
library(sjPlot)
#smaller model with 2 terms
two_term_glmnb <-function(model_data, model_name) {

  total_model <-MASS::glm.nb(is.referenced.by.count~ da_factor + log(age.in.months) +
    + log(age.in.months)*da_factor + log(age.in.months)*da_factor, data = model_data, link = log)

  return(total_model)
}

journals <-
  nsd_yes_metadata %>%
  count(journal_abrev) %>%
  filter(journal_abrev != "jmbe")
```

```

j <- 8 #mbio

journal_data <-
nsd_yes_metadata %>%
  filter(journal_abrev == journals[[j,1]]) %>%
  mutate(da_factor = factor(da))

model <- two_term_glmnb(journal_data, journals[[j,1]])
summary(model)


##
## Call:
## MASS::glm.nb(formula = is.referenced.by.count ~ da_factor + log(age.in.months) +
##   +log(age.in.months) * da_factor + log(age.in.months) * da_factor,
##   data = model_data, link = log, init.theta = 1.597744281)
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -2.81124     0.15592 -18.030 < 2e-16 ***
## da_factorYes    -0.35970     0.20003  -1.798  0.07215 .
## log(age.in.months)  1.51608     0.03718  40.781 < 2e-16 ***
## da_factorYes:log(age.in.months)  0.15390     0.04860   3.166  0.00154 **
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for Negative Binomial(1.5977) family taken to be 1)
##
## Null deviance: 6961.8  on 2437  degrees of freedom
## Residual deviance: 2603.7  on 2434  degrees of freedom
## (60 observations deleted due to missingness)
## AIC: 20128
##
## Number of Fisher Scoring iterations: 1
##
##              Theta:  1.5977
##              Std. Err.:  0.0482
##
## 2 x log-likelihood:  -20118.0870

plot_model <- plot_model(model, type = "pred", terms = c("da_factor", "age.in.months[12,60,84,120,180]"))
print(plot_model)

```



Predicted counts of 'is.referenced.by.count'  
Plotted for journal mbio



```
model_data <- get_model_data(model, type = "pred", terms = c("da_factor", "age.in.months[12,60,84,120]"),
  tibble(da_factor = ifelse(. $x == 1, "Data not available", "Data available"), predicted_citations = . $y)

ggplot(data = model_data, aes(x = age.in.months, y = predicted_citations,
  color = da_factor)) +
  geom_point() +
  geom_crossbar(aes(ymin = conf.low, ymax = conf.high)) +
  geom_path(aes(x = age.in.months, y = predicted_citations, group = da_factor)) +
  labs(title = "Predicted number of citations for mBio over time using two term fixed GLM",
    x = "Age in Months",
    y = "Predicted Number of Citations",
    color = "Data availability with 95% CI")
```

Predicted number of citations for mBio over time using two term fixed GLM

