

ACT 01 - Creación de usuarios

1. Comprobar usuarios existentes

```
SELECT user, host FROM mysql.user;
```

2. Crear usuario ac901local

```
CREATE USER 'ac901local'@'localhost' IDENTIFIED BY 's8a';
```

3. Crear usuario ac901remoto

```
CREATE USER 'ac901remoto'@'%' IDENTIFIED BY 's8a';
```

4. Modificar contraseña de ac901remoto


```
ALTER USER 'ac901remoto'@'%' IDENTIFIED BY 'severo';
```

5. Volver a comprobar usuarios

```
SELECT user, host FROM mysql.user;
```

6. Eliminar usuario ac901remoto

```
DROP USER 'ac901remoto'@'%';
```



```
XAMPP for Windows - mysql x + v

Setting environment for using XAMPP for Windows.
javier@DESKTOP-F9IF2U2 c:\xampp
# mysql -u root -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 8
Server version: 10.4.32-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> SELECT user, host FROM mysql.user;
+-----+-----+
| User | Host |
+-----+-----+
| root | 127.0.0.1 |
| root | ::1 |
| pma | localhost |
| root | localhost |
+-----+-----+
4 rows in set (0.002 sec)

MariaDB [(none)]> |
```

```
MariaDB [(none)]> CREATE USER 'ac901local'@'localhost' IDENTIFIED BY 's8a';
Query OK, 0 rows affected (0.003 sec)
```

```
MariaDB [(none)]> CREATE USER 'ac901remoto'@'%' IDENTIFIED BY 's8a';
Query OK, 0 rows affected (0.002 sec)
```

```
MariaDB [(none)]> ALTER USER 'ac901remoto'@'%' IDENTIFIED BY 'severo';
Query OK, 0 rows affected (0.002 sec)
```

```
MariaDB [(none)]> SELECT user, host FROM mysql.user;
```

User	Host
ac901remoto	%
root	127.0.0.1
root	:::1
ac901local	localhost
pma	localhost
root	localhost

```
6 rows in set (0.001 sec)
```

```
MariaDB [(none)]> DROP USER 'ac901remoto'@'%' ;
Query OK, 0 rows affected (0.002 sec)
```

```
MariaDB [(none)]>
```