

ACT 03 - Usuarios Wordpress

1. Crear base de datos wordpress

```
CREATE DATABASE wordpress CHARACTER SET utf8mb4 COLLATE utf8mb4_unicode_ci;
```

2. Crear wp_local_user

```
CREATE USER 'wp_local_user'@'localhost' IDENTIFIED BY 's8a';  
GRANT ALL PRIVILEGES ON wordpress.* TO 'wp_local_user'@'localhost'; FLUSH PRIVILEGES;
```

3. Crear wp_remote_user

```
CREATE USER 'wp_remote_user'@'%' IDENTIFIED BY 's8a';  
GRANT ALL PRIVILEGES ON wordpress.* TO 'wp_remote_user'@'%';  
FLUSH PRIVILEGES;
```

```
MariaDB [(none)]> CREATE DATABASE wordpress CHARACTER SET utf8mb4 COLLATE utf8mb4_unicode_ci;  
Query OK, 1 row affected (0.001 sec)  
  
MariaDB [(none)]> CREATE USER 'wp_local_user'@'localhost' IDENTIFIED BY 's8a';  
Query OK, 0 rows affected (0.002 sec)  
  
MariaDB [(none)]> GRANT ALL PRIVILEGES ON wordpress.* TO 'wp_local_user'@'localhost';  
Query OK, 0 rows affected (0.002 sec)  
  
MariaDB [(none)]> FLUSH PRIVILEGES;  
Query OK, 0 rows affected (0.000 sec)  
  
MariaDB [(none)]> CREATE USER 'wp_remote_user'@'%' IDENTIFIED BY 's8a';  
Query OK, 0 rows affected (0.001 sec)  
  
MariaDB [(none)]> GRANT ALL PRIVILEGES ON wordpress.* TO 'wp_remote_user'@'%';  
Query OK, 0 rows affected (0.002 sec)  
  
MariaDB [(none)]> FLUSH PRIVILEGES;  
Query OK, 0 rows affected (0.000 sec)  
  
MariaDB [(none)]> |
```

4. Crear wp_read_user (solo lectura)

```
CREATE USER 'wp_read_user'@'%' IDENTIFIED BY 's8a';  
GRANT SELECT ON wordpress.* TO 'wp_read_user'@'%';  
FLUSH PRIVILEGES;
```

5. Volver a crear wp_read_user con todos los privilegios

```
DROP USER 'wp_read_user'@'%';  
CREATE USER 'wp_read_user'@'% ' IDENTIFIED BY 'wordpress2024';  
GRANT ALL PRIVILEGES ON wordpress.* TO 'wp_read_user'@'%';  
FLUSH PRIVILEGES;
```

```
MariaDB [(none)]> CREATE USER 'wp_read_user'@'%' IDENTIFIED BY 's8a';  
Query OK, 0 rows affected (0.002 sec)  
  
MariaDB [(none)]> GRANT SELECT ON wordpress.* TO 'wp_read_user'@'%;  
Query OK, 0 rows affected (0.002 sec)  
  
MariaDB [(none)]> FLUSH PRIVILEGES;  
Query OK, 0 rows affected (0.000 sec)  
  
MariaDB [(none)]> DROP USER 'wp_read_user'@'%;  
Query OK, 0 rows affected (0.002 sec)  
  
MariaDB [(none)]> CREATE USER 'wp_read_user'@'%' IDENTIFIED BY 'wordpress2024';  
Query OK, 0 rows affected (0.002 sec)  
  
MariaDB [(none)]> GRANT ALL PRIVILEGES ON wordpress.* TO 'wp_read_user'@'%;  
Query OK, 0 rows affected (0.002 sec)  
  
MariaDB [(none)]> FLUSH PRIVILEGES;  
Query OK, 0 rows affected (0.000 sec)  
  
MariaDB [(none)]> |
```

6. Revocar privilegios a wp_read_user

```
REVOKE CREATE, DROP, INSERT, DELETE, UPDATE ON wordpress.* FROM  
'wp_read_user'@'%';  
FLUSH PRIVILEGES;
```

7. Listado de todos los usuarios creados

```
SELECT user, host FROM mysql.user;
```

8. Permisos de wp_read_user

```
SHOW GRANTS FOR 'wp_read_user'@'%';
```

9. Eliminar wp_read_user

```
DROP USER 'wp_read_user'@'%';  
FLUSH PRIVILEGES;
```

```

MariaDB [(none)]> REVOKE CREATE, DROP, INSERT, DELETE, UPDATE ON wordpress.* FROM 'wp_read_user'@'%';
Query OK, 0 rows affected (0.002 sec)

MariaDB [(none)]> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.000 sec)

MariaDB [(none)]> SELECT user, host FROM mysql.user;
+-----+-----+
| User          | Host      |
+-----+-----+
| ac903todo     | %         |
| wp_read_user  | %         |
| wp_remote_user| %         |
| root          | 127.0.0.1 |
| root          | ::1       |
| pma           | localhost |
| root          | localhost |
| wp_local_user | localhost |
+-----+-----+
8 rows in set (0.001 sec)

MariaDB [(none)]> SHOW GRANTS FOR 'wp_read_user'@'%';
+-----+-----+
| Grants for wp_read_user@% |
+-----+-----+
| GRANT USAGE ON *.* TO 'wp_read_user'@'%' IDENTIFIED BY PASSWORD '*3B79E9A2595F24C33B81D7EAB3A68E50A989230F' |
| GRANT SELECT, REFERENCES, INDEX, ALTER, CREATE TEMPORARY TABLES, LOCK TABLES, EXECUTE, CREATE VIEW, SHOW VIEW, CREATE ROUTINE, ALTER ROUTINE, EVENT, TRIGGE |
| R, DELETE HISTORY ON 'wordpress'.* TO 'wp_read_user'@'%' |
+-----+-----+
2 rows in set (0.000 sec)

MariaDB [(none)]> DROP USER 'wp_read_user'@'%';
Query OK, 0 rows affected (0.002 sec)

MariaDB [(none)]> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.000 sec)

```