

2490_m

CLIMBING

Real-time video from freefall.

THE PROBLEM

Today the ground sees
just a dot in the sky.

THE IDEA BEHIND IT

What if the ground saw the
jump
through their eyes?

THE SYSTEM

Two devices. One live image.

SKYDIVE·LIVE

PART 1


The Transmitter

Uses the **GoPro mount**.

 SKYDIVE·LIVE

Transmits 4 km — with margin.

The transmitter.



THE EYE


The camera.

THE POWER

The battery.



THE LINK



The antenna.

INSIDE

 SKYDIVE·LIVE

Every part has its **place.**



From parts to transmitter.




GoPro format on the helmet.

The fan knows **when.**

ALL-DAY READY

Battery swap in three steps.




One transmitter —
many **stages.**



SKYDIVE·LIVE

Several jumpers. One screen.

ONE SCREEN · THE WHOLE TEAM



Each jumper on their own channel → several receivers → **one split screen**. The whole 4-way, live, on one screen.



Why not just **DJI** or **GoPro**?

Everything that **matters.**

PART 2


The Ground Station

The image's journey.

WHAT LANDS ON THE GROUND

Live on the screen.





FIELD-READY

Set up in
minutes.

Range — with **margin.**

From the helmet to the
drop zone's **big screen.**

THE PATH

From concept to the **first**
official tests.



Join in.

Jumpers, tinkerers, drop zones —
let us build the front-row
experience.

The **link budget**, worked out.

Why the VTX **stays cool.**

APPENDIX C · AIRFLOW

The **air path** inside.