



SKYDIVE·LIVE

GENERATION V5 · DUAL ANTENNA

Never lose the **picture.**



The jumper turns. One antenna loses it.

Two don't

THE PROBLEM

A body is a **shadow**.


In belly flight (face down) the antenna points down — a clear line to the ground. The moment the jumper goes **head-down (head first)**, their own body slides between the transmitter and the ground. A single antenna **drops out** — exactly at the most spectacular moment.



PLAY THE JUMP

SKYDIVE-LIVE · v5 DUAL ANTENNA

Flip him head-down. Switch in the second antenna.



LINK 100%

LIVE — IMAGE HOLDS Dropout < 25 %

Belly Sit Head-down Back

1 antenna
patch only

2 antennas
patch + dipole

Drag the jumper · or pick a pose · then switch to 2 antennas



THE SOLUTION

One to the side.
One up.


MODULAR

Flush. One block.

The second antenna sits **flush with the shell** — in the top lid and the -X end cap, **screwed in, not plugged on**. No bump, no snag risk. Print the transmitter **with or without** the antenna — same clean form.



Switched up top. Caught many ways below.




WHERE WE STAND — HONESTLY

The CAD is done. The print is next.

MACHINE-VERIFIED

- ✓ **Transmitter print-ready** — 6 parts watertight, gate green (via trimesh, not just claimed)
- ✓ **Every part has its place** — fit, mounting, cable routing checked (boolean, 0 collisions)
- ✓ **Antenna flush** — top lid + -X end cap screwed in, coax feedthrough, gate green
- ✓ **Dual antenna worked out** — switched, one U.FL, ground diversity



Turn however you want. We hold the link.

Two antennas. A picture that never drops out.
Next, the printed proof speaks.