




ARGLINA (n = 50)




ARGLINB (n = 50)




ARGTRIGLS (n = 50)




ARWHEAD (n = 100)



BAmL1SPLS (n = 57)




BDQRTIC (n = 100)




README benchmark, per-problem convergence (5 random frames, budget 100 (n + 1); f* = best value reached by any run)


BROWNAL (n = 100)




BROYDN3DLS (n = 50)




BROYDNBDLS (n = 50)




BRYBND (n = 50)



CHNROSNB (n = 50)




CHNRSNBM (n = 50)




README benchmark, per-problem convergence (5 random frames, budget 100 (n + 1); f* = best value reached by any run)


COSINE (n = 100)




CRAGGLVY (n = 50)




CURLY10 (n = 100)




CURLY20 (n = 100)









CURLY30 (n = 35)









CYCLIC3LS (n = 102)



README benchmark, per-problem convergence (5 random frames, budget 100 ($n + 1$); f^* = best value reached by any run)




README benchmark, per-problem convergence (5 random frames, budget 100 ($n + 1$); f^* = best value reached by any run)




README benchmark, per-problem convergence (5 random frames, budget 100 (n + 1); f* = best value reached by any run)


DIXMAANM1 (n = 90)




DIXMAANN (n = 90)




DIXMAANO (n = 90)




DIXMAANP (n = 90)




DIXON3DQ (n = 100)




DQRTIC (n = 50)




EDENSCH (n = 36)




EIGENALS (n = 110)




EIGENBLS (n = 110)




ENGVAL1 (n = 50)



ERRINROS (n = 50)




ERRINRSM (n = 50)




README benchmark, per-problem convergence (5 random frames, budget 100 ($n + 1$); f^* = best value reached by any run)


EXTROSNB ($n = 100$)




FLETBV3M ($n = 100$)




FLETBV2 ($n = 100$)




FLETCHCR ($n = 100$)



FMINSRF2 ($n = 49$)




FMINSURF ($n = 49$)




README benchmark, per-problem convergence (5 random frames, budget 100 ($n + 1$); f^* = best value reached by any run)


FREUROTH ($n = 50$)




GENHUMPS ($n = 100$)




GENROSE ($n = 100$)




HILBERTB ($n = 50$)




HYDC20LS ($n = 99$)




INDEFM ($n = 50$)




INTEQNELS (n = 52)




KSSLS (n = 100)




LIARWHD (n = 36)




LUKSAN11LS (n = 100)




LUKSAN12LS (n = 98)




LUKSAN13LS (n = 98)




LUKSAN14LS (n = 98)




LUKSAN17LS (n = 100)




LUKSAN21LS (n = 100)




LUKSAN22LS (n = 100)




MANCINO (n = 30)




METHANB8LS (n = 31)




METHANL8LS (n = 31)




MOREBV (n = 50)




MSQRTALS (n = 49)




MSQRTBLS (n = 49)



NCB20 (n = 35)




NCB20B (n = 50)




README benchmark, per-problem convergence (5 random frames, budget 100 (n + 1); f* = best value reached by any run)


NONCVXU2 (n = 100)




NONCVXUN (n = 100)




NONDIA (n = 30)




NONDQUAR (n = 100)



OSCIGRAD (n = 100)




OSCIPTH (n = 100)




README benchmark, per-problem convergence (5 random frames, budget 100 ($n + 1$); f^* = best value reached by any run)


PENALTY1 ($n = 50$)




PENALTY2 ($n = 50$)




POWELLSG ($n = 36$)




POWER ($n = 30$)









QING ($n = 100$)




QUARTC ($n = 100$)




README benchmark, per-problem convergence (5 random frames, budget 100 ($n + 1$); f^* = best value reached by any run)




SENSORS (n = 100)




SINQUAD (n = 50)




SINQUAD2 (n = 50)




SPARSINE (n = 50)



SPARSQR (n = 50)




SPIN2LS (n = 32)




README benchmark, per-problem convergence (5 random frames, budget 100 (n + 1); f* = best value reached by any run)


SPINLS (n = 67)




SSBRYBND (n = 50)




SSCOSINE (n = 100)




STRTCHDV (n = 100)



TOINTGOR (n = 50)




TOINTGSS (n = 50)




README benchmark, per-problem convergence (5 random frames, budget 100 (n + 1); f* = best value reached by any run)


TOINTPSP (n = 50)




TOINTQOR (n = 50)




TQUARTIC (n = 50)




TRIDIA (n = 30)



TRIGON1 (n = 100)




TRIGON2 (n = 100)




README benchmark, per-problem convergence (5 random frames, budget 100 ($n + 1$); f^* = best value reached by any run)


VARDIM ($n = 50$)




VAREIGVL ($n = 50$)




WATSON ($n = 31$)




YATP1CLS ($n = 35$)



YATP1LS ($n = 35$)



YATP2CLS ($n = 35$)



YATP2LS (n = 35)

