

Variant Ablation Summary: No Architectural Variant Beats Canonical

Variant	Δ from cano	Step	N	Rate $L=50/10$	Total	Val	Verdict
canonical (wd=0.0)	—	2646	30	26/25/17	68/90	4.77	alive
v2 (wd=0.1+cos)	wd, sched	2078	3	0/0/0	0/9	4.44	dead
wd=0 ablation	wd $\rightarrow$ 0	1638	3	1/1/0	2/9	—	dead
sparse K=40	sparse attn	1259	6	5/3/1	9/18	—	alive
sparse K40+PU	+ pair-update	1133	6	2/1/0	3/18	—	dead
scnbr $_{t=0.4}$ +FixC2	neighbor sched	1133	6	3/2/0	5/18	—	alive
downsampled	$2\times$ pool	2331	6	1/0/0	1/18	—	dead
K=64 curric	K 50 $\rightarrow$ 64	944	6	2/1/0	3/18	—	marg.
+ BigBird only	+ globals	819	6	0/0/0	0/18	—	dead
+ BB+PU+lts	5-axis bundle	944	6	2/1/0	3/18	—	dead
K40+curric+self	self in nbrs	1133	6	3/2/1	6/18	—	marg.
attn-routing hybrid	infer-time K sv	—	9	—	1/9	—	dead