Sciagen CRM

Sciagen CRM Data Model

Entities and relationships of the Sciagen CRM org (devorg1), grouped into 21 modules in the style of Salesforce's Life Sciences Data Model Gallery. Each module has a diagram, the objects included, how it works in our org, and a field-level reference.

Source: live custom metadata retrieved from the devorg1 sandbox. 99 custom objects and 981 custom fields. Standard objects (User) appear only as related entities.

Account Management

Entities and relationships for healthcare professionals (HCPs) and organisations (HCOs), their affiliations, i…

7 objects

Duplicate Management

Entities and relationships for detecting, reviewing and merging duplicate accounts, with a log that allows a m…

4 objects

Territory Management

Entities and relationships for the territory hierarchy, rep-to-territory and account-to-territory alignment, a…

6 objects

Visit Management

Entities and relationships for planning, executing and reporting on visits to healthcare professionals and org…

9 objects

Call Planning Controls

Entities and relationships for monthly call plans, plan freezing and deviation, geofence rules, and the settin…

8 objects

Segmentation

Entities and relationships for classifying HCPs by tier, priority, potential and classification, with optional…

4 objects

Key Account Management - Account Plan

Entities and relationships for account plans with goals, stakeholders, strategies, activities, action items an…

10 objects

Intelligent Content

Entities and relationships for approved presentations, slides, CLM sessions, key messages and slide-level enga…

11 objects

Field Email

Entities and relationships for approved email templates, the content allowed in them, and emails sent to HCPs.…

7 objects

Consent Management

Entities and relationships for HCP consent, with channel, email and product preferences.…

6 objects

Sample Management

Entities and relationships for sample stock, warehouses, lots, allocations, transfers and drops to HCPs.…

8 objects

Sample Limits and Compliance

Entities and relationships for per-product sample limits, overrides, blocked attempts, expenditure tracking an…

9 objects

Promotional Items

Entities and relationships for promotional items (notepads, pens and similar) and the drops made on a visit.…

4 objects

RCPA Audits

Entities and relationships for retail chemist prescription audits, competitor brands, personal order booking a…

8 objects

Data Change Requests

Entities and relationships for requests to change account data, with approval comments.…

2 objects

Lists and Filters

Entities and relationships for custom HCP lists, saved views and rep preferences.…

5 objects

Product Management

Entities and relationships for the product catalogue, product hierarchy, divisions, molecules, targets and sec…

8 objects

Expenses and Leave

Entities and relationships for daily expense claims, travel patches, monthly allowance claims and leave reques…

8 objects

Support Center

Entities and relationships for in-app support requests, comments, support settings and device reset requests.…

5 objects

App Alerts

Entities and relationships for alerts shown to reps in the app.…

3 objects

Mobile Sync and System

Entities and relationships for the iPad sync log, per-object sync configuration, geocoding and application con…

4 objects

How to Read These Diagrams

Each box is an object. The header shows the label and API name; rows show the most important fields. A light-blue dashed box is an object that belongs to another module; a teal box is a standard Salesforce object.



Relationship line

Crow's foot end = the "many" side, the object that holds the lookup field.

Single bar and circle = optional parent (lookup). Dashed line = lookup that may be empty.

Thick solid line with two bars = master-detail (child cannot exist without parent).


Dashed line = optional lookup.

Label on the line = the field that holds the relationship. PK = primary key (Id). FK = lookup field. MD = master-detail.

Header colours: dark blue = custom object in this module, light blue with dashed border = custom object from another module, teal = st

Account Management Data Model

Entities and relationships for healthcare professionals (HCPs) and organisations (HCOs), their affiliations, influence networks and professional activity.



Entities/Objects Included

Affiliation, Best Office Time, Clinical Trial, Congress Event, Influence Peer, Publication, Sciagen Account

How it works in our org

- One object, Sciagen Account, holds both HCPs and HCOs; Type decides which. Accounts can have a parent account and a merge pointer to the surviving record.
- Affiliation links an HCP to an HCO. Influence Peer links an HCP to the peers who influence them.
- Best Office Time, Publications, Clinical Trials and Congress Events hang off the HCP or HCO and feed the account profile on the iPad and in the account page.
- Rows reach a rep through territory sharing (see Territory Management); the object is private by default.

Object and field details

Sciagen Account `Sciagen_Account__c` **68 fields**

Single source of truth for HCP and HCO accounts in Sciagen CRM. Replaces the Standard Account object (previously used with HCP/HCO RecordTypes) — Type__c now distinguishes HCP vs HCO.
Sharing: Private

Field	API name	Type	Reference / values
Account Code	`Account_Code__c`	Text	
Actively Published Years	`Actively_Published_Years__c`	Number	
Age	`Age__c`	Number	
Avg Citations Per Article	`Avg_Citations_Per_Article__c`	Number	
Avg Coauthors Per Article	`Avg_Coauthors_Per_Article__c`	Number	
Billing City	`Billing_City__c`	Text	
Billing Country	`Billing_Country__c`	Text	
Billing Postal Code	`Billing_Postal_Code__c`	Text	
Billing State	`Billing_State__c`	Text	
Billing Street	`Billing_Street__c`	Text	
Can Prescribe	`Can_Prescribe__c`	Checkbox	
Controlled Substance License	`Controlled_Substance_License__c`	Text	Drug-schedule licence needed to receive samples of a controlled substance.
Dedupe Checked At	`Dedupe_Checked_At__c`	Date/Time	When the duplicate scan last compared this record.
Dedupe Email Key	`Dedupe_Email_Key__c`	Text	System-maintained lower-cased email. Do not edit.
Dedupe Geo Key	`Dedupe_Geo_Key__c`	Text	System-maintained map grid cell (about 1 km) for HCOs. Do not edit.
Dedupe License Key	`Dedupe_License_Key__c`	Text	System-maintained normalised licence number. Do not edit.
Dedupe Name Key	`Dedupe_Name_Key__c`	Text	System-maintained normalised name used to find duplicate candidates. Do not edit.
Dedupe Phone Key	`Dedupe_Phone_Key__c`	Text	System-maintained last 10 digits of the phone number. Do not edit.
Dedupe Sound Key	`Dedupe_Sound_Key__c`	Text	System-maintained phonetic name key. Do not edit.

Field	API name	Type	Reference / values
Degree 1	`Degree_1__c`	Text	
Degree 2	`Degree_2__c`	Text	
Degree 3	`Degree_3__c`	Text	
Degree 4	`Degree_4__c`	Text	
Degree 5	`Degree_5__c`	Text	
Email	`Email__c`	Email	
Emerging Expert	`Emerging_Expert__c`	Checkbox	
Experience Years	`Experience_Years__c`	Number	
External IDs	`External_Ids__c`	Long text	External identifiers for this HCP/HCO (e.g. NPI, MCI, GST, NABH), stored as JSON — {"NPI": "1234567890", "MCI": "MCI-9988"}. Mirrors the Fie
First Name	`First_Name__c`	Text	
Focus Area	`Focus_Area__c`	Text	
Geofence Radius (m)	`Geofence_Radius_M__c`	Number	Per-HCO override of the check-in geofence radius in metres (e.g. a large hospital campus). Blank uses the Geofence Setting default.
Geolocation	`Geolocation__c`	Geolocation	
Graduation Year	`Graduation_Year__c`	Number	
Guideline Count	`Guideline_Count__c`	Number	
HCO Type	`HCO_Type__c`	Picklist	Hospital, Clinic, Nursing Home, Pharmacy, Medical Shop, Chemist Shop, Stockist, Health System, Diagnostic Centre, Acaedemic Instituiton …
HCP Type	`HCP_Type__c`	Picklist	Physician, Surgeon, Consultant, General Practitioner, Other, Specialist, Super Specialist
Instagram URL	`Instagram_URL__c`	URL	
Is Merged	`Is_Merged__c`	Checkbox	True when this record was merged into another (the losing record). Merged records are hidden from the iPad and from search; their data and h
Last Name	`Last_Name__c`	Text	
Last Visit	`Last_Visit__c`	Date	
License Expiry Date	`License_Expiry_Date__c`	Date	
License Number	`License_Number__c`	Text	
License Verification Status	`License_Verification_Status__c`	Picklist	Unverified, Verified, Invalid, Expired, Pending
License Verified At	`License_Verified_At__c`	Date/Time	
License Verified By	`License_Verified_By__c`	Text	
Licensing Body	`Licensing_Body__c`	Text	
Licensing Year	`Licensing_Year__c`	Number	
LinkedIn URL	`LinkedIn_URL__c`	URL	
Medical Council Registration Number	`Medical_Council_Reg_Number__c`	Text	
Merged At	`Merged_At__c`	Date/Time	
Merged Into	`Merged_Into__c`	Lookup	Lookup to Sciagen Account
Parent Account	`Parent_Account__c`	Lookup	Lookup to Sciagen Account
Phone	`Phone__c`	Phone	
Plus Code	`Plus_Code__c`	Text	
Prefix	`Prefix__c`	Text	
Primary Country	`Primary_Country__c`	Text	
Profile Summary	`Profile_Summary__c`	Long text	Rep-authored profile note (preferred topics, key insights), edited from the iPad HCP Profile tab.

Field	API name	Type	Reference / values
Reach Flag	`Reach_Flag__c`	Picklist	Local, Regional, Global
Sample Eligible	`Sample_Eligible__c`	Formula	Calculated
Speciality	`Speciality__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Specialty	`Specialty__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Total Articles	`Total_Articles__c`	Number	
Total Citations	`Total_Citations__c`	Number	
Twitter URL	`Twitter_URL__c`	URL	
Type *	`Type__c`	Picklist	HCP, HCO
Unique Journal Count	`Unique_Journal_Count__c`	Number	
Website	`Website__c`	URL	
YouTube URL	`YouTube_URL__c`	URL	

Affiliation `Affiliation__c`

3 fields

Sharing: Read

Field	API name	Type	Reference / values
HCO *	`HCO__c`	Lookup	Lookup to Sciagen Account
HCP *	`HCP__c`	Lookup	Lookup to Sciagen Account
Is Primary	`Is_Primary__c`	Checkbox	True for the one HCO affiliation (of up to 3) that the app treats as this HCP's primary practice location — used to auto-populate the Addres

Influence Peer `Influence_Peer__c`

6 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
HCP	`HCP__c`	Master-Detail	Master-detail to Sciagen Account
Peer HCP	`Peer_HCP__c`	Lookup	Lookup to Sciagen Account
Peer Name *	`Peer_Name__c`	Text	
Peer Specialty	`Peer_Specialty__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, Other
Relationship	`Relationship__c`	Text	
Strength	`Strength__c`	Picklist	Low, Medium, High

Best Office Time `Office_Window__c`

5 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Day *	`Day__c`	Picklist	Mon, Tue, Wed, Thu, Fri, Sat, Sun
HCO	`HCO__c`	Lookup	Lookup to Sciagen Account
HCP	`HCP__c`	Master-Detail	Master-detail to Sciagen Account
Preference	`Preference__c`	Picklist	Best, Good, Avoid
Time Window *	`Window__c`	Text	

Publication `Publication__c`

9 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Citations	`Citations__c`	Number	
Coauthors	`Coauthors__c`	Long text	
HCP	`HCP__c`	Master-Detail	Master-detail to Sciagen Account
Link	`Link__c`	URL	
MeSH Terms	`Mesh_Terms__c`	Long text	
PMID	`PMID__c`	Text	
Publication Date	`Publication_Date__c`	Text	
Publication Type	`Publication_Type__c`	Text	
Title *	`Title__c`	Text	

Clinical Trial `Clinical_Trial__c`

12 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Completion Date	`Completion_Date__c`	Text	
Condition	`Condition__c`	Text	
Endpoints	`Endpoints__c`	Long text	
HCP	`HCP__c`	Master-Detail	Master-detail to Sciagen Account
Locations	`Locations__c`	Long text	
Phase	`Phase__c`	Picklist	Phase I, Phase II, Phase III, Phase IV, Not Applicable
Registry ID	`Registry_Id__c`	Text	
Registry	`Registry__c`	Text	
Sponsor	`Sponsor__c`	Text	
Start Date	`Start_Date__c`	Text	
Study Type	`Study_Type__c`	Text	
Title *	`Title__c`	Text	

Congress Event `Congress_Event__c`

9 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
End Date	`End_Date__c`	Text	
Event Name *	`Event_Name__c`	Text	
HCP	`HCP__c`	Master-Detail	Master-detail to Sciagen Account
Link	`Link__c`	URL	
Location	`Location__c`	Text	
Organized By	`Organized_By__c`	Text	


Field	API name	Type	Reference / values
Role	`Role__c`	Text	
Start Date	`Start_Date__c`	Text	
Topic	`Topic__c`	Text	

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Duplicate Management Data Model

Entities and relationships for detecting, reviewing and merging duplicate accounts, with a log that allows a merge to be reverted.



Custom object (this module) · Custom object in another module (shown as a chip) · Standard object (shown as a chip)

Entities/Objects Included

Duplicate Candidate, Duplicate Setting, Merge Log, Sciagen Account

How it works in our org

- A candidate pairs two accounts (Record A and Record B) with a suggested winner and a review status.
- A merge writes a Merge Log with the winner, loser and who ran it, so it can be reverted.
- The losing account stays in the system, marked merged and pointing at the winner. Triggers on call reports, plans, consent and similar objects redirect any stale reference from an iPad to the winner.

Object and field details

Duplicate Setting `Duplicate_Setting__c`

5 fields

Thresholds and switches for HCP/HCO duplicate detection and merging. A Hierarchy Custom Setting: set the org default here, override per profile or user if needed.

Field	API name	Type	Reference / values
Auto-Merge Enabled	`Auto_Merge_Enabled__c`	Checkbox	When on, the nightly scan merges High-confidence pairs at or above the auto-merge score with no human review. Leave off until the scores hav
Auto-Merge Score	`Auto_Merge_Score__c`	Number	Only pairs at or above this score are auto-merged, and only when they also share a strong identifier. Default 95.
Duplicate Detection Enabled	`Enabled__c`	Checkbox	Master switch for the scan, the on-create check and candidate creation.
High Confidence Score	`High_Confidence_Score__c`	Number	Pairs at or above this are High confidence. Default 85.
Minimum Candidate Score	`Min_Candidate_Score__c`	Number	Pairs scoring below this are not recorded. Default 55.

Duplicate Candidate `Duplicate_Candidate__c`

14 fields

A pair of HCP or HCO records the duplicate scan believes describe the same real-world person or organisation, with the score and the reasons. A data steward reviews it and merges or dismisses it.

Sharing: ReadWrite

Field	API name	Type	Reference / values
Confidence	`Confidence__c`	Text	High, Medium or Low, from the score thresholds in Duplicate Setting.
Match Reasons	`Match_Reasons__c`	Long text	Plain-language evidence behind the score, one line per signal.
Match Score	`Match_Score__c`	Number	0 to 100. Higher means more likely the same record.
Merge Log	`Merge_Log__c`	Lookup	Lookup to Merge Log
Record Type	`Object_Type__c`	Text	
Pair Key	`Pair_Key__c`	Text	Lower Id	higher Id. Guarantees one candidate per pair.
Record A	`Record_A__c`	Lookup	Lookup to Sciagen Account
Record B	`Record_B__c`	Lookup	Lookup to Sciagen Account
Review Note	`Review_Note__c`	Text	
Reviewed At	`Reviewed_At__c`	Date/Time	
Reviewed By	`Reviewed_By__c`	Lookup	Lookup to User

Field	API name	Type	Reference / values
Status	`Status__c`	Picklist	Open, Merged, Not Duplicate, Superseded
Strong Identifier Matched	`Strong_Identifier__c`	Checkbox	True when the pair shares a licence number, email, phone, external ID or other identifier, not just a similar name. Auto-merge requires this
Suggested Winner	`Suggested_Winner__c`	Lookup	Lookup to Sciagen Account

Merge Log `Merge_Log__c`

16 fields

Audit trail of every HCP/HCO merge: who merged which record into which, the field-by-field decisions, what child records moved, and a snapshot of the losing record so the merge can be undone.

Sharing: ReadWrite

Field	API name	Type	Reference / values
Field Decisions	`Field_Decisions__c`	Long text	JSON: for each field, the value kept, the value discarded and why.
Loser Name	`Loser_Name__c`	Text	
Loser Snapshot	`Loser_Snapshot__c`	Long text	JSON copy of the losing record before the merge, used to undo it.
Loser	`Loser__c`	Lookup	Lookup to Sciagen Account
Merged At	`Merged_At__c`	Date/Time	
Merged By	`Merged_By__c`	Lookup	Lookup to User
Method	`Method__c`	Text	
Moved Records	`Moved_Records__c`	Long text	JSON: object.field to the Ids that were moved to the winner, used to undo the merge.
Record Type	`Object_Type__c`	Text	
Reverted At	`Reverted_At__c`	Date/Time	
Reverted By	`Reverted_By__c`	Lookup	Lookup to User
Match Score	`Score__c`	Number	
Status	`Status__c`	Text	
Summary	`Summary__c`	Long text	
Winner Name	`Winner_Name__c`	Text	
Winner	`Winner__c`	Lookup	Lookup to Sciagen Account

Sciagen Account `Sciagen_Account__c`

68 fields

Single source of truth for HCP and HCO accounts in Sciagen CRM. Replaces the Standard Account object (previously used with HCP/HCO RecordTypes) — Type__c now distinguishes HCP vs HCO.

Sharing: Private

Field	API name	Type	Reference / values
Account Code	`Account_Code__c`	Text	
Actively Published Years	`Actively_Published_Years__c`	Number	
Age	`Age__c`	Number	
Avg Citations Per Article	`Avg_Citations_Per_Article__c`	Number	
Avg Coauthors Per Article	`Avg_Coauthors_Per_Article__c`	Number	
Billing City	`Billing_City__c`	Text	
Billing Country	`Billing_Country__c`	Text	
Billing Postal Code	`Billing_Postal_Code__c`	Text	
Billing State	`Billing_State__c`	Text	

Field	API name	Type	Reference / values
Billing Street	`Billing_Street__c`	Text	
Can Prescribe	`Can_Prescribe__c`	Checkbox	
Controlled Substance License	`Controlled_Substance_License__c`	Text	Drug-schedule licence needed to receive samples of a controlled substance.
Dedupe Checked At	`Dedupe_Checked_At__c`	Date/Time	When the duplicate scan last compared this record.
Dedupe Email Key	`Dedupe_Email_Key__c`	Text	System-maintained lower-cased email. Do not edit.
Dedupe Geo Key	`Dedupe_Geo_Key__c`	Text	System-maintained map grid cell (about 1 km) for HCOs. Do not edit.
Dedupe License Key	`Dedupe_License_Key__c`	Text	System-maintained normalised licence number. Do not edit.
Dedupe Name Key	`Dedupe_Name_Key__c`	Text	System-maintained normalised name used to find duplicate candidates. Do not edit.
Dedupe Phone Key	`Dedupe_Phone_Key__c`	Text	System-maintained last 10 digits of the phone number. Do not edit.
Dedupe Sound Key	`Dedupe_Sound_Key__c`	Text	System-maintained phonetic name key. Do not edit.
Degree 1	`Degree_1__c`	Text	
Degree 2	`Degree_2__c`	Text	
Degree 3	`Degree_3__c`	Text	
Degree 4	`Degree_4__c`	Text	
Degree 5	`Degree_5__c`	Text	
Email	`Email__c`	Email	
Emerging Expert	`Emerging_Expert__c`	Checkbox	
Experience Years	`Experience_Years__c`	Number	
External IDs	`External_Ids__c`	Long text	External identifiers for this HCP/HCO (e.g. NPI, MCI, GST, NABH), stored as JSON — {"NPI": "1234567890", "MCI": "MCI-9988"}. Mirrors the Fie
First Name	`First_Name__c`	Text	
Focus Area	`Focus_Area__c`	Text	
Geofence Radius (m)	`Geofence_Radius_M__c`	Number	Per-HCO override of the check-in geofence radius in metres (e.g. a large hospital campus). Blank uses the Geofence Setting default.
Geolocation	`Geolocation__c`	Geolocation	
Graduation Year	`Graduation_Year__c`	Number	
Guideline Count	`Guideline_Count__c`	Number	
HCO Type	`HCO_Type__c`	Picklist	Hospital, Clinic, Nursing Home, Pharmacy, Medical Shop, Chemist Shop, Stockist, Health System, Diagnostic Centre, Acaedemic Instituiton …
HCP Type	`HCP_Type__c`	Picklist	Physician, Surgeon, Consultant, General Practitioner, Other, Specialist, Super Specialist
Instagram URL	`Instagram_URL__c`	URL	
Is Merged	`Is_Merged__c`	Checkbox	True when this record was merged into another (the losing record). Merged records are hidden from the iPad and from search; their data and h
Last Name	`Last_Name__c`	Text	
Last Visit	`Last_Visit__c`	Date	
License Expiry Date	`License_Expiry_Date__c`	Date	
License Number	`License_Number__c`	Text	
License Verification Status	`License_Verification_Status__c`	Picklist	Unverified, Verified, Invalid, Expired, Pending
License Verified At	`License_Verified_At__c`	Date/Time	
License Verified By	`License_Verified_By__c`	Text	
Licensing Body	`Licensing_Body__c`	Text	
Licensing Year	`Licensing_Year__c`	Number	


Field	API name	Type	Reference / values
LinkedIn URL	`LinkedIn_URL__c`	URL	
Medical Council Registration Number	`Medical_Council_Reg_Number__c`	Text	
Merged At	`Merged_At__c`	Date/Time	
Merged Into	`Merged_Into__c`	Lookup	Lookup to Sciagen Account
Parent Account	`Parent_Account__c`	Lookup	Lookup to Sciagen Account
Phone	`Phone__c`	Phone	
Plus Code	`Plus_Code__c`	Text	
Prefix	`Prefix__c`	Text	
Primary Country	`Primary_Country__c`	Text	
Profile Summary	`Profile_Summary__c`	Long text	Rep-authored profile note (preferred topics, key insights), edited from the iPad HCP Profile tab.
Reach Flag	`Reach_Flag__c`	Picklist	Local, Regional, Global
Sample Eligible	`Sample_Eligible__c`	Formula	Calculated
Speciality	`Speciality__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Specialty	`Specialty__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Total Articles	`Total_Articles__c`	Number	
Total Citations	`Total_Citations__c`	Number	
Twitter URL	`Twitter_URL__c`	URL	
Type *	`Type__c`	Picklist	HCP, HCO
Unique Journal Count	`Unique_Journal_Count__c`	Number	
Website	`Website__c`	URL	
YouTube URL	`YouTube_URL__c`	URL	

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Territory Management Data Model

Entities and relationships for the territory hierarchy, rep-to-territory and account-to-territory alignment, and product allocation by territory.



Custom object (this module)

Custom object in another module (shown as a chip)

Standard object (shown as a chip)

Entities/Objects Included

Account Territory Assignment, Product, Product Territory Assignment, Sciagen Account, Territory, User Territory Assignment

How it works in our org

- Territories form a hierarchy through Parent Territory.
- User Territory assigns a rep to a territory; its name defaults to the rep's name.
- Account Territory aligns an account to a territory. Triggers use these two links to share accounts, segmentation, data change requests, RCPA audits and planned calls with every rep in the territory.
- Product Territory Assignment states which products are sold in which territory.

Object and field details

Territory `Territory__c`

3 fields

Sharing: Read

Field	API name	Type	Reference / values
Parent Territory	`Parent_Territory__c`	Lookup	Lookup to Territory
Territory Code	`Territory_Code__c`	Text	
Type *	`Type__c`	Picklist	Country, Region, Territory, North, South, East, West

User Territory Assignment `User_Territory__c`

3 fields

Sharing: Read

Field	API name	Type	Reference / values
Is Primary	`Is_Primary__c`	Checkbox	
Territory *	`Territory__c`	Lookup	Lookup to Territory
User	`User__c`	Lookup	Lookup to User

Account Territory Assignment `Account_Territory__c`

2 fields

Sharing: Read

Field	API name	Type	Reference / values
Account *	`Account__c`	Lookup	Lookup to Sciagen Account
Territory *	`Territory__c`	Lookup	Lookup to Territory

Product Territory Assignment `Product_Territory_Assignment__c`

2 fields

Sharing: Read

Field	API name	Type	Reference / values
Product *	`Product__c`	Lookup	Lookup to Product
Territory *	`Territory__c`	Lookup	Lookup to Territory

Sciagen Account `Sciagen_Account__c`

68 fields

Single source of truth for HCP and HCO accounts in Sciagen CRM. Replaces the Standard Account object (previously used with HCP/HCO RecordTypes) — Type__c now distinguishes HCP vs HCO.

Sharing: Private

Field	API name	Type	Reference / values
Account Code	`Account_Code__c`	Text	
Actively Published Years	`Actively_Published_Years__c`	Number	
Age	`Age__c`	Number	
Avg Citations Per Article	`Avg_Citations_Per_Article__c`	Number	
Avg Coauthors Per Article	`Avg_Coauthors_Per_Article__c`	Number	
Billing City	`Billing_City__c`	Text	
Billing Country	`Billing_Country__c`	Text	
Billing Postal Code	`Billing_Postal_Code__c`	Text	
Billing State	`Billing_State__c`	Text	
Billing Street	`Billing_Street__c`	Text	
Can Prescribe	`Can_Prescribe__c`	Checkbox	
Controlled Substance License	`Controlled_Substance_License__c`	Text	Drug-schedule licence needed to receive samples of a controlled substance.
Dedupe Checked At	`Dedupe_Checked_At__c`	Date/Time	When the duplicate scan last compared this record.
Dedupe Email Key	`Dedupe_Email_Key__c`	Text	System-maintained lower-cased email. Do not edit.
Dedupe Geo Key	`Dedupe_Geo_Key__c`	Text	System-maintained map grid cell (about 1 km) for HCOs. Do not edit.
Dedupe License Key	`Dedupe_License_Key__c`	Text	System-maintained normalised licence number. Do not edit.
Dedupe Name Key	`Dedupe_Name_Key__c`	Text	System-maintained normalised name used to find duplicate candidates. Do not edit.
Dedupe Phone Key	`Dedupe_Phone_Key__c`	Text	System-maintained last 10 digits of the phone number. Do not edit.
Dedupe Sound Key	`Dedupe_Sound_Key__c`	Text	System-maintained phonetic name key. Do not edit.
Degree 1	`Degree_1__c`	Text	
Degree 2	`Degree_2__c`	Text	
Degree 3	`Degree_3__c`	Text	
Degree 4	`Degree_4__c`	Text	
Degree 5	`Degree_5__c`	Text	
Email	`Email__c`	Email	
Emerging Expert	`Emerging_Expert__c`	Checkbox	
Experience Years	`Experience_Years__c`	Number	
External IDs	`External_Ids__c`	Long text	External identifiers for this HCP/HCO (e.g. NPI, MCI, GST, NABH), stored as JSON — {"NPI": "1234567890", "MCI": "MCI-9988"}. Mirrors the Fie
First Name	`First_Name__c`	Text	
Focus Area	`Focus_Area__c`	Text	
Geofence Radius (m)	`Geofence_Radius_M__c`	Number	Per-HCO override of the check-in geofence radius in metres (e.g. a large hospital campus). Blank uses the Geofence Setting default.

Field	API name	Type	Reference / values
Geolocation	`Geolocation__c`	Geolocation	
Graduation Year	`Graduation_Year__c`	Number	
Guideline Count	`Guideline_Count__c`	Number	
HCO Type	`HCO_Type__c`	Picklist	Hospital, Clinic, Nursing Home, Pharmacy, Medical Shop, Chemist Shop, Stockist, Health System, Diagnostic Centre, Acaedemic Instituiton …
HCP Type	`HCP_Type__c`	Picklist	Physician, Surgeon, Consultant, General Practitioner, Other, Specialist, Super Specialist
Instagram URL	`Instagram_URL__c`	URL	
Is Merged	`Is_Merged__c`	Checkbox	True when this record was merged into another (the losing record). Merged records are hidden from the iPad and from search; their data and h
Last Name	`Last_Name__c`	Text	
Last Visit	`Last_Visit__c`	Date	
License Expiry Date	`License_Expiry_Date__c`	Date	
License Number	`License_Number__c`	Text	
License Verification Status	`License_Verification_Status__c`	Picklist	Unverified, Verified, Invalid, Expired, Pending
License Verified At	`License_Verified_At__c`	Date/Time	
License Verified By	`License_Verified_By__c`	Text	
Licensing Body	`Licensing_Body__c`	Text	
Licensing Year	`Licensing_Year__c`	Number	
LinkedIn URL	`LinkedIn_URL__c`	URL	
Medical Council Registration Number	`Medical_Council_Reg_Number__c`	Text	
Merged At	`Merged_At__c`	Date/Time	
Merged Into	`Merged_Into__c`	Lookup	Lookup to Sciagen Account
Parent Account	`Parent_Account__c`	Lookup	Lookup to Sciagen Account
Phone	`Phone__c`	Phone	
Plus Code	`Plus_Code__c`	Text	
Prefix	`Prefix__c`	Text	
Primary Country	`Primary_Country__c`	Text	
Profile Summary	`Profile_Summary__c`	Long text	Rep-authored profile note (preferred topics, key insights), edited from the iPad HCP Profile tab.
Reach Flag	`Reach_Flag__c`	Picklist	Local, Regional, Global
Sample Eligible	`Sample_Eligible__c`	Formula	Calculated
Speciality	`Speciality__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Specialty	`Specialty__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Total Articles	`Total_Articles__c`	Number	
Total Citations	`Total_Citations__c`	Number	
Twitter URL	`Twitter_URL__c`	URL	
Type *	`Type__c`	Picklist	HCP, HCO
Unique Journal Count	`Unique_Journal_Count__c`	Number	
Website	`Website__c`	URL	
YouTube URL	`YouTube_URL__c`	URL	

Product `Product__c`

39 fields

Sharing: Read

Field	API name	Type	Reference / values
Active	`Active__c`	Checkbox	
Barcode Format	`Barcode_Format__c`	Text	
Brand Name	`Brand_Name__c`	Text	Only meaningful at the Brand and SKU hierarchy levels (see Level__c) -- Therapy Area and Molecule records leave this blank.
Competitor1	`Competitor1__c`	Text	Competitor Brand for the product
Controlled Substance Schedule	`Controlled_Substance_Schedule__c`	Text	
Description	`Description__c`	Long text	
Division	`Division__c`	Picklist	Oncology, Diabetes, Cardiology, Respiratory, Immunology
End Date	`End_Date__c`	Date	
Is Controlled Substance	`Is_Controlled_Substance__c`	Checkbox	
Is Detail Product	`Is_Detail_Product__c`	Checkbox	A promoted (detailed) product. Sample SKUs point at their detail product.
Is Restricted	`Is_Restricted__c`	Checkbox	Restricted products can't be sampled.
Is Sample Product	`Is_Sample_Product__c`	Checkbox	This SKU can be given to doctors as a free medical sample.
Launch Date	`Launch_Date__c`	Date	
Level *	`Level__c`	Picklist	Therapy Area, Molecule, Brand, SKU
Max Packs Per HCP Per Year	`Max_Packs_Per_HCP_Per_Year__c`	Number	UCPMP 2024 clause 5.1(ii)(b): no more than 12 sample packs per drug per practitioner per year.
Max Patients Per Pack	`Max_Patients_Per_Pack__c`	Number	A sample pack covers the prescribed course for at most three patients.
Max Sample Order Qty	`Max_Sample_Order_Qty__c`	Number	
Min Sample Order Qty	`Min_Sample_Order_Qty__c`	Number	
Pack Size (units)	`Pack_Size__c`	Number	Units in one pack: tablets, capsules, vials, grams or ml.
Parent Brand	`Parent_Brand__c`	Text	
Parent Detail Product	`Parent_Detail_Product__c`	Lookup	Lookup to Product
Parent Molecule	`Parent_Molecule__c`	Text	
Parent Product	`Parent_Product__c`	Lookup	Lookup to Product
Parent Therapy	`Parent_Therapy__c`	Text	
Product Code *	`Product_Code__c`	Text	
Product Type	`Product_Type__c`	Text	
Requires Cold Chain	`Requires_Cold_Chain__c`	Checkbox	
Requires License Validation	`Requires_License_Validation__c`	Checkbox	
Requires Lot Number	`Requires_Lot_Number__c`	Checkbox	Off for alternative samples such as vouchers or co-pay cards.
Requires Signature	`Requires_Signature__c`	Checkbox	The doctor must sign for receipt when this product is sampled.
Restriction Reason	`Restriction_Reason__c`	Picklist	Hypnotic_Sedative_Tranquillizer, Regulatory_Hold, Supply_Shortage, Other
SKU Code	`SKUCode__c`	Formula	Calculated
SKU Code	`SKU_Code__c`	Text	
SKU	`SKU__c`	Text	
Sample Unit Value (INR)	`Sample_Unit_Value_INR__c`	Currency	Value of ONE unit (tablet, capsule, vial, gram, ml) for UCPMP expenditure: price to stockist for own manufacture, purchase price for bought-
Smallest Market Pack (units)	`Smallest_Market_Pack_Size__c`	Number	Units in the smallest pack sold in the market. A sample pack may not be larger (UCPMP 5.1(ii)(d)).


Field	API name	Type	Reference / values
Start Date	`Start_Date__c`	Date	
Unit Value Per Strip	`Unit_Value_Per_Strip__c`	Number	Rupee value per strip/pack, set at the Molecule level. Used for RCPA potential-value calculations.
Valuation Method	`Valuation_Method__c`	Picklist	Stockist_Price, Purchase_Price

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Visit Management Data Model

Entities and relationships for planning, executing and reporting on visits to healthcare professionals and organisations, including group calls and signature capture.



Entities/Objects Included

Account Plan, CVR Attendee, CVR Internal Attendee, Call Detail Priority, Call Visit Report, Planned Call / Event, Sciagen Account, Support Request, Territory

How it works in our org

- A rep schedules a Planned Call (visit or event). When the visit is done, a Call Visit Report is created and linked both ways: the planned call's Resulting CVR and the report's Source Planned Call.
- Call visits can also be reported without a plan (walk-in). A report moves through Draft, Submitted and Saved; once Submitted it is locked, and only an approved Unlock Request (a support request) reopens it.
- A group call is one parent report plus one report per attending HCP, linked through Parent Call. Internal colleagues are recorded in CVR Internal Attendee.
- Call Detail Priority records the products detailed, in order, with slides shown and time spent. Call Category carries the label the iPad shows (Call Only or Call with CLM).
- Check-in location, accuracy and geofence result are stored on the report; signature fields capture the HCP's sign-off.

Object and field details

Planned Call / Event `Planned_Call__c`

23 fields

Sharing: Private

Field	API name	Type	Reference / values
Call Category	`Call_Category__c`	Text	Call label as the iPad shows it (e.g. Call Only, Call with CLM). Stored as sent by the app.
Date/Time *	`Call_DateTime__c`	Date/Time	
Call Type	`Call_Type__c`	Picklist	Detailing, Sampling, Follow-up, Introductory, Visit
Client Id	`Client_Id__c`	Text	iPad-generated local UUID. The app creates the record with PATCH /sobjects/Planned_Call__c/Client_Id__c/{uuid} (upsert), so a retried push a
Duration (min)	`Duration_Min__c`	Number	
Event Title	`Event_Title__c`	Text	
Frozen Date/Time	`Frozen_Call_DateTime__c`	Date/Time	When the call was planned for at the moment the month was frozen. Never changes afterwards.
Frozen Call Type	`Frozen_Call_Type__c`	Text	
HCO	`HCO__c`	Lookup	Lookup to Sciagen Account
HCP	`HCP__c`	Lookup	Lookup to Sciagen Account
In Frozen Plan	`In_Frozen_Plan__c`	Checkbox	True when this call was planned when the rep froze the month: part of the baseline. Set only by MonthlyCallPlanService.
Is Event	`Is_Event__c`	Checkbox	
Monthly Plan	`Monthly_Plan__c`	Lookup	Lookup to Monthly Call Plan
Origin	`Origin__c`	Picklist	Planned, Call log
Original Planned Date/Time	`Original_Call_DateTime__c`	Date/Time	When the rep first planned this call. Set once and never changed, because Call Date/Time is overwritten with the actual time when the call i
Original Planned Call Type	`Original_Call_Type__c`	Text	Call type as first planned. Set once and never changed.

Field	API name	Type	Reference / values
Plan Deviation	`Plan_Deviation__c`	Picklist	Rescheduled, Done on another day, Cancelled, Added after freeze
Account Plan	`Plan__c`	Lookup	Lookup to Account Plan
Product	`Product__c`	Lookup	Lookup to Product
Program Type	`Program_Type__c`	Picklist	Speaker Program, Advisory Board, Conference, Other
Resulting Call Visit Report	`Resulting_CVR__c`	Lookup	Lookup to Call Visit Report
Status	`Status__c`	Picklist	Planned, Completed, Cancelled
Venue	`Venue__c`	Text	

Call Visit Report `Call_Visit_Report__c`

48 fields

Sharing: Private

Field	API name	Type	Reference / values
Call Channel Type	`Activity_Type__c`	Picklist	In-person, Phone, Video, Email, Chat or Text, Other, Face to Face, Remote Meeting
Call Category	`Call_Category__c`	Text	Call label as the iPad shows it (e.g. Call Only, Call with CLM). Stored as sent by the app.
Call Status	`Call_Status__c`	Picklist	Completed, Cancelled
Call Type	`Call_Type__c`	Picklist	Detailing, Sampling, Follow-up, Introductory, Group Call, Visit
Check-In GPS Accuracy (m)	`Check_In_Accuracy_M__c`	Number	Horizontal accuracy of the GPS fix, in metres, reported by the iPad at check-in.
Check-In At	`Check_In_At__c`	Date/Time	
Check-In Distance from HCO (m)	`Check_In_Distance_M__c`	Number	Distance in metres between the rep's check-in position and the HCO, computed on the iPad (works offline) from the HCO coordinates it had cac
Check-In Location	`Check_In_Location__c`	Geolocation	
Check-In Method	`Check_In_Method__c`	Text	How the check-in was captured: Manual (rep tapped Check in) or Arrival (rep accepted the arrival prompt).
Check-In Within Geofence	`Check_In_Within_Geofence__c`	Checkbox	True when the rep's check-in position was inside the HCO's geofence when the iPad recorded it.
Client Id	`Client_Id__c`	Text	iPad-generated local UUID. The app creates the record with PATCH /sobjects/Call_Visit_Report__c/Client_Id__c/{uuid} (upsert), so a retried p
Discussion Summary	`Discussion_Summary__c`	Long text	
Duration (min)	`Duration_Min__c`	Formula	Calculated
Email Sent	`Email_Sent__c`	Checkbox	
End Time	`End_Time__c`	Date/Time	
Group Attendees	`Group_Attendee_Count__c`	Number	Number of HCPs on the group call, the primary HCP included. Set by GroupCallService on the group call and on each attendee call.
HCO	`HCO__c`	Lookup	Lookup to Sciagen Account
HCP *	`HCP__c`	Lookup	Lookup to Sciagen Account
Has Samples	`Has_Samples__c`	Formula	Calculated
Group Call	`Is_Group_Call__c`	Checkbox	Set by GroupCallService: true on a call that had more than one HCP attendee (the parent call) and on every individual call created from it f
Linked Event Count	`Linked_Event_Count__c`	Number	
Next-Call Notes	`Next_Call_Notes__c`	Long text	
Next Visit Date	`Next_Visit_Date__c`	Date	
Next Visit Planned Call	`Next_Visit_Planned_Call__c`	Lookup	Lookup to Planned Call / Event
Parent Call	`Parent_Call__c`	Lookup	Lookup to Call Visit Report
Account Plan	`Plan__c`	Lookup	Lookup to Account Plan
Pre-Call Notes	`Pre_Call_Notes__c`	Long text	

Field	API name	Type	Reference / values
Record Status	`Record_Status__c`	Picklist	Draft, Saved, Submitted
Record Type	`Record_Type_Label__c`	Picklist	Call Report
Rep	`Rep__c`	Text	
Sample Drop Count	`Sample_Drop_Count__c`	Roll-up	
Sample Total Value (INR)	`Sample_Total_Value__c`	Roll-up	
Signature Captured At	`Signature_Captured_At__c`	Date/Time	
Signature Captured	`Signature_Captured__c`	Checkbox	
Signature GPS	`Signature_GPS__c`	Geolocation	
Signature Image	`Signature_Image__c`	Text	ContentDocument Id of the signature image.
Signature Required Count	`Signature_Required_Count__c`	Roll-up	
Signature Required	`Signature_Required__c`	Formula	Calculated
Signee HCP	`Signee_Account__c`	Lookup	Lookup to Sciagen Account
Signee Name	`Signee_Name__c`	Text	
Source Planned Call	`Source_Planned_Call__c`	Lookup	Lookup to Planned Call / Event
Start Time	`Start_Time__c`	Date/Time	
Territory	`Territory__c`	Lookup	Lookup to Territory
Times Unlocked	`Unlock_Count__c`	Number	
Unlock Request	`Unlock_Request__c`	Lookup	Lookup to Support Request
Unlocked At	`Unlocked_At__c`	Date/Time	
Unlocked By	`Unlocked_By__c`	Lookup	Lookup to User
Visit Date *	`Visit_Date__c`	Date	

CVR Attendee `CVR_Attendee__c`

3 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Call Visit Report	`CVR__c`	Master-Detail	Master-detail to Call Visit Report
Attendee Call	`Child_Call__c`	Lookup	Lookup to Call Visit Report
HCP *	`HCP__c`	Lookup	Lookup to Sciagen Account

CVR Internal Attendee `CVR_Internal_Attendee__c`

2 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Call Visit Report	`CVR__c`	Master-Detail	Master-detail to Call Visit Report
User	`User__c`	Lookup	Lookup to User

Call Detail Priority `CVR_Detail_Priority__c`

8 fields

One product detailed on a call, in the rep's priority order (1 = most important). Captured on the iPad Call Report's Detailing Priority card: ranked automatically from CLM time-on-slide, then optionally reordered or extended by the rep.

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Call Visit Report	`CVR__c`	Master-Detail	Master-detail to Call Visit Report
Client Id	`Client_Id__c`	Text	iPad-generated local UUID. The app creates the record with PATCH /sobjects/CVR_Detail_Priority__c/Client_Id__c/{uuid} (upsert), so a retried
Priority *	`Priority__c`	Number	1 = detailed first / most important.
Product Name *	`Product_Name__c`	Text	
Product	`Product__c`	Lookup	Lookup to Product
Slides Shown	`Slides_Shown__c`	Number	Distinct CLM slides of this product shown on the call.
Source	`Source__c`	Picklist	CLM, Manual
Time Spent (sec)	`Time_Spent_Sec__c`	Number	Total seconds on this product's CLM slides across every presentation on the call.

Sciagen Account `Sciagen_Account__c`

68 fields

Single source of truth for HCP and HCO accounts in Sciagen CRM. Replaces the Standard Account object (previously used with HCP/HCO RecordTypes) — Type__c now distinguishes HCP vs HCO.
Sharing: Private

Field	API name	Type	Reference / values
Account Code	`Account_Code__c`	Text	
Actively Published Years	`Actively_Published_Years__c`	Number	
Age	`Age__c`	Number	
Avg Citations Per Article	`Avg_Citations_Per_Article__c`	Number	
Avg Coauthors Per Article	`Avg_Coauthors_Per_Article__c`	Number	
Billing City	`Billing_City__c`	Text	
Billing Country	`Billing_Country__c`	Text	
Billing Postal Code	`Billing_Postal_Code__c`	Text	
Billing State	`Billing_State__c`	Text	
Billing Street	`Billing_Street__c`	Text	
Can Prescribe	`Can_Prescribe__c`	Checkbox	
Controlled Substance License	`Controlled_Substance_License__c`	Text	Drug-schedule licence needed to receive samples of a controlled substance.
Dedupe Checked At	`Dedupe_Checked_At__c`	Date/Time	When the duplicate scan last compared this record.
Dedupe Email Key	`Dedupe_Email_Key__c`	Text	System-maintained lower-cased email. Do not edit.
Dedupe Geo Key	`Dedupe_Geo_Key__c`	Text	System-maintained map grid cell (about 1 km) for HCOs. Do not edit.
Dedupe License Key	`Dedupe_License_Key__c`	Text	System-maintained normalised licence number. Do not edit.
Dedupe Name Key	`Dedupe_Name_Key__c`	Text	System-maintained normalised name used to find duplicate candidates. Do not edit.
Dedupe Phone Key	`Dedupe_Phone_Key__c`	Text	System-maintained last 10 digits of the phone number. Do not edit.
Dedupe Sound Key	`Dedupe_Sound_Key__c`	Text	System-maintained phonetic name key. Do not edit.
Degree 1	`Degree_1__c`	Text	
Degree 2	`Degree_2__c`	Text	
Degree 3	`Degree_3__c`	Text	
Degree 4	`Degree_4__c`	Text	
Degree 5	`Degree_5__c`	Text	
Email	`Email__c`	Email	

Field	API name	Type	Reference / values
Emerging Expert	`Emerging_Expert__c`	Checkbox	
Experience Years	`Experience_Years__c`	Number	
External IDs	`External_Ids__c`	Long text	External identifiers for this HCP/HCO (e.g. NPI, MCI, GST, NABH), stored as JSON — {"NPI": "1234567890", "MCI": "MCI-9988"}. Mirrors the Fie
First Name	`First_Name__c`	Text	
Focus Area	`Focus_Area__c`	Text	
Geofence Radius (m)	`Geofence_Radius_M__c`	Number	Per-HCO override of the check-in geofence radius in metres (e.g. a large hospital campus). Blank uses the Geofence Setting default.
Geolocation	`Geolocation__c`	Geolocation	
Graduation Year	`Graduation_Year__c`	Number	
Guideline Count	`Guideline_Count__c`	Number	
HCO Type	`HCO_Type__c`	Picklist	Hospital, Clinic, Nursing Home, Pharmacy, Medical Shop, Chemist Shop, Stockist, Health System, Diagnostic Centre, Acaedemic Instituiton …
HCP Type	`HCP_Type__c`	Picklist	Physician, Surgeon, Consultant, General Practitioner, Other, Specialist, Super Specialist
Instagram URL	`Instagram_URL__c`	URL	
Is Merged	`Is_Merged__c`	Checkbox	True when this record was merged into another (the losing record). Merged records are hidden from the iPad and from search; their data and h
Last Name	`Last_Name__c`	Text	
Last Visit	`Last_Visit__c`	Date	
License Expiry Date	`License_Expiry_Date__c`	Date	
License Number	`License_Number__c`	Text	
License Verification Status	`License_Verification_Status__c`	Picklist	Unverified, Verified, Invalid, Expired, Pending
License Verified At	`License_Verified_At__c`	Date/Time	
License Verified By	`License_Verified_By__c`	Text	
Licensing Body	`Licensing_Body__c`	Text	
Licensing Year	`Licensing_Year__c`	Number	
LinkedIn URL	`LinkedIn_URL__c`	URL	
Medical Council Registration Number	`Medical_Council_Reg_Number__c`	Text	
Merged At	`Merged_At__c`	Date/Time	
Merged Into	`Merged_Into__c`	Lookup	Lookup to Sciagen Account
Parent Account	`Parent_Account__c`	Lookup	Lookup to Sciagen Account
Phone	`Phone__c`	Phone	
Plus Code	`Plus_Code__c`	Text	
Prefix	`Prefix__c`	Text	
Primary Country	`Primary_Country__c`	Text	
Profile Summary	`Profile_Summary__c`	Long text	Rep-authored profile note (preferred topics, key insights), edited from the iPad HCP Profile tab.
Reach Flag	`Reach_Flag__c`	Picklist	Local, Regional, Global
Sample Eligible	`Sample_Eligible__c`	Formula	Calculated
Speciality	`Speciality__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Specialty	`Specialty__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Total Articles	`Total_Articles__c`	Number	
Total Citations	`Total_Citations__c`	Number	

Field	API name	Type	Reference / values
Twitter URL	`Twitter_URL__c`	URL	
Type *	`Type__c`	Picklist	HCP, HCO
Unique Journal Count	`Unique_Journal_Count__c`	Number	
Website	`Website__c`	URL	
YouTube URL	`YouTube_URL__c`	URL	

Territory `Territory__c`

3 fields

Sharing: Read

Field	API name	Type	Reference / values
Parent Territory	`Parent_Territory__c`	Lookup	Lookup to Territory
Territory Code	`Territory_Code__c`	Text	
Type *	`Type__c`	Picklist	Country, Region, Territory, North, South, East, West

Account Plan `Account_Plan__c`

25 fields

Sharing: Private

Field	API name	Type	Reference / values
Active	`Active__c`	Checkbox	
Applied Products	`Applied_Products__c`	Text	
Differentiation Strategy	`Differentiation_Strategy__c`	Long text	
Division	`Division__c`	Picklist	Oncology, Diabetes, Cardiology, Respiratory, Immunology
End Date	`End_Date__c`	Date	
HCO	`HCO__c`	Lookup	Lookup to Sciagen Account
HCP	`HCP__c`	Lookup	Lookup to Sciagen Account
Health	`Health__c`	Picklist	Good, At Risk, Poor
Key Initiatives	`Key_Initiatives__c`	Long text	
Medical Engagement Plan	`Medical_Engagement_Plan__c`	Checkbox	
Number of Locations	`Number_of_Locations__c`	Number	
OCM/APM	`OCM_APM__c`	Text	
Mission Statement	`Objective__c`	Long text	
Opportunities	`Opportunities__c`	Long text	
Record Type	`Plan_Record_Type__c`	Picklist	Standard Account Plan, Action Item Account Plan
Title *	`Plan_Title__c`	Text	
Stage	`Stage__c`	Picklist	Prospect, Early, Mid, Partnership, Synergistic
Start Date	`Start_Date__c`	Date	
Status	`Status__c`	Picklist	Draft, Active, Completed, On Hold
Strengths	`Strengths__c`	Long text	
Threats	`Threats__c`	Long text	
Total Enrollment	`Total_Enrollment__c`	Number	

Field	API name	Type	Reference / values
Total Revenue (000)	`Total_Revenue__c`	Currency	
Type	`Type__c`	Picklist	National, Regional, Territory, Global
Weaknesses	`Weaknesses__c`	Long text	

Support Request `Support_Request__c`

33 fields

A rep or manager asking the Business Admin team for help. The rep's manager is copied in.

Sharing: Private

Field	API name	Type	Reference / values
Assigned To	`Assigned_To__c`	Lookup	Lookup to User
Attachment Count	`Attachment_Count__c`	Number	
Awaiting	`Awaiting__c`	Picklist	Support, Requester, Nobody
Call Summary	`Call_Summary__c`	Text	
Call Report	`Call_Visit_Report__c`	Lookup	Lookup to Call Visit Report
Category *	`Category__c`	Picklist	Unlock Submitted Call, Unlock Monthly Plan, Data Correction, Sync Problem, App Issue, Access or Login, Samples or Inventory, Expenses or Leave, Territory or Alignment, How Do I …
Client Id	`Client_Id__c`	Text	Generated by the device so a retried create never makes a duplicate.
Closed At	`Closed_At__c`	Date/Time	
Comment Count	`Comment_Count__c`	Number	
Description	`Description__c`	Long text	
Device Info	`Device_Info__c`	Text	
First Response	`First_Response_At__c`	Date/Time	
First Response (minutes)	`First_Response_Minutes__c`	Number	
Is Open	`Is_Open__c`	Checkbox	True while New, Open or Waiting on Rep. Kept by a trigger so lists can filter on it.
Last Activity	`Last_Activity_At__c`	Date/Time	
Last Requester Comment	`Last_Requester_Comment_At__c`	Date/Time	
Last Support Comment	`Last_Support_Comment_At__c`	Date/Time	
Manager (CC)	`Manager__c`	Lookup	Lookup to User
Monthly Plan	`Monthly_Call_Plan__c`	Lookup	Lookup to Monthly Call Plan
Priority	`Priority__c`	Picklist	Low, Normal, High, Urgent
Reopen Count	`Reopen_Count__c`	Number	
Requester Last Read	`Requester_Last_Read_At__c`	Date/Time	
Requester Territory	`Requester_Territory__c`	Text	
Requester	`Requester__c`	Lookup	Lookup to User
Time to Resolve (minutes)	`Resolution_Minutes__c`	Number	
Resolution	`Resolution_Type__c`	Picklist	Fixed, Answered, Unlocked, Declined, Duplicate, No Response, Cannot Reproduce
Resolved At	`Resolved_At__c`	Date/Time	
First Response Due	`SLA_Due_At__c`	Date/Time	
Source	`Source__c`	Picklist	iPad, Web, Admin


Field	API name	Type	Reference / values
Status	`Status__c`	Picklist	New, Open, Waiting on Rep, Resolved, Closed, Cancelled
Subject *	`Subject__c`	Text	
Support Last Read	`Support_Last_Read_At__c`	Date/Time	
Unlock Outcome	`Unlock_Outcome__c`	Picklist	Unlocked, Declined

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Call Planning Controls Data Model

Entities and relationships for monthly call plans, plan freezing and deviation, geofence rules, and the settings that restrict when calls can be created or submitted.



Entities/Objects Included

Call Backdate Limit, Call Submission Restriction, Geofence Rule, Geofence Setting, Holiday, Monthly Call Plan, Planned Call / Event, Territory

How it works in our org

- Each rep has one Monthly Call Plan per month. Freezing it records the number of calls and HCPs; planned calls inside a frozen plan keep their original date and type so deviation can be measured.
- Unlocking a frozen plan is logged with who, when and why, and counted.
- Geofence Rule and Geofence Setting control whether a check-in must be within a radius of the HCO, per user or per territory.
- Call Backdate Limit and Call Submission Restriction cap how far back a call can be entered and when a report may be submitted. Holidays come from custom metadata.

Object and field details

Monthly Call Plan `Monthly_Call_Plan__c`

11 fields

A rep's call plan for one month (the owner is the rep). Freezing it (MonthlyCallPlanService, from the iPad Scheduler) fixes that month's planned calls as the baseline that Plan vs Actual and each call's Plan Deviation are measured against.
Sharing: Private

Field	API name	Type	Reference / values
Frozen At	`Frozen_At__c`	Date/Time	
Frozen Calls	`Frozen_Call_Count__c`	Number	Planned calls in the plan when it was frozen.
Frozen HCPs	`Frozen_HCP_Count__c`	Number	Distinct HCPs in the plan when it was frozen.
Last Unlocked At	`Last_Unlocked_At__c`	Date/Time	
Last Unlocked By	`Last_Unlocked_By__c`	Lookup	Lookup to User
Month *	`Month__c`	Date	First day of the planned month.
Plan Key	`Plan_Key__c`	Text	Rep user Id + month (e.g. 005xx0000012345|2026-10): one plan per rep per month.
Status	`Status__c`	Picklist	Draft, Frozen
Times Unlocked	`Unlock_Count__c`	Number	How many times a Business Admin has unlocked this plan.
Unlock Reason	`Unlock_Reason__c`	Text area	Why the Business Admin last unlocked the plan.
Working Days Without Calls	`Working_Days_Without_Calls__c`	Number	Working days of the month (not a Non-Working Day in Sciagen App Config) with no planned call when it was frozen; holidays included.

Planned Call / Event `Planned_Call__c`

23 fields

Sharing: Private

Field	API name	Type	Reference / values
Call Category	`Call_Category__c`	Text	Call label as the iPad shows it (e.g. Call Only, Call with CLM). Stored as sent by the app.
Date/Time *	`Call_DateTime__c`	Date/Time	
Call Type	`Call_Type__c`	Picklist	Detailing, Sampling, Follow-up, Introductory, Visit

Field	API name	Type	Reference / values
Client Id	`Client_Id__c`	Text	iPad-generated local UUID. The app creates the record with PATCH /sobjects/Planned_Call__c/Client_Id__c/{uuid} (upsert), so a retried push a
Duration (min)	`Duration_Min__c`	Number	
Event Title	`Event_Title__c`	Text	
Frozen Date/Time	`Frozen_Call_DateTime__c`	Date/Time	When the call was planned for at the moment the month was frozen. Never changes afterwards.
Frozen Call Type	`Frozen_Call_Type__c`	Text	
HCO	`HCO__c`	Lookup	Lookup to Sciagen Account
HCP	`HCP__c`	Lookup	Lookup to Sciagen Account
In Frozen Plan	`In_Frozen_Plan__c`	Checkbox	True when this call was planned when the rep froze the month: part of the baseline. Set only by MonthlyCallPlanService.
Is Event	`Is_Event__c`	Checkbox	
Monthly Plan	`Monthly_Plan__c`	Lookup	Lookup to Monthly Call Plan
Origin	`Origin__c`	Picklist	Planned, Call log
Original Planned Date/Time	`Original_Call_DateTime__c`	Date/Time	When the rep first planned this call. Set once and never changed, because Call Date/Time is overwritten with the actual time when the call i
Original Planned Call Type	`Original_Call_Type__c`	Text	Call type as first planned. Set once and never changed.
Plan Deviation	`Plan_Deviation__c`	Picklist	Rescheduled, Done on another day, Cancelled, Added after freeze
Account Plan	`Plan__c`	Lookup	Lookup to Account Plan
Product	`Product__c`	Lookup	Lookup to Product
Program Type	`Program_Type__c`	Picklist	Speaker Program, Advisory Board, Conference, Other
Resulting Call Visit Report	`Resulting_CVR__c`	Lookup	Lookup to Call Visit Report
Status	`Status__c`	Picklist	Planned, Completed, Cancelled
Venue	`Venue__c`	Text	

Geofence Rule `Geofence_Rule__c`

9 fields

Geofence check-in rule for one Territory or one User. Overrides the organization default. Resolution for a rep: User rule, then the rep's Territory rule (primary territory first, parent territories inherited), then the organization default.

Sharing: ReadWrite

Field	API name	Type	Reference / values
Active	`Active__c`	Checkbox	An inactive rule is ignored, so the rep falls through to the next level.
Radius (m)	`Default_Radius_M__c`	Number	Radius in metres around an HCO for the people this rule covers. An HCO with its own radius keeps it. Blank uses the level below.
Geofencing On	`Enabled__c`	Checkbox	Master switch for the people this rule covers. Off means no geofence check, no arrival prompt and nothing blocked.
Block Check-In Outside Radius	`Enforce_Check_In__c`	Checkbox	On: a rep can't check in or submit a call outside the radius. Off: the distance is recorded and nothing is stopped.
Note	`Note__c`	Text	
Rule Key	`Rule_Key__c`	Text	Scope plus target Id. Guarantees one rule per Territory and one per User.
Applies To *	`Scope__c`	Picklist	Territory, User
Territory	`Territory__c`	Lookup	Lookup to Territory
User	`User__c`	Lookup	Lookup to User

Geofence Setting `Geofence_Setting__c`

3 fields

Geofence rules for rep check-in — the default radius around an HCO and whether a check-in outside it is blocked. A Hierarchy Custom Setting so an admin sets one org-wide default and can override it per-Profile or per-User from Setup with no app deploy. The iPad caches the resolved values so the rule is enforced offline.

Field	API name	Type	Reference / values
Default Radius (m)	`Default_Radius_M__c`	Number	Radius in metres around an HCO within which a rep may check in, when the HCO has no Geofence Radius of its own. Blank falls back to 200.
Geofencing Enabled	`Enabled__c`	Checkbox	Master switch. When unchecked, the iPad does no geofence check at all: no distance test, no arrival prompt, nothing blocked. Check-in still
Enforce Check-In	`Enforce_Check_In__c`	Checkbox	When checked, a rep cannot check in or submit a call from outside the HCO's geofence. When unchecked, the check-in is still recorded with it

Call Backdate Limit `Call_Backdate_Limit__c`

1 fields

How many days in the past a rep may date a Call Visit Report's visit date — the same rule Veeva calls CALL_BACKDATE_LIMIT_vod. A Hierarchy Custom Setting so an admin can set one org-wide default and override it per-Profile or per-User (e.g. a stricter limit for a specific rep) entirely from Setup, with no app deploy needed.

Field	API name	Type	Reference / values
Days	`Days__c`	Number	Number of days in the past a Call Visit Report's visit date may be set to, at this hierarchy level (org default / a Profile / a specific Use

Call Submission Restriction `Call_Submission_Restriction__c`

12 fields

Per-calendar-month deadline for submitting a Call Visit Report dated in a prior month — e.g. December's field set to 10 means a call dated in December can no longer be Submitted once it's past January 10th. Each month is configured independently so, for example, a fiscal year-end month can have a tighter deadline than the rest. A blank field means that month has no submission deadline. A Hierarchy Custom Setting, same as Call_Backdate_Limit__c, so an admin can set one org-wide default and override it per-Profile or per-User from Setup with no app deploy needed.

Field	API name	Type	Reference / values
April	`April__c`	Number	Day of the following month by which a call dated in April must be Submitted. Blank means no submission deadline for April calls.
August	`August__c`	Number	Day of the following month by which a call dated in August must be Submitted. Blank means no submission deadline for August calls.
December	`December__c`	Number	Day of the following month by which a call dated in December must be Submitted. Blank means no submission deadline for December calls.
February	`February__c`	Number	Day of the following month by which a call dated in February must be Submitted. Blank means no submission deadline for February calls.
January	`January__c`	Number	Day of the following month by which a call dated in January must be Submitted. Blank means no submission deadline for January calls.
July	`July__c`	Number	Day of the following month by which a call dated in July must be Submitted. Blank means no submission deadline for July calls.
June	`June__c`	Number	Day of the following month by which a call dated in June must be Submitted. Blank means no submission deadline for June calls.
March	`March__c`	Number	Day of the following month by which a call dated in March must be Submitted. Blank means no submission deadline for March calls.
May	`May__c`	Number	Day of the following month by which a call dated in May must be Submitted. Blank means no submission deadline for May calls.
November	`November__c`	Number	Day of the following month by which a call dated in November must be Submitted. Blank means no submission deadline for November calls.
October	`October__c`	Number	Day of the following month by which a call dated in October must be Submitted. Blank means no submission deadline for October calls.
September	`September__c`	Number	Day of the following month by which a call dated in September must be Submitted. Blank means no submission deadline for September calls.

Holiday `Holiday__mdt`

3 fields

Field	API name	Type	Reference / values
Date *	`Holiday_Date__c`	Date	
Region	`Region__c`	Text	
Scope *	`Scope__c`	Picklist	National, Regional

Territory `Territory__c`

3 fields

Sharing: Read

Field	API name	Type	Reference / values
Parent Territory	`Parent_Territory__c`	Lookup	Lookup to Territory


Field	API name	Type	Reference / values
Territory Code	`Territory_Code__c`	Text	
Type *	`Type__c`	Picklist	Country, Region, Territory, North, South, East, West

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Segmentation Data Model

Entities and relationships for classifying HCPs by tier, priority, potential and classification, with optional product-level segmentation.



Entities/Objects Included

Product, Sciagen Account, Segmentation, Segmentation by Product

How it works in our org

- One Segmentation record per HCP carries classification (A, B, C or Unclassified), tier (Gold, Silver, Bronze, None), priority, potential, KOL flag and tags. Tier Group collapses None into Bronze for reporting.
- Segmentation by Product holds the same idea per product.
- Segmentation is shared to reps through the account's territory, in the same way as the account itself.

Object and field details

Segmentation `Segmentation__c`

9 fields

Sharing: Private

Field	API name	Type	Reference / values
Classification	`Classification__c`	Picklist	A, B, C, Unclassified
HCP *	`HCP__c`	Lookup	Lookup to Sciagen Account
Is KOL	`Is_KOL__c`	Checkbox	
Owner Rep	`Owner_Rep__c`	Text	User Id of the rep this segmentation view belongs to
Potential	`Potential__c`	Picklist	High, Medium, Low, Unknown
Priority	`Priority__c`	Picklist	Priority 1, Priority 2, Priority 3, None
Tags	`Tags__c`	Text	Semicolon-delimited tag list
Tier Group	`Tier_Group__c`	Formula	Calculated
Tier	`Tier__c`	Picklist	Gold, Silver, Bronze, None

Segmentation by Product `Segmentation_Product__c`

3 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Classification	`Classification__c`	Picklist	A, B, C, Unclassified
Product *	`Product__c`	Lookup	Lookup to Product
Segmentation	`Segmentation__c`	Master-Detail	Master-detail to Segmentation

Sciagen Account `Sciagen_Account__c`

68 fields

Single source of truth for HCP and HCO accounts in Sciagen CRM. Replaces the Standard Account object (previously used with HCP/HCO RecordTypes) — Type__c now distinguishes HCP vs HCO.

Sharing: Private

Field	API name	Type	Reference / values
Account Code	`Account_Code__c`	Text	
Actively Published Years	`Actively_Published_Years__c`	Number	
Age	`Age__c`	Number	
Avg Citations Per Article	`Avg_Citations_Per_Article__c`	Number	
Avg Coauthors Per Article	`Avg_Coauthors_Per_Article__c`	Number	
Billing City	`Billing_City__c`	Text	
Billing Country	`Billing_Country__c`	Text	
Billing Postal Code	`Billing_Postal_Code__c`	Text	
Billing State	`Billing_State__c`	Text	
Billing Street	`Billing_Street__c`	Text	
Can Prescribe	`Can_Prescribe__c`	Checkbox	
Controlled Substance License	`Controlled_Substance_License__c`	Text	Drug-schedule licence needed to receive samples of a controlled substance.
Dedupe Checked At	`Dedupe_Checked_At__c`	Date/Time	When the duplicate scan last compared this record.
Dedupe Email Key	`Dedupe_Email_Key__c`	Text	System-maintained lower-cased email. Do not edit.
Dedupe Geo Key	`Dedupe_Geo_Key__c`	Text	System-maintained map grid cell (about 1 km) for HCOs. Do not edit.
Dedupe License Key	`Dedupe_License_Key__c`	Text	System-maintained normalised licence number. Do not edit.
Dedupe Name Key	`Dedupe_Name_Key__c`	Text	System-maintained normalised name used to find duplicate candidates. Do not edit.
Dedupe Phone Key	`Dedupe_Phone_Key__c`	Text	System-maintained last 10 digits of the phone number. Do not edit.
Dedupe Sound Key	`Dedupe_Sound_Key__c`	Text	System-maintained phonetic name key. Do not edit.
Degree 1	`Degree_1__c`	Text	
Degree 2	`Degree_2__c`	Text	
Degree 3	`Degree_3__c`	Text	
Degree 4	`Degree_4__c`	Text	
Degree 5	`Degree_5__c`	Text	
Email	`Email__c`	Email	
Emerging Expert	`Emerging_Expert__c`	Checkbox	
Experience Years	`Experience_Years__c`	Number	
External IDs	`External_Ids__c`	Long text	External identifiers for this HCP/HCO (e.g. NPI, MCI, GST, NABH), stored as JSON — {"NPI": "1234567890", "MCI": "MCI-9988"}. Mirrors the Fie
First Name	`First_Name__c`	Text	
Focus Area	`Focus_Area__c`	Text	
Geofence Radius (m)	`Geofence_Radius_M__c`	Number	Per-HCO override of the check-in geofence radius in metres (e.g. a large hospital campus). Blank uses the Geofence Setting default.
Geolocation	`Geolocation__c`	Geolocation	
Graduation Year	`Graduation_Year__c`	Number	
Guideline Count	`Guideline_Count__c`	Number	
HCO Type	`HCO_Type__c`	Picklist	Hospital, Clinic, Nursing Home, Pharmacy, Medical Shop, Chemist Shop, Stockist, Health System, Diagnostic Centre, Acaedemic Instituiton …
HCP Type	`HCP_Type__c`	Picklist	Physician, Surgeon, Consultant, General Practitioner, Other, Specialist, Super Specialist
Instagram URL	`Instagram_URL__c`	URL	
Is Merged	`Is_Merged__c`	Checkbox	True when this record was merged into another (the losing record). Merged records are hidden from the iPad and from search; their data and h

Field	API name	Type	Reference / values
Last Name	`Last_Name__c`	Text	
Last Visit	`Last_Visit__c`	Date	
License Expiry Date	`License_Expiry_Date__c`	Date	
License Number	`License_Number__c`	Text	
License Verification Status	`License_Verification_Status__c`	Picklist	Unverified, Verified, Invalid, Expired, Pending
License Verified At	`License_Verified_At__c`	Date/Time	
License Verified By	`License_Verified_By__c`	Text	
Licensing Body	`Licensing_Body__c`	Text	
Licensing Year	`Licensing_Year__c`	Number	
LinkedIn URL	`LinkedIn_URL__c`	URL	
Medical Council Registration Number	`Medical_Council_Reg_Number__c`	Text	
Merged At	`Merged_At__c`	Date/Time	
Merged Into	`Merged_Into__c`	Lookup	Lookup to Sciagen Account
Parent Account	`Parent_Account__c`	Lookup	Lookup to Sciagen Account
Phone	`Phone__c`	Phone	
Plus Code	`Plus_Code__c`	Text	
Prefix	`Prefix__c`	Text	
Primary Country	`Primary_Country__c`	Text	
Profile Summary	`Profile_Summary__c`	Long text	Rep-authored profile note (preferred topics, key insights), edited from the iPad HCP Profile tab.
Reach Flag	`Reach_Flag__c`	Picklist	Local, Regional, Global
Sample Eligible	`Sample_Eligible__c`	Formula	Calculated
Speciality	`Speciality__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Specialty	`Specialty__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Total Articles	`Total_Articles__c`	Number	
Total Citations	`Total_Citations__c`	Number	
Twitter URL	`Twitter_URL__c`	URL	
Type *	`Type__c`	Picklist	HCP, HCO
Unique Journal Count	`Unique_Journal_Count__c`	Number	
Website	`Website__c`	URL	
YouTube URL	`YouTube_URL__c`	URL	

Product `Product__c`

39 fields

Sharing: Read

Field	API name	Type	Reference / values
Active	`Active__c`	Checkbox	
Barcode Format	`Barcode_Format__c`	Text	
Brand Name	`Brand_Name__c`	Text	Only meaningful at the Brand and SKU hierarchy levels (see Level__c) -- Therapy Area and Molecule records leave this blank.
Competitor1	`Competitor1__c`	Text	Competitor Brand for the product


Field	API name	Type	Reference / values
Controlled Substance Schedule	`Controlled_Substance_Schedule__c`	Text	
Description	`Description__c`	Long text	
Division	`Division__c`	Picklist	Oncology, Diabetes, Cardiology, Respiratory, Immunology
End Date	`End_Date__c`	Date	
Is Controlled Substance	`Is_Controlled_Substance__c`	Checkbox	
Is Detail Product	`Is_Detail_Product__c`	Checkbox	A promoted (detailed) product. Sample SKUs point at their detail product.
Is Restricted	`Is_Restricted__c`	Checkbox	Restricted products can't be sampled.
Is Sample Product	`Is_Sample_Product__c`	Checkbox	This SKU can be given to doctors as a free medical sample.
Launch Date	`Launch_Date__c`	Date	
Level *	`Level__c`	Picklist	Therapy Area, Molecule, Brand, SKU
Max Packs Per HCP Per Year	`Max_Packs_Per_HCP_Per_Year__c`	Number	UCPMP 2024 clause 5.1(ii)(b): no more than 12 sample packs per drug per practitioner per year.
Max Patients Per Pack	`Max_Patients_Per_Pack__c`	Number	A sample pack covers the prescribed course for at most three patients.
Max Sample Order Qty	`Max_Sample_Order_Qty__c`	Number	
Min Sample Order Qty	`Min_Sample_Order_Qty__c`	Number	
Pack Size (units)	`Pack_Size__c`	Number	Units in one pack: tablets, capsules, vials, grams or ml.
Parent Brand	`Parent_Brand__c`	Text	
Parent Detail Product	`Parent_Detail_Product__c`	Lookup	Lookup to Product
Parent Molecule	`Parent_Molecule__c`	Text	
Parent Product	`Parent_Product__c`	Lookup	Lookup to Product
Parent Therapy	`Parent_Therapy__c`	Text	
Product Code *	`Product_Code__c`	Text	
Product Type	`Product_Type__c`	Text	
Requires Cold Chain	`Requires_Cold_Chain__c`	Checkbox	
Requires License Validation	`Requires_License_Validation__c`	Checkbox	
Requires Lot Number	`Requires_Lot_Number__c`	Checkbox	Off for alternative samples such as vouchers or co-pay cards.
Requires Signature	`Requires_Signature__c`	Checkbox	The doctor must sign for receipt when this product is sampled.
Restriction Reason	`Restriction_Reason__c`	Picklist	Hypnotic_Sedative_Tranquillizer, Regulatory_Hold, Supply_Shortage, Other
SKU Code	`SKUCode__c`	Formula	Calculated
SKU Code	`SKU_Code__c`	Text	
SKU	`SKU__c`	Text	
Sample Unit Value (INR)	`Sample_Unit_Value_INR__c`	Currency	Value of ONE unit (tablet, capsule, vial, gram, ml) for UCPMP expenditure: price to stockist for own manufacture, purchase price for bought-
Smallest Market Pack (units)	`Smallest_Market_Pack_Size__c`	Number	Units in the smallest pack sold in the market. A sample pack may not be larger (UCPMP 5.1(ii)(d)).
Start Date	`Start_Date__c`	Date	
Unit Value Per Strip	`Unit_Value_Per_Strip__c`	Number	Rupee value per strip/pack, set at the Molecule level. Used for RCPA potential-value calculations.
Valuation Method	`Valuation_Method__c`	Picklist	Stockist_Price, Purchase_Price

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Key Account Management - Account Plan Data Model

Entities and relationships for account plans with goals, stakeholders, strategies, activities, action items and the account team.


Plan Strategy
Plan_Strategy__c
Id PK
Account Plan MD
Name* Text
Detail Long text
Share With Multi-select
Account Team Member
Account_Team_Member__c
Id PK
Account Plan MD
User → User
Name* Text
Access Picklist
Role Picklist
Account Plan
Account Plan
Account Plan

Entities/Objects Included

Account Plan, Account Team Member, Action Item, Key Stakeholder, Plan Activity, Plan Goal, Plan Strategy, Product Plan Template, Product Strategy, Sciagen Account

How it works in our org

- An Account Plan belongs to an HCP or an HCO. Goals, stakeholders, strategies and the account team are its children.
- Strategies contain activities, and activities contain action items; an action item can be completed on a call report.
- Product Plan Template and Product Strategy supply pre-built strategies per product.
- Key Account Managers can edit any plan (a sharing rule); call reports and planned calls can point at a plan.

Object and field details

Account Plan `Account_Plan__c` 25 fields

Sharing: Private

Field	API name	Type	Reference / values
Active	`Active__c`	Checkbox	
Applied Products	`Applied_Products__c`	Text	
Differentiation Strategy	`Differentiation_Strategy__c`	Long text	
Division	`Division__c`	Picklist	Oncology, Diabetes, Cardiology, Respiratory, Immunology
End Date	`End_Date__c`	Date	
HCO	`HCO__c`	Lookup	Lookup to Sciagen Account
HCP	`HCP__c`	Lookup	Lookup to Sciagen Account
Health	`Health__c`	Picklist	Good, At Risk, Poor
Key Initiatives	`Key_Initiatives__c`	Long text	
Medical Engagement Plan	`Medical_Engagement_Plan__c`	Checkbox	
Number of Locations	`Number_of_Locations__c`	Number	
OCM/APM	`OCM_APM__c`	Text	
Mission Statement	`Objective__c`	Long text	
Opportunities	`Opportunities__c`	Long text	
Record Type	`Plan_Record_Type__c`	Picklist	Standard Account Plan, Action Item Account Plan
Title *	`Plan_Title__c`	Text	
Stage	`Stage__c`	Picklist	Prospect, Early, Mid, Partnership, Synergistic
Start Date	`Start_Date__c`	Date	
Status	`Status__c`	Picklist	Draft, Active, Completed, On Hold
Strengths	`Strengths__c`	Long text	
Threats	`Threats__c`	Long text	

Field	API name	Type	Reference / values
Total Enrollment	`Total_Enrollment__c`	Number	
Total Revenue (000)	`Total_Revenue__c`	Currency	
Type	`Type__c`	Picklist	National, Regional, Territory, Global
Weaknesses	`Weaknesses__c`	Long text	

Plan Goal `Plan_Goal__c`

7 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Current	`Current__c`	Number	
Due Date	`Due_Date__c`	Date	
Metric	`Metric__c`	Text	
Account Plan	`Plan__c`	Master-Detail	Master-detail to Account Plan
Target	`Target__c`	Number	
Title *	`Title__c`	Text	
Unit	`Unit__c`	Text	

Key Stakeholder `Plan_Stakeholder__c`

8 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
HCP	`HCP__c`	Lookup	Lookup to Sciagen Account
Influence	`Influence__c`	Picklist	Low, Medium, High, Critical
Last Graded	`Last_Graded__c`	Date	
Account Plan	`Plan__c`	Master-Detail	Master-detail to Account Plan
Role	`Role__c`	Picklist	Decision Maker, KOL, Influencer, Gatekeeper, Economic Buyer, Champion
Specialty	`Specialty__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Name *	`Stakeholder_Name__c`	Text	
Relationship Strength	`Strength__c`	Picklist	Weak, Developing, Strong, Advocate

Plan Strategy `Plan_Strategy__c`

4 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Detail	`Detail__c`	Long text	
Account Plan	`Plan__c`	Master-Detail	Master-detail to Account Plan
Share With	`Share_With__c`	Multi-select	NOAD, PSS, MSL, ODM
Name *	`Strategy_Name__c`	Text	

Plan Activity `Plan_Activity__c`

5 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Name *	`Activity_Name__c`	Text	
Detail	`Detail__c`	Long text	
Linked Account	`Linked_Account__c`	Lookup	Lookup to Sciagen Account
Manually Marked Complete	`Manual_Complete__c`	Checkbox	
Strategy	`Strategy__c`	Master-Detail	Master-detail to Plan Strategy

Action Item `Action_Item__c`

12 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Account	`Account__c`	Lookup	Lookup to Sciagen Account
Activity	`Activity__c`	Master-Detail	Master-detail to Plan Activity
Assignee	`Assignee__c`	Text	
Completed By	`Completed_By__c`	Text	
Completed Date	`Completed_Date__c`	Date	
Completed On Call	`Completed_On_Call__c`	Lookup	Lookup to Call Visit Report
Description	`Description__c`	Long text	
Due Date	`Due_Date__c`	Date	
Share With	`Share_With__c`	Multi-select	NOAD, PSS, MSL, ODM
Start Date	`Start_Date__c`	Date	
Status	`Status__c`	Picklist	Open, In Progress, Postponed, Completed
Title *	`Title__c`	Text	

Account Team Member `Account_Team_Member__c`

5 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Access	`Access__c`	Picklist	Read, Write
Name *	`Member_Name__c`	Text	
User	`Member_User__c`	Lookup	Lookup to User
Account Plan	`Plan__c`	Master-Detail	Master-detail to Account Plan
Role	`Role__c`	Picklist	KAM, Key Account Manager, RSM, Sales Rep, MSL, Brand Manager, Medical Advisor

Product Plan Template `Product_Plan_Template__c`

3 fields

Sharing: Read

Field	API name	Type	Reference / values
Product Name *	`Product_Name__c`	Text	
Product	`Product__c`	Lookup	Lookup to Product

Field	API name	Type	Reference / values
Summary	`Summary__c`	Long text	

Product Strategy `Product_Strategy__c`

5 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Key Messages	`Key_Messages__c`	Long text	One message per line
Sort Order	`Sort_Order__c`	Number	
Name *	`Strategy_Name__c`	Text	
Tactics	`Tactics__c`	Long text	One tactic per line
Product Plan Template	`Template__c`	Master-Detail	Master-detail to Product Plan Template

Sciagen Account `Sciagen_Account__c`

68 fields

Single source of truth for HCP and HCO accounts in Sciagen CRM. Replaces the Standard Account object (previously used with HCP/HCO RecordTypes) — Type__c now distinguishes HCP vs HCO.

Sharing: Private

Field	API name	Type	Reference / values
Account Code	`Account_Code__c`	Text	
Actively Published Years	`Actively_Published_Years__c`	Number	
Age	`Age__c`	Number	
Avg Citations Per Article	`Avg_Citations_Per_Article__c`	Number	
Avg Coauthors Per Article	`Avg_Coauthors_Per_Article__c`	Number	
Billing City	`Billing_City__c`	Text	
Billing Country	`Billing_Country__c`	Text	
Billing Postal Code	`Billing_Postal_Code__c`	Text	
Billing State	`Billing_State__c`	Text	
Billing Street	`Billing_Street__c`	Text	
Can Prescribe	`Can_Prescribe__c`	Checkbox	
Controlled Substance License	`Controlled_Substance_License__c`	Text	Drug-schedule licence needed to receive samples of a controlled substance.
Dedupe Checked At	`Dedupe_Checked_At__c`	Date/Time	When the duplicate scan last compared this record.
Dedupe Email Key	`Dedupe_Email_Key__c`	Text	System-maintained lower-cased email. Do not edit.
Dedupe Geo Key	`Dedupe_Geo_Key__c`	Text	System-maintained map grid cell (about 1 km) for HCOs. Do not edit.
Dedupe License Key	`Dedupe_License_Key__c`	Text	System-maintained normalised licence number. Do not edit.
Dedupe Name Key	`Dedupe_Name_Key__c`	Text	System-maintained normalised name used to find duplicate candidates. Do not edit.
Dedupe Phone Key	`Dedupe_Phone_Key__c`	Text	System-maintained last 10 digits of the phone number. Do not edit.
Dedupe Sound Key	`Dedupe_Sound_Key__c`	Text	System-maintained phonetic name key. Do not edit.
Degree 1	`Degree_1__c`	Text	
Degree 2	`Degree_2__c`	Text	
Degree 3	`Degree_3__c`	Text	
Degree 4	`Degree_4__c`	Text	

Field	API name	Type	Reference / values
Degree 5	`Degree_5__c`	Text	
Email	`Email__c`	Email	
Emerging Expert	`Emerging_Expert__c`	Checkbox	
Experience Years	`Experience_Years__c`	Number	
External IDs	`External_Ids__c`	Long text	External identifiers for this HCP/HCO (e.g. NPI, MCI, GST, NABH), stored as JSON — {"NPI": "1234567890", "MCI": "MCI-9988"}. Mirrors the Fie
First Name	`First_Name__c`	Text	
Focus Area	`Focus_Area__c`	Text	
Geofence Radius (m)	`Geofence_Radius_M__c`	Number	Per-HCO override of the check-in geofence radius in metres (e.g. a large hospital campus). Blank uses the Geofence Setting default.
Geolocation	`Geolocation__c`	Geolocation	
Graduation Year	`Graduation_Year__c`	Number	
Guideline Count	`Guideline_Count__c`	Number	
HCO Type	`HCO_Type__c`	Picklist	Hospital, Clinic, Nursing Home, Pharmacy, Medical Shop, Chemist Shop, Stockist, Health System, Diagnostic Centre, Acaedemic Instituiton …
HCP Type	`HCP_Type__c`	Picklist	Physician, Surgeon, Consultant, General Practitioner, Other, Specialist, Super Specialist
Instagram URL	`Instagram_URL__c`	URL	
Is Merged	`Is_Merged__c`	Checkbox	True when this record was merged into another (the losing record). Merged records are hidden from the iPad and from search; their data and h
Last Name	`Last_Name__c`	Text	
Last Visit	`Last_Visit__c`	Date	
License Expiry Date	`License_Expiry_Date__c`	Date	
License Number	`License_Number__c`	Text	
License Verification Status	`License_Verification_Status__c`	Picklist	Unverified, Verified, Invalid, Expired, Pending
License Verified At	`License_Verified_At__c`	Date/Time	
License Verified By	`License_Verified_By__c`	Text	
Licensing Body	`Licensing_Body__c`	Text	
Licensing Year	`Licensing_Year__c`	Number	
LinkedIn URL	`LinkedIn_URL__c`	URL	
Medical Council Registration Number	`Medical_Council_Reg_Number__c`	Text	
Merged At	`Merged_At__c`	Date/Time	
Merged Into	`Merged_Into__c`	Lookup	Lookup to Sciagen Account
Parent Account	`Parent_Account__c`	Lookup	Lookup to Sciagen Account
Phone	`Phone__c`	Phone	
Plus Code	`Plus_Code__c`	Text	
Prefix	`Prefix__c`	Text	
Primary Country	`Primary_Country__c`	Text	
Profile Summary	`Profile_Summary__c`	Long text	Rep-authored profile note (preferred topics, key insights), edited from the iPad HCP Profile tab.
Reach Flag	`Reach_Flag__c`	Picklist	Local, Regional, Global
Sample Eligible	`Sample_Eligible__c`	Formula	Calculated
Speciality	`Speciality__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Specialty	`Specialty__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …


Field	API name	Type	Reference / values
Total Articles	`Total_Articles__c`	Number	
Total Citations	`Total_Citations__c`	Number	
Twitter URL	`Twitter_URL__c`	URL	
Type *	`Type__c`	Picklist	HCP, HCO
Unique Journal Count	`Unique_Journal_Count__c`	Number	
Website	`Website__c`	URL	
YouTube URL	`YouTube_URL__c`	URL	

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Intelligent Content Data Model

Entities and relationships for approved presentations, slides, CLM sessions, key messages and slide-level engagement tracking.



Entities/Objects Included

Approved Content, Call Visit Report, Content Alert, Key Message, My Presentation, Presentation, Presentation Favorite, Presentation Session, Product, Slide, Slide Event

How it works in our org

- A Presentation is a deck of Slides for a product and moves through Draft, Medical, Regulatory and Legal and Compliance approval to Approved Promotional, then Expired. Only approved decks are shown to reps.
- When a rep presents on the iPad, a Presentation Session is recorded against the call report, with a Slide Event for each slide shown and the time spent.
- Key Messages are captured per call report and session. Favourites and My Presentations are per-rep shortcuts.
- A session sets the report's Call Category to Call with CLM. Content Alerts (New, Updated, Expiring) tell reps when a deck changes.

Object and field details

Presentation `Presentation__c`

10 fields

Sharing: Read

Field	API name	Type	Reference / values
Approval Status	`Approval_Status__c`	Picklist	Draft, Medical Approval, Regulatory Approval, Legal & Compliance Approval, Approved Promotional, Expired, Approved Non Promotional
Brand	`Brand__c`	Picklist	ACAROID, ALLERGOVIT, NOVO-HELISEN, NOVO-HELISEN DEPOT, BioNX, Cardiace, Emrok, Glaritus, Miqnaf, Neutraline …
CMS Document Id	`CMS_Document_Id__c`	Text	Sciagen CMS document number, e.g. Wockhardt_P-2026-0001
Expiry Date	`Expiry_Date__c`	Date	
Is Custom (rep-built)	`Is_Custom__c`	Checkbox	
Is Training	`Is_Training__c`	Checkbox	
MLR Reference	`MLR_Reference__c`	Text	
Name *	`Presentation_Name__c`	Text	
Product	`Product__c`	Lookup	Lookup to Product
Version	`Version__c`	Text	

Slide `Slide__c`

10 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Asset URL	`Asset_URL__c`	Text	S3 URL for this slide's file, uploaded by the CMS directly to S3 — Salesforce never stores the file bytes. Set by CMSContentReceiver.cls on
Brand	`Brand__c`	Picklist	Emrok, Glaritus, Miqnaf, Cardiace, Neutraline, Other
File Type *	`File_Type__c`	Picklist	Native, HTML, PDF, PPT, Word, Video, Audio
HTML Content	`HTML_Content__c`	Long text	

Field	API name	Type	Reference / values
Is Video	`Is_Video__c`	Checkbox	
Presentation	`Presentation__c`	Master-Detail	Master-detail to Presentation
Product	`Product__c`	Lookup	Lookup to Product
Name *	`Slide_Name__c`	Text	
Slide Number *	`Slide_No__c`	Number	
Video Duration (sec)	`Video_Duration__c`	Number	

Presentation Session `Presentation_Session__c`

10 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Annotation (sec)	`Annotation_Sec__c`	Number	
Brand	`Brand__c`	Picklist	Emrok, Glaritus, Miqnaf, Cardiace, Neutraline, Other
Call Visit Report	`CVR__c`	Master-Detail	Master-detail to Call Visit Report
End Time	`End_Time__c`	Date/Time	
Presentation *	`Presentation__c`	Lookup	Lookup to Presentation
Start Time	`Start_Time__c`	Date/Time	
Total Slides	`Total_Slides__c`	Number	
Version	`Version__c`	Text	
Video Total (sec)	`Video_Total_Sec__c`	Number	
Video Watched (sec)	`Video_Watched_Sec__c`	Number	

Slide Event `Slide_Event__c`

8 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Is Revisit	`Is_Revisit__c`	Checkbox	
Product Name	`Product_Name__c`	Text	
Sequence	`Sequence__c`	Number	
Presentation Session	`Session__c`	Master-Detail	Master-detail to Presentation Session
Slide Name	`Slide_Name__c`	Text	
Slide No	`Slide_No__c`	Number	
Slide	`Slide__c`	Lookup	Lookup to Slide
Time Spent (sec)	`Time_Spent_Sec__c`	Number	

Key Message `Key_Message__c`

7 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Call Visit Report	`CVR__c`	Master-Detail	Master-detail to Call Visit Report

Field	API name	Type	Reference / values
Description	`Description__c`	Long text	
Locked (system-generated)	`Locked__c`	Checkbox	
Message	`Message__c`	Long text	
Presentation Session	`Presentation_Session__c`	Lookup	Lookup to Presentation Session
Product	`Product__c`	Text	
Reaction	`Reaction__c`	Picklist	Positive, Neutral, Negative, —

Presentation Favorite `Presentation_Favorite__c`

2 fields

Sharing: Private

Field	API name	Type	Reference / values
Presentation *	`Presentation__c`	Lookup	Lookup to Presentation
User Id *	`User_Id__c`	Text	

My Presentation `My_Presentation__c`

3 fields

A rep's own custom multi-product CLM deck, built on the iPad from a mix of approved Presentation__c/Slide__c content. Pushed here the moment it's created (SalesforceRestDataService.submitUserPresentation) so it's visible in Salesforce, not device-local only — Presentation__c/Slide__c themselves stay CMS-owned and read-only.

Sharing: Private

Field	API name	Type	Reference / values
Product Names	`Product_Names__c`	Text	Comma-separated distinct product names across the deck's slides, for a quick summary in list views without needing to join back to Slide_Ids
Rep User Id	`Rep_User_Id__c`	Text	The Salesforce User Id of the rep who built this deck on the iPad, same not-a-lookup convention used elsewhere in this app (e.g. Presentatio
Slide Ids	`Slide_Ids__c`	Long text	Ordered, comma-separated list of the Slide__c Ids that make up this deck (order matters — this is a presentation, not a set). Only synced sl

Content Alert `Content_Alert__c`

4 fields

Sharing: Read

Field	API name	Type	Reference / values
Detail	`Detail__c`	Long text	
Kind *	`Kind__c`	Picklist	New, Updated, Expiring
Presentation	`Presentation__c`	Lookup	Lookup to Presentation
Title *	`Title__c`	Text	

Approved Content `Approved_Content__c`

5 fields

Sharing: Read

Field	API name	Type	Reference / values
Asset URL	`Asset_URL__c`	Text	S3 URL for the lead slide's file, uploaded by the CMS directly to S3. Stands in for the Salesforce File this object used to receive via Cont
CMS Document Id	`CMS_Document_Id__c`	Text	
Name *	`Content_Name__c`	Text	
Kind *	`Kind__c`	Picklist	PDF, Visual, Link

Field	API name	Type	Reference / values
Product	`Product__c`	Lookup	Lookup to Product

Product `Product__c`

39 fields

Sharing: Read

Field	API name	Type	Reference / values
Active	`Active__c`	Checkbox	
Barcode Format	`Barcode_Format__c`	Text	
Brand Name	`Brand_Name__c`	Text	Only meaningful at the Brand and SKU hierarchy levels (see Level__c) -- Therapy Area and Molecule records leave this blank.
Competitor1	`Competitor1__c`	Text	Competitor Brand for the product
Controlled Substance Schedule	`Controlled_Substance_Schedule__c`	Text	
Description	`Description__c`	Long text	
Division	`Division__c`	Picklist	Oncology, Diabetes, Cardiology, Respiratory, Immunology
End Date	`End_Date__c`	Date	
Is Controlled Substance	`Is_Controlled_Substance__c`	Checkbox	
Is Detail Product	`Is_Detail_Product__c`	Checkbox	A promoted (detailed) product. Sample SKUs point at their detail product.
Is Restricted	`Is_Restricted__c`	Checkbox	Restricted products can't be sampled.
Is Sample Product	`Is_Sample_Product__c`	Checkbox	This SKU can be given to doctors as a free medical sample.
Launch Date	`Launch_Date__c`	Date	
Level *	`Level__c`	Picklist	Therapy Area, Molecule, Brand, SKU
Max Packs Per HCP Per Year	`Max_Packs_Per_HCP_Per_Year__c`	Number	UCPMP 2024 clause 5.1(ii)(b): no more than 12 sample packs per drug per practitioner per year.
Max Patients Per Pack	`Max_Patients_Per_Pack__c`	Number	A sample pack covers the prescribed course for at most three patients.
Max Sample Order Qty	`Max_Sample_Order_Qty__c`	Number	
Min Sample Order Qty	`Min_Sample_Order_Qty__c`	Number	
Pack Size (units)	`Pack_Size__c`	Number	Units in one pack: tablets, capsules, vials, grams or ml.
Parent Brand	`Parent_Brand__c`	Text	
Parent Detail Product	`Parent_Detail_Product__c`	Lookup	Lookup to Product
Parent Molecule	`Parent_Molecule__c`	Text	
Parent Product	`Parent_Product__c`	Lookup	Lookup to Product
Parent Therapy	`Parent_Therapy__c`	Text	
Product Code *	`Product_Code__c`	Text	
Product Type	`Product_Type__c`	Text	
Requires Cold Chain	`Requires_Cold_Chain__c`	Checkbox	
Requires License Validation	`Requires_License_Validation__c`	Checkbox	
Requires Lot Number	`Requires_Lot_Number__c`	Checkbox	Off for alternative samples such as vouchers or co-pay cards.
Requires Signature	`Requires_Signature__c`	Checkbox	The doctor must sign for receipt when this product is sampled.
Restriction Reason	`Restriction_Reason__c`	Picklist	Hypnotic_Sedative_Tranquillizer, Regulatory_Hold, Supply_Shortage, Other
SKU Code	`SKUCode__c`	Formula	Calculated
SKU Code	`SKU_Code__c`	Text	

Field	API name	Type	Reference / values
SKU	`SKU__c`	Text	
Sample Unit Value (INR)	`Sample_Unit_Value_INR__c`	Currency	Value of ONE unit (tablet, capsule, vial, gram, ml) for UCPMP expenditure: price to stockist for own manufacture, purchase price for bought-
Smallest Market Pack (units)	`Smallest_Market_Pack_Size__c`	Number	Units in the smallest pack sold in the market. A sample pack may not be larger (UCPMP 5.1(ii)(d)).
Start Date	`Start_Date__c`	Date	
Unit Value Per Strip	`Unit_Value_Per_Strip__c`	Number	Rupee value per strip/pack, set at the Molecule level. Used for RCPA potential-value calculations.
Valuation Method	`Valuation_Method__c`	Picklist	Stockist_Price, Purchase_Price

Call Visit Report `Call_Visit_Report__c`

48 fields

Sharing: Private

Field	API name	Type	Reference / values
Call Channel Type	`Activity_Type__c`	Picklist	In-person, Phone, Video, Email, Chat or Text, Other, Face to Face, Remote Meeting
Call Category	`Call_Category__c`	Text	Call label as the iPad shows it (e.g. Call Only, Call with CLM). Stored as sent by the app.
Call Status	`Call_Status__c`	Picklist	Completed, Cancelled
Call Type	`Call_Type__c`	Picklist	Detailing, Sampling, Follow-up, Introductory, Group Call, Visit
Check-In GPS Accuracy (m)	`Check_In_Accuracy_M__c`	Number	Horizontal accuracy of the GPS fix, in metres, reported by the iPad at check-in.
Check-In At	`Check_In_At__c`	Date/Time	
Check-In Distance from HCO (m)	`Check_In_Distance_M__c`	Number	Distance in metres between the rep's check-in position and the HCO, computed on the iPad (works offline) from the HCO coordinates it had cac
Check-In Location	`Check_In_Location__c`	Geolocation	
Check-In Method	`Check_In_Method__c`	Text	How the check-in was captured: Manual (rep tapped Check in) or Arrival (rep accepted the arrival prompt).
Check-In Within Geofence	`Check_In_Within_Geofence__c`	Checkbox	True when the rep's check-in position was inside the HCO's geofence when the iPad recorded it.
Client Id	`Client_Id__c`	Text	iPad-generated local UUID. The app creates the record with PATCH /sobjects/Call_Visit_Report__c/Client_Id__c/{uuid} (upsert), so a retried p
Discussion Summary	`Discussion_Summary__c`	Long text	
Duration (min)	`Duration_Min__c`	Formula	Calculated
Email Sent	`Email_Sent__c`	Checkbox	
End Time	`End_Time__c`	Date/Time	
Group Attendees	`Group_Attendee_Count__c`	Number	Number of HCPs on the group call, the primary HCP included. Set by GroupCallService on the group call and on each attendee call.
HCO	`HCO__c`	Lookup	Lookup to Sciagen Account
HCP *	`HCP__c`	Lookup	Lookup to Sciagen Account
Has Samples	`Has_Samples__c`	Formula	Calculated
Group Call	`Is_Group_Call__c`	Checkbox	Set by GroupCallService: true on a call that had more than one HCP attendee (the parent call) and on every individual call created from it f
Linked Event Count	`Linked_Event_Count__c`	Number	
Next-Call Notes	`Next_Call_Notes__c`	Long text	
Next Visit Date	`Next_Visit_Date__c`	Date	
Next Visit Planned Call	`Next_Visit_Planned_Call__c`	Lookup	Lookup to Planned Call / Event
Parent Call	`Parent_Call__c`	Lookup	Lookup to Call Visit Report
Account Plan	`Plan__c`	Lookup	Lookup to Account Plan
Pre-Call Notes	`Pre_Call_Notes__c`	Long text	
Record Status	`Record_Status__c`	Picklist	Draft, Saved, Submitted


Field	API name	Type	Reference / values
Record Type	`Record_Type_Label__c`	Picklist	Call Report
Rep	`Rep__c`	Text	
Sample Drop Count	`Sample_Drop_Count__c`	Roll-up	
Sample Total Value (INR)	`Sample_Total_Value__c`	Roll-up	
Signature Captured At	`Signature_Captured_At__c`	Date/Time	
Signature Captured	`Signature_Captured__c`	Checkbox	
Signature GPS	`Signature_GPS__c`	Geolocation	
Signature Image	`Signature_Image__c`	Text	ContentDocument Id of the signature image.
Signature Required Count	`Signature_Required_Count__c`	Roll-up	
Signature Required	`Signature_Required__c`	Formula	Calculated
Signee HCP	`Signee_Account__c`	Lookup	Lookup to Sciagen Account
Signee Name	`Signee_Name__c`	Text	
Source Planned Call	`Source_Planned_Call__c`	Lookup	Lookup to Planned Call / Event
Start Time	`Start_Time__c`	Date/Time	
Territory	`Territory__c`	Lookup	Lookup to Territory
Times Unlocked	`Unlock_Count__c`	Number	
Unlock Request	`Unlock_Request__c`	Lookup	Lookup to Support Request
Unlocked At	`Unlocked_At__c`	Date/Time	
Unlocked By	`Unlocked_By__c`	Lookup	Lookup to User
Visit Date *	`Visit_Date__c`	Date	

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Field Email Data Model

Entities and relationships for approved email templates, the content allowed in them, and emails sent to HCPs.



Entities/Objects Included

Approved Content, Approved Email Template, Product, Sciagen Account, Sent Email, Sent Email Attachment, Template Allowed Content

How it works in our org

- Approved Email Templates are tied to a product and list which Approved Content may be attached.
- Sent Email records what was sent to which HCP, from which template, with its attachments.

Object and field details

Approved Email Template `Email_Template__c`

14 fields

Sharing: Read

Field	API name	Type	Reference / values
Asset URL	`Asset_URL__c`	Long text	S3 signed URL of this template's JSON file (subject/body), uploaded by the CMS. Salesforce stores only the pointer; the iPad downloads and c
Body	`Body__c`	Long text	
Brand	`Brand__c`	Picklist	Emrok, Glaritus, Miqnaf, Cardiace, Neutraline, Other
CMS Document Id	`CMS_Document_Id__c`	Text	
Content Hash	`Content_Hash__c`	Text	SHA-256 of the template JSON file; the iPad verifies its download against this before using it.
Expiry Date	`Expiry_Date__c`	Date	
Is User-Saved (personalized)	`Is_User_Saved__c`	Checkbox	
Withdrawn	`Is_Withdrawn__c`	Checkbox	Set by CMSEmailTemplateReceiver when the CMS withdraws or expires the template; the iPad stops offering it.
Language	`Language__c`	Picklist	English, Hindi, Other
MLR Reference	`MLR_Reference__c`	Text	
Product	`Product__c`	Lookup	Lookup to Product
Subject *	`Subject__c`	Text	
Name *	`Template_Name__c`	Text	
Template Version	`Template_Version__c`	Text	

Template Allowed Content `Email_Template_Content__c`

2 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Approved Content *	`Content__c`	Lookup	Lookup to Approved Content
Email Template	`Template__c`	Master-Detail	Master-detail to Approved Email Template

Approved Content `Approved_Content__c`

5 fields

Sharing: Read

Field	API name	Type	Reference / values
Asset URL	`Asset_URL__c`	Text	S3 URL for the lead slide's file, uploaded by the CMS directly to S3. Stands in for the Salesforce File this object used to receive via Cont
CMS Document Id	`CMS_Document_Id__c`	Text	
Name *	`Content_Name__c`	Text	
Kind *	`Kind__c`	Picklist	PDF, Visual, Link
Product	`Product__c`	Lookup	Lookup to Product

Sent Email `Sent_Email__c`

22 fields

Sharing: Private

Field	API name	Type	Reference / values
Attachment Content Ids	`Attachment_Content_Ids__c`	Long text	Comma-separated Approved_Content__c Ids the rep attached; SentEmailSendService verifies each is allowed by the template.
Attachment Names	`Attachment_Names__c`	Long text	
Body Text	`Body_Text__c`	Long text	
Client Id	`Client_Id__c`	Text	iPad-generated id; makes the push idempotent (upsert key).
Content Hash	`Content_Hash__c`	Text	
Folder	`Folder__c`	Picklist	Inbox, Sent, Draft
From Name	`From_Name__c`	Text	
HCP *	`HCP__c`	Lookup	Lookup to Sciagen Account
Language	`Language__c`	Picklist	English, Hindi, Other
Rep Note	`Rep_Note__c`	Long text	Optional short personal note the rep added above the locked approved text.
Rep	`Rep__c`	Text	
Sent At	`Sent_At__c`	Date/Time	
Signed	`Signed__c`	Checkbox	
Snippet	`Snippet__c`	Text	
Status Message	`Status_Message__c`	Text	
Delivery Status	`Status__c`	Text	Queued (iPad handed it off) then Sent or Failed, set by SentEmailSendService.
Subject	`Subject__c`	Text	
Template Version	`Template_Version__c`	Text	
Template	`Template__c`	Lookup	Lookup to Approved Email Template
To Email	`To_Email__c`	Text	
To WhatsApp	`To_WhatsApp__c`	Text	
Verified Via	`Verified_Via__c`	Picklist	Email OTP, WhatsApp OTP, HCP Signature, None

Sent Email Attachment `Sent_Email_Attachment__c`

2 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Approved Content *	`Content__c`	Lookup	Lookup to Approved Content
Sent Email	`Email__c`	Master-Detail	Master-detail to Sent Email

Sciagen Account `Sciagen_Account__c`

68 fields

Single source of truth for HCP and HCO accounts in Sciagen CRM. Replaces the Standard Account object (previously used with HCP/HCO RecordTypes) — Type__c now distinguishes HCP vs HCO.

Sharing: Private

Field	API name	Type	Reference / values
Account Code	`Account_Code__c`	Text	
Actively Published Years	`Actively_Published_Years__c`	Number	
Age	`Age__c`	Number	
Avg Citations Per Article	`Avg_Citations_Per_Article__c`	Number	
Avg Coauthors Per Article	`Avg_Coauthors_Per_Article__c`	Number	
Billing City	`Billing_City__c`	Text	
Billing Country	`Billing_Country__c`	Text	
Billing Postal Code	`Billing_Postal_Code__c`	Text	
Billing State	`Billing_State__c`	Text	
Billing Street	`Billing_Street__c`	Text	
Can Prescribe	`Can_Prescribe__c`	Checkbox	
Controlled Substance License	`Controlled_Substance_License__c`	Text	Drug-schedule licence needed to receive samples of a controlled substance.
Dedupe Checked At	`Dedupe_Checked_At__c`	Date/Time	When the duplicate scan last compared this record.
Dedupe Email Key	`Dedupe_Email_Key__c`	Text	System-maintained lower-cased email. Do not edit.
Dedupe Geo Key	`Dedupe_Geo_Key__c`	Text	System-maintained map grid cell (about 1 km) for HCOs. Do not edit.
Dedupe License Key	`Dedupe_License_Key__c`	Text	System-maintained normalised licence number. Do not edit.
Dedupe Name Key	`Dedupe_Name_Key__c`	Text	System-maintained normalised name used to find duplicate candidates. Do not edit.
Dedupe Phone Key	`Dedupe_Phone_Key__c`	Text	System-maintained last 10 digits of the phone number. Do not edit.
Dedupe Sound Key	`Dedupe_Sound_Key__c`	Text	System-maintained phonetic name key. Do not edit.
Degree 1	`Degree_1__c`	Text	
Degree 2	`Degree_2__c`	Text	
Degree 3	`Degree_3__c`	Text	
Degree 4	`Degree_4__c`	Text	
Degree 5	`Degree_5__c`	Text	
Email	`Email__c`	Email	
Emerging Expert	`Emerging_Expert__c`	Checkbox	
Experience Years	`Experience_Years__c`	Number	
External IDs	`External_Ids__c`	Long text	External identifiers for this HCP/HCO (e.g. NPI, MCI, GST, NABH), stored as JSON — {"NPI": "1234567890", "MCI": "MCI-9988"}. Mirrors the Fie
First Name	`First_Name__c`	Text	
Focus Area	`Focus_Area__c`	Text	
Geofence Radius (m)	`Geofence_Radius_M__c`	Number	Per-HCO override of the check-in geofence radius in metres (e.g. a large hospital campus). Blank uses the Geofence Setting default.
Geolocation	`Geolocation__c`	Geolocation	
Graduation Year	`Graduation_Year__c`	Number	
Guideline Count	`Guideline_Count__c`	Number	
HCO Type	`HCO_Type__c`	Picklist	Hospital, Clinic, Nursing Home, Pharmacy, Medical Shop, Chemist Shop, Stockist, Health System, Diagnostic Centre, Acaedemic Instituiton …

Field	API name	Type	Reference / values
HCP Type	`HCP_Type__c`	Picklist	Physician, Surgeon, Consultant, General Practitioner, Other, Specialist, Super Specialist
Instagram URL	`Instagram_URL__c`	URL	
Is Merged	`Is_Merged__c`	Checkbox	True when this record was merged into another (the losing record). Merged records are hidden from the iPad and from search; their data and h
Last Name	`Last_Name__c`	Text	
Last Visit	`Last_Visit__c`	Date	
License Expiry Date	`License_Expiry_Date__c`	Date	
License Number	`License_Number__c`	Text	
License Verification Status	`License_Verification_Status__c`	Picklist	Unverified, Verified, Invalid, Expired, Pending
License Verified At	`License_Verified_At__c`	Date/Time	
License Verified By	`License_Verified_By__c`	Text	
Licensing Body	`Licensing_Body__c`	Text	
Licensing Year	`Licensing_Year__c`	Number	
LinkedIn URL	`LinkedIn_URL__c`	URL	
Medical Council Registration Number	`Medical_Council_Reg_Number__c`	Text	
Merged At	`Merged_At__c`	Date/Time	
Merged Into	`Merged_Into__c`	Lookup	Lookup to Sciagen Account
Parent Account	`Parent_Account__c`	Lookup	Lookup to Sciagen Account
Phone	`Phone__c`	Phone	
Plus Code	`Plus_Code__c`	Text	
Prefix	`Prefix__c`	Text	
Primary Country	`Primary_Country__c`	Text	
Profile Summary	`Profile_Summary__c`	Long text	Rep-authored profile note (preferred topics, key insights), edited from the iPad HCP Profile tab.
Reach Flag	`Reach_Flag__c`	Picklist	Local, Regional, Global
Sample Eligible	`Sample_Eligible__c`	Formula	Calculated
Speciality	`Speciality__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Specialty	`Specialty__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Total Articles	`Total_Articles__c`	Number	
Total Citations	`Total_Citations__c`	Number	
Twitter URL	`Twitter_URL__c`	URL	
Type *	`Type__c`	Picklist	HCP, HCO
Unique Journal Count	`Unique_Journal_Count__c`	Number	
Website	`Website__c`	URL	
YouTube URL	`YouTube_URL__c`	URL	

Product `Product__c`

39 fields

Sharing: Read

Field	API name	Type	Reference / values
Active	`Active__c`	Checkbox	


Field	API name	Type	Reference / values
Barcode Format	`Barcode_Format__c`	Text	
Brand Name	`Brand_Name__c`	Text	Only meaningful at the Brand and SKU hierarchy levels (see Level__c) -- Therapy Area and Molecule records leave this blank.
Competitor1	`Competitor1__c`	Text	Competitor Brand for the product
Controlled Substance Schedule	`Controlled_Substance_Schedule__c`	Text	
Description	`Description__c`	Long text	
Division	`Division__c`	Picklist	Oncology, Diabetes, Cardiology, Respiratory, Immunology
End Date	`End_Date__c`	Date	
Is Controlled Substance	`Is_Controlled_Substance__c`	Checkbox	
Is Detail Product	`Is_Detail_Product__c`	Checkbox	A promoted (detailed) product. Sample SKUs point at their detail product.
Is Restricted	`Is_Restricted__c`	Checkbox	Restricted products can't be sampled.
Is Sample Product	`Is_Sample_Product__c`	Checkbox	This SKU can be given to doctors as a free medical sample.
Launch Date	`Launch_Date__c`	Date	
Level *	`Level__c`	Picklist	Therapy Area, Molecule, Brand, SKU
Max Packs Per HCP Per Year	`Max_Packs_Per_HCP_Per_Year__c`	Number	UCPMP 2024 clause 5.1(ii)(b): no more than 12 sample packs per drug per practitioner per year.
Max Patients Per Pack	`Max_Patients_Per_Pack__c`	Number	A sample pack covers the prescribed course for at most three patients.
Max Sample Order Qty	`Max_Sample_Order_Qty__c`	Number	
Min Sample Order Qty	`Min_Sample_Order_Qty__c`	Number	
Pack Size (units)	`Pack_Size__c`	Number	Units in one pack: tablets, capsules, vials, grams or ml.
Parent Brand	`Parent_Brand__c`	Text	
Parent Detail Product	`Parent_Detail_Product__c`	Lookup	Lookup to Product
Parent Molecule	`Parent_Molecule__c`	Text	
Parent Product	`Parent_Product__c`	Lookup	Lookup to Product
Parent Therapy	`Parent_Therapy__c`	Text	
Product Code *	`Product_Code__c`	Text	
Product Type	`Product_Type__c`	Text	
Requires Cold Chain	`Requires_Cold_Chain__c`	Checkbox	
Requires License Validation	`Requires_License_Validation__c`	Checkbox	
Requires Lot Number	`Requires_Lot_Number__c`	Checkbox	Off for alternative samples such as vouchers or co-pay cards.
Requires Signature	`Requires_Signature__c`	Checkbox	The doctor must sign for receipt when this product is sampled.
Restriction Reason	`Restriction_Reason__c`	Picklist	Hypnotic_Sedative_Tranquillizer, Regulatory_Hold, Supply_Shortage, Other
SKU Code	`SKUCode__c`	Formula	Calculated
SKU Code	`SKU_Code__c`	Text	
SKU	`SKU__c`	Text	
Sample Unit Value (INR)	`Sample_Unit_Value_INR__c`	Currency	Value of ONE unit (tablet, capsule, vial, gram, ml) for UCPMP expenditure: price to stockist for own manufacture, purchase price for bought-
Smallest Market Pack (units)	`Smallest_Market_Pack_Size__c`	Number	Units in the smallest pack sold in the market. A sample pack may not be larger (UCPMP 5.1(ii)(d)).
Start Date	`Start_Date__c`	Date	
Unit Value Per Strip	`Unit_Value_Per_Strip__c`	Number	Rupee value per strip/pack, set at the Molecule level. Used for RCPA potential-value calculations.
Valuation Method	`Valuation_Method__c`	Picklist	Stockist_Price, Purchase_Price

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Consent Management Data Model

Entities and relationships for HCP consent, with channel, email and product preferences.



Entities/Objects Included

Consent — Channel Preference, Consent — Email Channel, Consent — Product Preference, HCP Consent, Product, Sciagen Account

How it works in our org

- An HCP Consent record holds who the HCP is, the purposes consented (Email, Mobile, WhatsApp, Sample Opt-In), verification flags, and the signature with its meaning and date.
- Child records store the preferred channels, the email address consented for, and the products consented for. Sample Opt-In has a validity date used by the sample rules.

Object and field details

HCP Consent `Consent__c`

17 fields

Sharing: Private

Field	API name	Type	Reference / values
Captured At	`Captured_At__c`	Date/Time	
Consent Purposes	`Consent_Purpose__c`	Multi-select	Email, Mobile, WhatsApp, Sample_Opt_In
Consent Status	`Consent_Status__c`	Formula	Calculated
Email Verified	`Email_Verified__c`	Checkbox	
HCP *	`HCP__c`	Lookup	Lookup to Sciagen Account
Mobile Number	`Mobile_Number__c`	Phone	
Mobile Opt-In	`Mobile_Opt_In__c`	Checkbox	
Mobile Verified	`Mobile_Verified__c`	Checkbox	
Sample Opt-In Signature	`Sample_Opt_In_Signature__c`	Text	ContentDocument Id of the signature image.
Sample Opt-In Valid Until	`Sample_Opt_In_Valid_Until__c`	Date	
Signature Meaning	`Signature_Meaning__c`	Long text	
Signed At	`Signed_At__c`	Date/Time	
Signed	`Signed__c`	Checkbox	
Signer Name	`Signer_Name__c`	Text	
WhatsApp Number	`WhatsApp_Number__c`	Phone	
WhatsApp Opt-In	`WhatsApp_Opt_In__c`	Checkbox	
WhatsApp Verified	`WhatsApp_Verified__c`	Checkbox	

Consent — Channel Preference `Consent_Channel__c`

3 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Channel Name *	`Channel_Name__c`	Text	
Consent	`Consent__c`	Master-Detail	Master-detail to HCP Consent
Subscribed	`Subscribed__c`	Checkbox	

Consent — Email Channel `Consent_Email__c`

3 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Consent	`Consent__c`	Master-Detail	Master-detail to HCP Consent
Email	`Email__c`	Email	
Opted In	`Opted_In__c`	Checkbox	

Consent — Product Preference `Consent_Product__c`

3 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Consent	`Consent__c`	Master-Detail	Master-detail to HCP Consent
Product *	`Product__c`	Lookup	Lookup to Product
Subscribed	`Subscribed__c`	Checkbox	

Sciagen Account `Sciagen_Account__c`

68 fields

Single source of truth for HCP and HCO accounts in Sciagen CRM. Replaces the Standard Account object (previously used with HCP/HCO RecordTypes) — Type__c now distinguishes HCP vs HCO.

Sharing: Private

Field	API name	Type	Reference / values
Account Code	`Account_Code__c`	Text	
Actively Published Years	`Actively_Published_Years__c`	Number	
Age	`Age__c`	Number	
Avg Citations Per Article	`Avg_Citations_Per_Article__c`	Number	
Avg Coauthors Per Article	`Avg_Coauthors_Per_Article__c`	Number	
Billing City	`Billing_City__c`	Text	
Billing Country	`Billing_Country__c`	Text	
Billing Postal Code	`Billing_Postal_Code__c`	Text	
Billing State	`Billing_State__c`	Text	
Billing Street	`Billing_Street__c`	Text	
Can Prescribe	`Can_Prescribe__c`	Checkbox	
Controlled Substance License	`Controlled_Substance_License__c`	Text	Drug-schedule licence needed to receive samples of a controlled substance.
Dedupe Checked At	`Dedupe_Checked_At__c`	Date/Time	When the duplicate scan last compared this record.
Dedupe Email Key	`Dedupe_Email_Key__c`	Text	System-maintained lower-cased email. Do not edit.
Dedupe Geo Key	`Dedupe_Geo_Key__c`	Text	System-maintained map grid cell (about 1 km) for HCOs. Do not edit.
Dedupe License Key	`Dedupe_License_Key__c`	Text	System-maintained normalised licence number. Do not edit.

Field	API name	Type	Reference / values
Dedupe Name Key	`Dedupe_Name_Key__c`	Text	System-maintained normalised name used to find duplicate candidates. Do not edit.
Dedupe Phone Key	`Dedupe_Phone_Key__c`	Text	System-maintained last 10 digits of the phone number. Do not edit.
Dedupe Sound Key	`Dedupe_Sound_Key__c`	Text	System-maintained phonetic name key. Do not edit.
Degree 1	`Degree_1__c`	Text	
Degree 2	`Degree_2__c`	Text	
Degree 3	`Degree_3__c`	Text	
Degree 4	`Degree_4__c`	Text	
Degree 5	`Degree_5__c`	Text	
Email	`Email__c`	Email	
Emerging Expert	`Emerging_Expert__c`	Checkbox	
Experience Years	`Experience_Years__c`	Number	
External IDs	`External_Ids__c`	Long text	External identifiers for this HCP/HCO (e.g. NPI, MCI, GST, NABH), stored as JSON — {"NPI": "1234567890", "MCI": "MCI-9988"}. Mirrors the Fie
First Name	`First_Name__c`	Text	
Focus Area	`Focus_Area__c`	Text	
Geofence Radius (m)	`Geofence_Radius_M__c`	Number	Per-HCO override of the check-in geofence radius in metres (e.g. a large hospital campus). Blank uses the Geofence Setting default.
Geolocation	`Geolocation__c`	Geolocation	
Graduation Year	`Graduation_Year__c`	Number	
Guideline Count	`Guideline_Count__c`	Number	
HCO Type	`HCO_Type__c`	Picklist	Hospital, Clinic, Nursing Home, Pharmacy, Medical Shop, Chemist Shop, Stockist, Health System, Diagnostic Centre, Acaedemic Instituiton …
HCP Type	`HCP_Type__c`	Picklist	Physician, Surgeon, Consultant, General Practitioner, Other, Specialist, Super Specialist
Instagram URL	`Instagram_URL__c`	URL	
Is Merged	`Is_Merged__c`	Checkbox	True when this record was merged into another (the losing record). Merged records are hidden from the iPad and from search; their data and h
Last Name	`Last_Name__c`	Text	
Last Visit	`Last_Visit__c`	Date	
License Expiry Date	`License_Expiry_Date__c`	Date	
License Number	`License_Number__c`	Text	
License Verification Status	`License_Verification_Status__c`	Picklist	Unverified, Verified, Invalid, Expired, Pending
License Verified At	`License_Verified_At__c`	Date/Time	
License Verified By	`License_Verified_By__c`	Text	
Licensing Body	`Licensing_Body__c`	Text	
Licensing Year	`Licensing_Year__c`	Number	
LinkedIn URL	`LinkedIn_URL__c`	URL	
Medical Council Registration Number	`Medical_Council_Reg_Number__c`	Text	
Merged At	`Merged_At__c`	Date/Time	
Merged Into	`Merged_Into__c`	Lookup	Lookup to Sciagen Account
Parent Account	`Parent_Account__c`	Lookup	Lookup to Sciagen Account
Phone	`Phone__c`	Phone	
Plus Code	`Plus_Code__c`	Text	

Field	API name	Type	Reference / values
Prefix	`Prefix__c`	Text	
Primary Country	`Primary_Country__c`	Text	
Profile Summary	`Profile_Summary__c`	Long text	Rep-authored profile note (preferred topics, key insights), edited from the iPad HCP Profile tab.
Reach Flag	`Reach_Flag__c`	Picklist	Local, Regional, Global
Sample Eligible	`Sample_Eligible__c`	Formula	Calculated
Speciality	`Speciality__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Specialty	`Specialty__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Total Articles	`Total_Articles__c`	Number	
Total Citations	`Total_Citations__c`	Number	
Twitter URL	`Twitter_URL__c`	URL	
Type *	`Type__c`	Picklist	HCP, HCO
Unique Journal Count	`Unique_Journal_Count__c`	Number	
Website	`Website__c`	URL	
YouTube URL	`YouTube_URL__c`	URL	

Product `Product__c`

39 fields

Sharing: Read

Field	API name	Type	Reference / values
Active	`Active__c`	Checkbox	
Barcode Format	`Barcode_Format__c`	Text	
Brand Name	`Brand_Name__c`	Text	Only meaningful at the Brand and SKU hierarchy levels (see Level__c) -- Therapy Area and Molecule records leave this blank.
Competitor1	`Competitor1__c`	Text	Competitor Brand for the product
Controlled Substance Schedule	`Controlled_Substance_Schedule__c`	Text	
Description	`Description__c`	Long text	
Division	`Division__c`	Picklist	Oncology, Diabetes, Cardiology, Respiratory, Immunology
End Date	`End_Date__c`	Date	
Is Controlled Substance	`Is_Controlled_Substance__c`	Checkbox	
Is Detail Product	`Is_Detail_Product__c`	Checkbox	A promoted (detailed) product. Sample SKUs point at their detail product.
Is Restricted	`Is_Restricted__c`	Checkbox	Restricted products can't be sampled.
Is Sample Product	`Is_Sample_Product__c`	Checkbox	This SKU can be given to doctors as a free medical sample.
Launch Date	`Launch_Date__c`	Date	
Level *	`Level__c`	Picklist	Therapy Area, Molecule, Brand, SKU
Max Packs Per HCP Per Year	`Max_Packs_Per_HCP_Per_Year__c`	Number	UCPMP 2024 clause 5.1(ii)(b): no more than 12 sample packs per drug per practitioner per year.
Max Patients Per Pack	`Max_Patients_Per_Pack__c`	Number	A sample pack covers the prescribed course for at most three patients.
Max Sample Order Qty	`Max_Sample_Order_Qty__c`	Number	
Min Sample Order Qty	`Min_Sample_Order_Qty__c`	Number	
Pack Size (units)	`Pack_Size__c`	Number	Units in one pack: tablets, capsules, vials, grams or ml.
Parent Brand	`Parent_Brand__c`	Text	


Field	API name	Type	Reference / values
Parent Detail Product	`Parent_Detail_Product__c`	Lookup	Lookup to Product
Parent Molecule	`Parent_Molecule__c`	Text	
Parent Product	`Parent_Product__c`	Lookup	Lookup to Product
Parent Therapy	`Parent_Therapy__c`	Text	
Product Code *	`Product_Code__c`	Text	
Product Type	`Product_Type__c`	Text	
Requires Cold Chain	`Requires_Cold_Chain__c`	Checkbox	
Requires License Validation	`Requires_License_Validation__c`	Checkbox	
Requires Lot Number	`Requires_Lot_Number__c`	Checkbox	Off for alternative samples such as vouchers or co-pay cards.
Requires Signature	`Requires_Signature__c`	Checkbox	The doctor must sign for receipt when this product is sampled.
Restriction Reason	`Restriction_Reason__c`	Picklist	Hypnotic_Sedative_Tranquillizer, Regulatory_Hold, Supply_Shortage, Other
SKU Code	`SKUCode__c`	Formula	Calculated
SKU Code	`SKU_Code__c`	Text	
SKU	`SKU__c`	Text	
Sample Unit Value (INR)	`Sample_Unit_Value_INR__c`	Currency	Value of ONE unit (tablet, capsule, vial, gram, ml) for UCPMP expenditure: price to stockist for own manufacture, purchase price for bought-
Smallest Market Pack (units)	`Smallest_Market_Pack_Size__c`	Number	Units in the smallest pack sold in the market. A sample pack may not be larger (UCPMP 5.1(ii)(d)).
Start Date	`Start_Date__c`	Date	
Unit Value Per Strip	`Unit_Value_Per_Strip__c`	Number	Rupee value per strip/pack, set at the Molecule level. Used for RCPA potential-value calculations.
Valuation Method	`Valuation_Method__c`	Picklist	Stockist_Price, Purchase_Price

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Sample Management Data Model

Entities and relationships for sample stock, warehouses, lots, allocations, transfers and drops to HCPs.



Entities/Objects Included

Call Visit Report, Product, Sample Allocation, Sample Drop, Sample Lot, Sample Transaction, Sample Warehouse, Sciagen Account

How it works in our org

- Stock lives in Sample Lots (batch, expiry, cold-chain data), each held in a Sample Warehouse or by a rep, per product.
- Every movement is a Sample Transaction: Receipt, Disbursement, Transfer Out, Transfer In, Return or Adjustment. Transfers are paired through Paired Transaction, and a transaction can need approval.
- A Sample Drop ties a disbursement to a call report and an HCP, and carries the HCP signature (in person or remote link / QR).
- Sample Allocation gives a rep or territory a quantity of a product for a period and tracks used, remaining and utilisation.

Object and field details

Sample Warehouse `Sample_Warehouse__c`

11 fields

A place sample stock is held: central warehouse, regional depot or a rep's storage.
Sharing: Read

Field	API name	Type	Reference / values
Address	`Address__c`	Text area	
City	`City__c`	Text	
Contact Person	`Contact_Person__c`	Text	
Contact Phone	`Contact_Phone__c`	Phone	
Country	`Country__c`	Text	
Has Cold Storage	`Has_Cold_Storage__c`	Checkbox	
Active	`Is_Active__c`	Checkbox	
Pin Code	`Pin_Code__c`	Text	
Rep	`Rep_User__c`	Lookup	Lookup to User
State	`State__c`	Text	
Warehouse Type *	`Warehouse_Type__c`	Picklist	Central, Regional, Rep_Storage

Sample Lot `Sample_Lot__c`

21 fields

A lot of free medical samples held by a rep or a warehouse. Quantities are maintained by Sample Transactions.
Sharing: Private

Field	API name	Type	Reference / values
Allocated Quantity (packs)	`Allocated_Quantity__c`	Number	
Available Quantity (packs)	`Available_Quantity__c`	Number	Maintained by Sample Transactions. Do not edit by hand.
Batch Lot ID	`Batch_Lot_Id__c`	Text	Barcode-scannable batch identifier.

Field	API name	Type	Reference / values
Cold Chain Last Checked	`Cold_Chain_Last_Checked__c`	Date/Time	
Cold Chain Required	`Cold_Chain_Required__c`	Formula	Calculated
Cold Chain Status	`Cold_Chain_Status__c`	Picklist	Normal, Alert, Breach
Cold Chain Tag Number	`Cold_Chain_Tag_Number__c`	Text	
Days To Expiry	`Days_To_Expiry__c`	Formula	Calculated
Expiry Date *	`Expiry_Date__c`	Date	
Initial Quantity (packs) *	`Initial_Quantity__c`	Number	
Lot Key	`Lot_Key__c`	Text	Product + holder + lot number. Keeps a lot number unique per holder.
Lot Number *	`Lot_Number__c`	Text	
Manufactured Date	`Manufactured_Date__c`	Date	
Notes	`Notes__c`	Long text	
Held By (Rep)	`Owner_User__c`	Lookup	Lookup to User
Product *	`Product__c`	Lookup	Lookup to Product
Rep Territory	`Rep_Territory__c`	Text	Territory (or territories) of the rep at the time the record was created, stamped so reports can filter by territory.
Source Lot	`Source_Lot__c`	Lookup	Lookup to Sample Lot
Status *	`Status__c`	Picklist	Active, Depleted, Expired, Recalled, Quarantined
Storage Conditions	`Storage_Conditions__c`	Text	
Warehouse	`Warehouse__c`	Lookup	Lookup to Sample Warehouse

Sample Allocation `Sample_Allocation__c`

10 fields

How many packs of a product a rep or territory may distribute in a period.

Sharing: Private

Field	API name	Type	Reference / values
Allocated To Territory	`Allocated_To_Territory__c`	Lookup	Lookup to Territory
Allocated To Rep	`Allocated_To_User__c`	Lookup	Lookup to User
Allocation (packs) *	`Allocation_Quantity__c`	Number	
Period End	`Period_End__c`	Date	
Period Start	`Period_Start__c`	Date	
Product *	`Product__c`	Lookup	Lookup to Product
Remaining (packs)	`Remaining_Quantity__c`	Formula	Calculated
Status *	`Status__c`	Picklist	Active, Depleted, Expired, Cancelled
Used (packs)	`Used_Quantity__c`	Number	
Utilization	`Utilization_Pct__c`	Formula	Calculated

Sample Transaction `Sample_Transaction__c`

57 fields

Every movement of free medical samples: receipt, disbursement to a doctor, transfer, return and adjustment. Together they form the accountability record UCPMP 2024 requires.

Sharing: Private

Field	API name	Type	Reference / values
Adjustment Reason	`Adjustment_Reason__c`	Picklist	Loss, Damage, Expired, Recount, Correction, Other
After Hours	`After_Hours__c`	Checkbox	Controlled substance handed over at night or on a Sunday.
Approved At	`Approved_At__c`	Date/Time	
Approved By	`Approved_By__c`	Lookup	Lookup to User
Authorized Recipient Name	`Authorized_Recipient_Name__c`	Text	When the sample is handed to a person authorised by the doctor.
Call Report	`Call_Report__c`	Lookup	Lookup to Call Visit Report
Client Id	`Client_Id__c`	Text	Device-generated id so a retried offline push never creates the transaction twice.
Cold Chain Status	`Cold_Chain_Status__c`	Picklist	Normal, Alert, Breach
Cold Chain Tag Number	`Cold_Chain_Tag_Number__c`	Text	
Cold Chain Temperature (C)	`Cold_Chain_Temperature__c`	Number	
Confirmed Quantity (packs)	`Confirmed_Quantity__c`	Number	What the receiver actually counted when confirming a receipt or transfer.
Custom Text	`Custom_Text__c`	Text	Voucher code, co-pay card number or other product detail.
Destination Lot	`Destination_Lot__c`	Lookup	Lookup to Sample Lot
Device Type	`Device_Type__c`	Picklist	iPad, Android, Web
Eligibility Message	`Eligibility_Message__c`	Text	
From User	`From_User__c`	Lookup	Lookup to User
From Warehouse	`From_Warehouse__c`	Lookup	Lookup to Sample Warehouse
HCP	`HCP_Account__c`	Lookup	Lookup to Sciagen Account
HCP Address	`HCP_Address__c`	Text	Doctor's address at the time of supply. UCPMP 5.1(ii) requires the name and address to be noted.
HCP Name	`HCP_Name__c`	Formula	Calculated
HCP Registration Number	`HCP_Registration_Number__c`	Formula	Calculated
HCP Specialty	`HCP_Specialty__c`	Text	
Handed To Prescriber	`Handed_To_Prescriber__c`	Checkbox	
IP Address	`IP_Address__c`	Text	
Inventory Applied	`Inventory_Applied__c`	Checkbox	Set once this transaction has moved stock. Prevents it being applied twice.
Inventory Effect (packs)	`Inventory_Effect__c`	Number	Signed change this transaction makes to the lot.
Inventory Shortfall (packs)	`Inventory_Shortfall__c`	Number	Packs given that the lot did not have on the books. Needs an adjustment.
Marked Not For Sale	`Marked_Not_For_Sale__c`	Checkbox	Every sample pack carries the legend 'free medical sample not for sale' (UCPMP 5.1(ii)(c)).
Notes	`Notes__c`	Long text	
Limit Override Reason	`Override_Reason__c`	Text	
Pack Size At Transaction (units)	`Pack_Size_At_Transaction__c`	Number	
Paired Transaction	`Paired_Transaction__c`	Lookup	Lookup to Sample Transaction
Performed At	`Performed_At__c`	Date/Time	
Performed By	`Performed_By__c`	Lookup	Lookup to User
Product *	`Product__c`	Lookup	Lookup to Product
Quantity (packs) *	`Quantity__c`	Number	Packs. Negative only for adjustments.
Rep Territory	`Rep_Territory__c`	Text	Territory (or territories) of the rep at the time the record was created, stamped so reports can filter by territory.
Requires Manager Approval	`Requires_Approval__c`	Checkbox	

Field	API name	Type	Reference / values
Return Reason	`Return_Reason__c`	Picklist	Expired, Damaged, Recall, Excess, Other
Return To	`Return_To__c`	Text	
Sample Drop	`Sample_Drop__c`	Lookup	Lookup to Sample Drop
Sample Lot	`Sample_Lot__c`	Lookup	Lookup to Sample Lot
Shipment Reference	`Shipment_Reference__c`	Text	
Signature Captured At	`Signature_Captured_At__c`	Date/Time	
Signature Captured	`Signature_Captured__c`	Checkbox	
Signature GPS Latitude	`Signature_GPS_Lat__c`	Number	
Signature GPS Longitude	`Signature_GPS_Lng__c`	Number	
Signature Image Id	`Signature_Image_Id__c`	Text	ContentDocument Id of the signature image.
Signature Type	`Signature_Type__c`	Picklist	In_Person, Remote_Link, Remote_QR
Signee Name	`Signee_Name__c`	Text	
Signing Statement	`Signing_Statement__c`	Long text	
Status *	`Status__c`	Picklist	Pending, Confirmed, Completed, Cancelled, Rejected
To User	`To_User__c`	Lookup	Lookup to User
To Warehouse	`To_Warehouse__c`	Lookup	Lookup to Sample Warehouse
Total Value (INR)	`Total_Value__c`	Formula	Calculated
Transaction Type *	`Transaction_Type__c`	Picklist	Receipt, Disbursement, Transfer_Out, Transfer_In, Return, Adjustment
Unit Value At Transaction (INR)	`Unit_Value_At_Transaction__c`	Currency	Snapshot of the product's per-unit value when the transaction happened.

Sample Drop `Sample_Drop__c`

20 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Call Visit Report	`CVR__c`	Master-Detail	Master-detail to Call Visit Report
Client Id	`Client_Id__c`	Text	iPad-generated local UUID. The app creates the record with PATCH /sobjects/Sample_Drop__c/Client_Id__c/{uuid} (upsert), so a retried push af
Cold Chain Status	`Cold_Chain_Status__c`	Picklist	Normal, Alert, Breach
Cold Chain Tag Number	`Cold_Chain_Tag_Number__c`	Text	
Custom Text	`Custom_Text__c`	Text	Voucher code, co-pay card number or other product detail.
Eligibility Message	`Eligibility_Message__c`	Text	
Eligibility Status	`Eligibility_Status__c`	Picklist	Eligible, Warning, Blocked
Lot Expiry Date	`Expiry_Date__c`	Formula	Calculated
Limit Override	`Limit_Override__c`	Lookup	Lookup to Sample Limit Override
Lot Number	`Lot_Number__c`	Formula	Calculated
Needs Signature	`Needs_Signature__c`	Checkbox	Copied from the product when the line is added: the doctor must sign for it.
Limit Override Reason	`Override_Reason__c`	Text	
Pack Size (units)	`Pack_Size__c`	Number	
Product *	`Product__c`	Lookup	Lookup to Product
Qty *	`Qty__c`	Number	

Field	API name	Type	Reference / values
Requires Manager Approval	`Requires_Approval__c`	Checkbox	
Sample Lot	`Sample_Lot__c`	Lookup	Lookup to Sample Lot
Total Value (INR)	`Total_Value__c`	Formula	Calculated
Transaction	`Transaction__c`	Lookup	Lookup to Sample Transaction
Unit Value (INR)	`Unit_Value__c`	Currency	

Call Visit Report `Call_Visit_Report__c`

48 fields

Sharing: Private

Field	API name	Type	Reference / values
Call Channel Type	`Activity_Type__c`	Picklist	In-person, Phone, Video, Email, Chat or Text, Other, Face to Face, Remote Meeting
Call Category	`Call_Category__c`	Text	Call label as the iPad shows it (e.g. Call Only, Call with CLM). Stored as sent by the app.
Call Status	`Call_Status__c`	Picklist	Completed, Cancelled
Call Type	`Call_Type__c`	Picklist	Detailing, Sampling, Follow-up, Introductory, Group Call, Visit
Check-In GPS Accuracy (m)	`Check_In_Accuracy_M__c`	Number	Horizontal accuracy of the GPS fix, in metres, reported by the iPad at check-in.
Check-In At	`Check_In_At__c`	Date/Time	
Check-In Distance from HCO (m)	`Check_In_Distance_M__c`	Number	Distance in metres between the rep's check-in position and the HCO, computed on the iPad (works offline) from the HCO coordinates it had cac
Check-In Location	`Check_In_Location__c`	Geolocation	
Check-In Method	`Check_In_Method__c`	Text	How the check-in was captured: Manual (rep tapped Check in) or Arrival (rep accepted the arrival prompt).
Check-In Within Geofence	`Check_In_Within_Geofence__c`	Checkbox	True when the rep's check-in position was inside the HCO's geofence when the iPad recorded it.
Client Id	`Client_Id__c`	Text	iPad-generated local UUID. The app creates the record with PATCH /sobjects/Call_Visit_Report__c/Client_Id__c/{uuid} (upsert), so a retried p
Discussion Summary	`Discussion_Summary__c`	Long text	
Duration (min)	`Duration_Min__c`	Formula	Calculated
Email Sent	`Email_Sent__c`	Checkbox	
End Time	`End_Time__c`	Date/Time	
Group Attendees	`Group_Attendee_Count__c`	Number	Number of HCPs on the group call, the primary HCP included. Set by GroupCallService on the group call and on each attendee call.
HCO	`HCO__c`	Lookup	Lookup to Sciagen Account
HCP *	`HCP__c`	Lookup	Lookup to Sciagen Account
Has Samples	`Has_Samples__c`	Formula	Calculated
Group Call	`Is_Group_Call__c`	Checkbox	Set by GroupCallService: true on a call that had more than one HCP attendee (the parent call) and on every individual call created from it f
Linked Event Count	`Linked_Event_Count__c`	Number	
Next-Call Notes	`Next_Call_Notes__c`	Long text	
Next Visit Date	`Next_Visit_Date__c`	Date	
Next Visit Planned Call	`Next_Visit_Planned_Call__c`	Lookup	Lookup to Planned Call / Event
Parent Call	`Parent_Call__c`	Lookup	Lookup to Call Visit Report
Account Plan	`Plan__c`	Lookup	Lookup to Account Plan
Pre-Call Notes	`Pre_Call_Notes__c`	Long text	
Record Status	`Record_Status__c`	Picklist	Draft, Saved, Submitted
Record Type	`Record_Type_Label__c`	Picklist	Call Report

Field	API name	Type	Reference / values
Rep	`Rep__c`	Text	
Sample Drop Count	`Sample_Drop_Count__c`	Roll-up	
Sample Total Value (INR)	`Sample_Total_Value__c`	Roll-up	
Signature Captured At	`Signature_Captured_At__c`	Date/Time	
Signature Captured	`Signature_Captured__c`	Checkbox	
Signature GPS	`Signature_GPS__c`	Geolocation	
Signature Image	`Signature_Image__c`	Text	ContentDocument Id of the signature image.
Signature Required Count	`Signature_Required_Count__c`	Roll-up	
Signature Required	`Signature_Required__c`	Formula	Calculated
Signee HCP	`Signee_Account__c`	Lookup	Lookup to Sciagen Account
Signee Name	`Signee_Name__c`	Text	
Source Planned Call	`Source_Planned_Call__c`	Lookup	Lookup to Planned Call / Event
Start Time	`Start_Time__c`	Date/Time	
Territory	`Territory__c`	Lookup	Lookup to Territory
Times Unlocked	`Unlock_Count__c`	Number	
Unlock Request	`Unlock_Request__c`	Lookup	Lookup to Support Request
Unlocked At	`Unlocked_At__c`	Date/Time	
Unlocked By	`Unlocked_By__c`	Lookup	Lookup to User
Visit Date *	`Visit_Date__c`	Date	

Product `Product__c`

39 fields

Sharing: Read

Field	API name	Type	Reference / values
Active	`Active__c`	Checkbox	
Barcode Format	`Barcode_Format__c`	Text	
Brand Name	`Brand_Name__c`	Text	Only meaningful at the Brand and SKU hierarchy levels (see Level__c) -- Therapy Area and Molecule records leave this blank.
Competitor1	`Competitor1__c`	Text	Competitor Brand for the product
Controlled Substance Schedule	`Controlled_Substance_Schedule__c`	Text	
Description	`Description__c`	Long text	
Division	`Division__c`	Picklist	Oncology, Diabetes, Cardiology, Respiratory, Immunology
End Date	`End_Date__c`	Date	
Is Controlled Substance	`Is_Controlled_Substance__c`	Checkbox	
Is Detail Product	`Is_Detail_Product__c`	Checkbox	A promoted (detailed) product. Sample SKUs point at their detail product.
Is Restricted	`Is_Restricted__c`	Checkbox	Restricted products can't be sampled.
Is Sample Product	`Is_Sample_Product__c`	Checkbox	This SKU can be given to doctors as a free medical sample.
Launch Date	`Launch_Date__c`	Date	
Level *	`Level__c`	Picklist	Therapy Area, Molecule, Brand, SKU
Max Packs Per HCP Per Year	`Max_Packs_Per_HCP_Per_Year__c`	Number	UCPMP 2024 clause 5.1(ii)(b): no more than 12 sample packs per drug per practitioner per year.

Field	API name	Type	Reference / values
Max Patients Per Pack	`Max_Patients_Per_Pack__c`	Number	A sample pack covers the prescribed course for at most three patients.
Max Sample Order Qty	`Max_Sample_Order_Qty__c`	Number	
Min Sample Order Qty	`Min_Sample_Order_Qty__c`	Number	
Pack Size (units)	`Pack_Size__c`	Number	Units in one pack: tablets, capsules, vials, grams or ml.
Parent Brand	`Parent_Brand__c`	Text	
Parent Detail Product	`Parent_Detail_Product__c`	Lookup	Lookup to Product
Parent Molecule	`Parent_Molecule__c`	Text	
Parent Product	`Parent_Product__c`	Lookup	Lookup to Product
Parent Therapy	`Parent_Therapy__c`	Text	
Product Code *	`Product_Code__c`	Text	
Product Type	`Product_Type__c`	Text	
Requires Cold Chain	`Requires_Cold_Chain__c`	Checkbox	
Requires License Validation	`Requires_License_Validation__c`	Checkbox	
Requires Lot Number	`Requires_Lot_Number__c`	Checkbox	Off for alternative samples such as vouchers or co-pay cards.
Requires Signature	`Requires_Signature__c`	Checkbox	The doctor must sign for receipt when this product is sampled.
Restriction Reason	`Restriction_Reason__c`	Picklist	Hypnotic_Sedative_Tranquillizer, Regulatory_Hold, Supply_Shortage, Other
SKU Code	`SKUCode__c`	Formula	Calculated
SKU Code	`SKU_Code__c`	Text	
SKU	`SKU__c`	Text	
Sample Unit Value (INR)	`Sample_Unit_Value_INR__c`	Currency	Value of ONE unit (tablet, capsule, vial, gram, ml) for UCPMP expenditure: price to stockist for own manufacture, purchase price for bought-
Smallest Market Pack (units)	`Smallest_Market_Pack_Size__c`	Number	Units in the smallest pack sold in the market. A sample pack may not be larger (UCPMP 5.1(ii)(d)).
Start Date	`Start_Date__c`	Date	
Unit Value Per Strip	`Unit_Value_Per_Strip__c`	Number	Rupee value per strip/pack, set at the Molecule level. Used for RCPA potential-value calculations.
Valuation Method	`Valuation_Method__c`	Picklist	Stockist_Price, Purchase_Price

Sciagen Account `Sciagen_Account__c`

68 fields

Single source of truth for HCP and HCO accounts in Sciagen CRM. Replaces the Standard Account object (previously used with HCP/HCO RecordTypes) — Type__c now distinguishes HCP vs HCO.

Sharing: Private

Field	API name	Type	Reference / values
Account Code	`Account_Code__c`	Text	
Actively Published Years	`Actively_Published_Years__c`	Number	
Age	`Age__c`	Number	
Avg Citations Per Article	`Avg_Citations_Per_Article__c`	Number	
Avg Coauthors Per Article	`Avg_Coauthors_Per_Article__c`	Number	
Billing City	`Billing_City__c`	Text	
Billing Country	`Billing_Country__c`	Text	
Billing Postal Code	`Billing_Postal_Code__c`	Text	
Billing State	`Billing_State__c`	Text	

Field	API name	Type	Reference / values
Billing Street	`Billing_Street__c`	Text	
Can Prescribe	`Can_Prescribe__c`	Checkbox	
Controlled Substance License	`Controlled_Substance_License__c`	Text	Drug-schedule licence needed to receive samples of a controlled substance.
Dedupe Checked At	`Dedupe_Checked_At__c`	Date/Time	When the duplicate scan last compared this record.
Dedupe Email Key	`Dedupe_Email_Key__c`	Text	System-maintained lower-cased email. Do not edit.
Dedupe Geo Key	`Dedupe_Geo_Key__c`	Text	System-maintained map grid cell (about 1 km) for HCOs. Do not edit.
Dedupe License Key	`Dedupe_License_Key__c`	Text	System-maintained normalised licence number. Do not edit.
Dedupe Name Key	`Dedupe_Name_Key__c`	Text	System-maintained normalised name used to find duplicate candidates. Do not edit.
Dedupe Phone Key	`Dedupe_Phone_Key__c`	Text	System-maintained last 10 digits of the phone number. Do not edit.
Dedupe Sound Key	`Dedupe_Sound_Key__c`	Text	System-maintained phonetic name key. Do not edit.
Degree 1	`Degree_1__c`	Text	
Degree 2	`Degree_2__c`	Text	
Degree 3	`Degree_3__c`	Text	
Degree 4	`Degree_4__c`	Text	
Degree 5	`Degree_5__c`	Text	
Email	`Email__c`	Email	
Emerging Expert	`Emerging_Expert__c`	Checkbox	
Experience Years	`Experience_Years__c`	Number	
External IDs	`External_Ids__c`	Long text	External identifiers for this HCP/HCO (e.g. NPI, MCI, GST, NABH), stored as JSON — {"NPI": "1234567890", "MCI": "MCI-9988"}. Mirrors the Fie
First Name	`First_Name__c`	Text	
Focus Area	`Focus_Area__c`	Text	
Geofence Radius (m)	`Geofence_Radius_M__c`	Number	Per-HCO override of the check-in geofence radius in metres (e.g. a large hospital campus). Blank uses the Geofence Setting default.
Geolocation	`Geolocation__c`	Geolocation	
Graduation Year	`Graduation_Year__c`	Number	
Guideline Count	`Guideline_Count__c`	Number	
HCO Type	`HCO_Type__c`	Picklist	Hospital, Clinic, Nursing Home, Pharmacy, Medical Shop, Chemist Shop, Stockist, Health System, Diagnostic Centre, Acaedemic Instituiton …
HCP Type	`HCP_Type__c`	Picklist	Physician, Surgeon, Consultant, General Practitioner, Other, Specialist, Super Specialist
Instagram URL	`Instagram_URL__c`	URL	
Is Merged	`Is_Merged__c`	Checkbox	True when this record was merged into another (the losing record). Merged records are hidden from the iPad and from search; their data and h
Last Name	`Last_Name__c`	Text	
Last Visit	`Last_Visit__c`	Date	
License Expiry Date	`License_Expiry_Date__c`	Date	
License Number	`License_Number__c`	Text	
License Verification Status	`License_Verification_Status__c`	Picklist	Unverified, Verified, Invalid, Expired, Pending
License Verified At	`License_Verified_At__c`	Date/Time	
License Verified By	`License_Verified_By__c`	Text	
Licensing Body	`Licensing_Body__c`	Text	
Licensing Year	`Licensing_Year__c`	Number	


Field	API name	Type	Reference / values
LinkedIn URL	`LinkedIn_URL__c`	URL	
Medical Council Registration Number	`Medical_Council_Reg_Number__c`	Text	
Merged At	`Merged_At__c`	Date/Time	
Merged Into	`Merged_Into__c`	Lookup	Lookup to Sciagen Account
Parent Account	`Parent_Account__c`	Lookup	Lookup to Sciagen Account
Phone	`Phone__c`	Phone	
Plus Code	`Plus_Code__c`	Text	
Prefix	`Prefix__c`	Text	
Primary Country	`Primary_Country__c`	Text	
Profile Summary	`Profile_Summary__c`	Long text	Rep-authored profile note (preferred topics, key insights), edited from the iPad HCP Profile tab.
Reach Flag	`Reach_Flag__c`	Picklist	Local, Regional, Global
Sample Eligible	`Sample_Eligible__c`	Formula	Calculated
Speciality	`Speciality__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Specialty	`Specialty__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Total Articles	`Total_Articles__c`	Number	
Total Citations	`Total_Citations__c`	Number	
Twitter URL	`Twitter_URL__c`	URL	
Type *	`Type__c`	Picklist	HCP, HCO
Unique Journal Count	`Unique_Journal_Count__c`	Number	
Website	`Website__c`	URL	
YouTube URL	`YouTube_URL__c`	URL	

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Sample Limits and Compliance Data Model

Entities and relationships for per-product sample limits, overrides, blocked attempts, expenditure tracking and the UCPMP compliance configuration.



Entities/Objects Included

Product, Sample Attempt, Sample Blocked Attempt, Sample Drop, Sample Expenditure Tracking, Sample Limit, Sample Limit Override, Sciagen Account, UCPMP Tenant Config

How it works in our org

- A Sample Limit caps packs per call, day, week, month, quarter or financial year, scoped to HCP and product, HCP overall, rep and product, rep overall or territory and product. It can be regulatory (UCPMP) or company, hard-block or warning.
- A Sample Limit Override (master-detail child of the limit) is a manager-approved exception: increase, exempt or one-time waiver, for a doctor or rep, with validity dates.
- When a drop would break a limit, the iPad publishes a Sample Attempt event and Salesforce records a Sample Blocked Attempt.
- Sample Expenditure Tracking keeps the running total given to one doctor for one product in a financial year, the basis of the UCPMP disclosure. UCPMP Tenant Config holds company details and compliance switches.

Object and field details

Sample Limit `Sample_Limit__c`

12 fields

A cap on how many sample packs can be given: regulatory (UCPMP) or company. Checked on the iPad and again in Salesforce.

Sharing: Read

Field	API name	Type	Reference / values
Applies To User	`Applies_To_User__c`	Lookup	Lookup to User
Hard Block	`Hard_Block__c`	Checkbox	On: can't be exceeded. Off: a warning and the rep gives a reason.
Active	`Is_Active__c`	Checkbox	
Regulatory (UCPMP)	`Is_Regulatory__c`	Checkbox	Mandated by the UCPMP. Can't be deleted, relaxed or switched off.
Limit Period *	`Limit_Period__c`	Picklist	Per_Call, Daily, Weekly, Monthly, Quarterly, Financial_Year, Rolling_30, Rolling_90, Lifetime
Limit (packs) *	`Limit_Quantity__c`	Number	
Limit Scope *	`Limit_Scope__c`	Picklist	HCP_Product, HCP_All, Rep_Product, Rep_All, Territory_Product, Per_Call, Product_Global
Override Requires Manager	`Override_Requires_Manager__c`	Checkbox	
Product	`Product__c`	Lookup	Lookup to Product
Regulatory Reference	`Regulatory_Reference__c`	Text	
Territory	`Territory__c`	Lookup	Lookup to Territory
Warning Threshold (%)	`Warning_Threshold_Pct__c`	Number	

Sample Limit Override `Sample_Limit_Override__c`

11 fields

A manager-approved exception to a company sample limit for a doctor or rep.

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Approved At	`Approved_At__c`	Date/Time	
Approved By	`Approved_By__c`	Lookup	Lookup to User
Override Type *	`Override_Type__c`	Picklist	Increase, Exempt, One_Time_Waiver
Override Value (packs)	`Override_Value__c`	Number	New limit for an Increase override.
Reason	`Reason__c`	Long text	
Sample Limit	`Sample_Limit__c`	Master-Detail	Master-detail to Sample Limit
Status *	`Status__c`	Picklist	Pending, Active, Expired, Revoked
Target HCP	`Target_Account__c`	Lookup	Lookup to Sciagen Account
Target Rep	`Target_User__c`	Lookup	Lookup to User
Valid From	`Valid_From__c`	Date	
Valid To	`Valid_To__c`	Date	

Sample Blocked Attempt `Sample_Blocked_Attempt__c`

8 fields

A sample line that was refused: restricted product, limit reached, licence problem and so on. Evidence for UCPMP compliance.

Sharing: Read

Field	API name	Type	Reference / values
Attempted At	`Attempted_At__c`	Date/Time	
Call Report	`Call_Report__c`	Lookup	Lookup to Call Visit Report
HCP	`HCP_Account__c`	Lookup	Lookup to Sciagen Account
Product	`Product__c`	Lookup	Lookup to Product
Quantity (packs)	`Quantity__c`	Number	
Reason Type	`Reason_Type__c`	Picklist	Restricted_Product, Limit, Licence, Lot_Or_Stock, Cold_Chain, Signature, Other
Reason	`Reason__c`	Text	
Rep	`Rep__c`	Lookup	Lookup to User

Sample Attempt `Sample_Attempt__e`

7 fields

Published when a sample line is refused, so the attempt is logged even though the refused save rolls back.

Field	API name	Type	Reference / values
Call Id	`Call_Id__c`	Text	
HCP Id	`HCP_Id__c`	Text	
Product Id	`Product_Id__c`	Text	
Quantity	`Quantity__c`	Number	
Reason Type	`Reason_Type__c`	Text	
Reason	`Reason__c`	Text	
Rep Id	`Rep_Id__c`	Text	

Sample Expenditure Tracking `Sample_Expenditure_Tracking__c`

13 fields

Running total of samples given to one doctor for one product in one financial year. The basis of the UCPMP expenditure disclosure.

Sharing: Read

Field	API name	Type	Reference / values
Financial Year *	`Financial_Year__c`	Text	For example 2026-27.
HCP *	`HCP_Account__c`	Lookup	Lookup to Sciagen Account
HCP Name	`HCP_Name__c`	Formula	Calculated
HCP Registration	`HCP_Registration__c`	Formula	Calculated
Last Sample Date	`Last_Sample_Date__c`	Date	
Pack Limit	`Pack_Limit__c`	Formula	Calculated
Percent of Limit Used	`Percent_Of_Limit__c`	Formula	Calculated
Product Name	`Product_Name__c`	Formula	Calculated
Product *	`Product__c`	Lookup	Lookup to Product
Total Packs Given	`Total_Packs_Given__c`	Number	
Total Units Given	`Total_Units_Given__c`	Number	
Total Value (INR)	`Total_Value_INR__c`	Currency	
Tracking Key	`Tracking_Key__c`	Text	Financial year + HCP + product. One record per combination.

UCPMP Tenant Config `UCPMP_Tenant_Config__c`

16 fields

Company details and switches for UCPMP sample compliance and the annual expenditure disclosure.

Field	API name	Type	Reference / values
Registered Office Address	`Company_Address__c`	Text	
Corporate Identity Number (CIN)	`Company_CIN__c`	Text	
Company Email	`Company_Email__c`	Text	
Company Name	`Company_Name__c`	Text	
Company PAN	`Company_PAN__c`	Text	
Domestic Sales Revenue (INR)	`Domestic_Sales_Revenue_INR__c`	Currency	
Enforce Sample Rules	`Enforce_Sample_Rules__c`	Checkbox	On: a sample line that breaks a hard rule is refused. Off: it is recorded with a warning (for rollout).
Financial Year	`Financial_Year__c`	Text	The year the domestic sales figure is for, for example 2026-27.
Require Sample Opt-In	`Require_Sample_Opt_In__c`	Checkbox	
Sample Opt-In Is A Hard Block	`Sample_Opt_In_Hard_Block__c`	Checkbox	
Sample Opt-In Valid For (months)	`Sample_Opt_In_Months__c`	Number	
Signatory DIN or PAN	`Signatory_DIN_or_PAN__c`	Text	
Signatory Designation	`Signatory_Designation__c`	Text	
Signatory Email	`Signatory_Email__c`	Text	
Signatory Mobile	`Signatory_Mobile__c`	Text	
UCPMP Compliance Enabled	`UCPMP_Compliance_Enabled__c`	Checkbox	

Sample Drop `Sample_Drop__c`

20 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Call Visit Report	`CVR__c`	Master-Detail	Master-detail to Call Visit Report
Client Id	`Client_Id__c`	Text	iPad-generated local UUID. The app creates the record with PATCH /sobjects/Sample_Drop__c/Client_Id__c/{uuid} (upsert), so a retried push af
Cold Chain Status	`Cold_Chain_Status__c`	Picklist	Normal, Alert, Breach
Cold Chain Tag Number	`Cold_Chain_Tag_Number__c`	Text	
Custom Text	`Custom_Text__c`	Text	Voucher code, co-pay card number or other product detail.
Eligibility Message	`Eligibility_Message__c`	Text	
Eligibility Status	`Eligibility_Status__c`	Picklist	Eligible, Warning, Blocked
Lot Expiry Date	`Expiry_Date__c`	Formula	Calculated
Limit Override	`Limit_Override__c`	Lookup	Lookup to Sample Limit Override
Lot Number	`Lot_Number__c`	Formula	Calculated
Needs Signature	`Needs_Signature__c`	Checkbox	Copied from the product when the line is added: the doctor must sign for it.
Limit Override Reason	`Override_Reason__c`	Text	
Pack Size (units)	`Pack_Size__c`	Number	
Product *	`Product__c`	Lookup	Lookup to Product
Qty *	`Qty__c`	Number	
Requires Manager Approval	`Requires_Approval__c`	Checkbox	
Sample Lot	`Sample_Lot__c`	Lookup	Lookup to Sample Lot
Total Value (INR)	`Total_Value__c`	Formula	Calculated
Transaction	`Transaction__c`	Lookup	Lookup to Sample Transaction
Unit Value (INR)	`Unit_Value__c`	Currency	

Product `Product__c`

39 fields

Sharing: Read

Field	API name	Type	Reference / values
Active	`Active__c`	Checkbox	
Barcode Format	`Barcode_Format__c`	Text	
Brand Name	`Brand_Name__c`	Text	Only meaningful at the Brand and SKU hierarchy levels (see Level__c) -- Therapy Area and Molecule records leave this blank.
Competitor1	`Competitor1__c`	Text	Competitor Brand for the product
Controlled Substance Schedule	`Controlled_Substance_Schedule__c`	Text	
Description	`Description__c`	Long text	
Division	`Division__c`	Picklist	Oncology, Diabetes, Cardiology, Respiratory, Immunology
End Date	`End_Date__c`	Date	
Is Controlled Substance	`Is_Controlled_Substance__c`	Checkbox	
Is Detail Product	`Is_Detail_Product__c`	Checkbox	A promoted (detailed) product. Sample SKUs point at their detail product.
Is Restricted	`Is_Restricted__c`	Checkbox	Restricted products can't be sampled.
Is Sample Product	`Is_Sample_Product__c`	Checkbox	This SKU can be given to doctors as a free medical sample.
Launch Date	`Launch_Date__c`	Date	
Level *	`Level__c`	Picklist	Therapy Area, Molecule, Brand, SKU

Field	API name	Type	Reference / values
Max Packs Per HCP Per Year	`Max_Packs_Per_HCP_Per_Year__c`	Number	UCPMP 2024 clause 5.1(ii)(b): no more than 12 sample packs per drug per practitioner per year.
Max Patients Per Pack	`Max_Patients_Per_Pack__c`	Number	A sample pack covers the prescribed course for at most three patients.
Max Sample Order Qty	`Max_Sample_Order_Qty__c`	Number	
Min Sample Order Qty	`Min_Sample_Order_Qty__c`	Number	
Pack Size (units)	`Pack_Size__c`	Number	Units in one pack: tablets, capsules, vials, grams or ml.
Parent Brand	`Parent_Brand__c`	Text	
Parent Detail Product	`Parent_Detail_Product__c`	Lookup	Lookup to Product
Parent Molecule	`Parent_Molecule__c`	Text	
Parent Product	`Parent_Product__c`	Lookup	Lookup to Product
Parent Therapy	`Parent_Therapy__c`	Text	
Product Code *	`Product_Code__c`	Text	
Product Type	`Product_Type__c`	Text	
Requires Cold Chain	`Requires_Cold_Chain__c`	Checkbox	
Requires License Validation	`Requires_License_Validation__c`	Checkbox	
Requires Lot Number	`Requires_Lot_Number__c`	Checkbox	Off for alternative samples such as vouchers or co-pay cards.
Requires Signature	`Requires_Signature__c`	Checkbox	The doctor must sign for receipt when this product is sampled.
Restriction Reason	`Restriction_Reason__c`	Picklist	Hypnotic_Sedative_Tranquillizer, Regulatory_Hold, Supply_Shortage, Other
SKU Code	`SKUCode__c`	Formula	Calculated
SKU Code	`SKU_Code__c`	Text	
SKU	`SKU__c`	Text	
Sample Unit Value (INR)	`Sample_Unit_Value_INR__c`	Currency	Value of ONE unit (tablet, capsule, vial, gram, ml) for UCPMP expenditure: price to stockist for own manufacture, purchase price for bought-
Smallest Market Pack (units)	`Smallest_Market_Pack_Size__c`	Number	Units in the smallest pack sold in the market. A sample pack may not be larger (UCPMP 5.1(ii)(d)).
Start Date	`Start_Date__c`	Date	
Unit Value Per Strip	`Unit_Value_Per_Strip__c`	Number	Rupee value per strip/pack, set at the Molecule level. Used for RCPA potential-value calculations.
Valuation Method	`Valuation_Method__c`	Picklist	Stockist_Price, Purchase_Price

Sciagen Account `Sciagen_Account__c`

68 fields

Single source of truth for HCP and HCO accounts in Sciagen CRM. Replaces the Standard Account object (previously used with HCP/HCO RecordTypes) — Type__c now distinguishes HCP vs HCO.

Sharing: Private

Field	API name	Type	Reference / values
Account Code	`Account_Code__c`	Text	
Actively Published Years	`Actively_Published_Years__c`	Number	
Age	`Age__c`	Number	
Avg Citations Per Article	`Avg_Citations_Per_Article__c`	Number	
Avg Coauthors Per Article	`Avg_Coauthors_Per_Article__c`	Number	
Billing City	`Billing_City__c`	Text	
Billing Country	`Billing_Country__c`	Text	
Billing Postal Code	`Billing_Postal_Code__c`	Text	

Field	API name	Type	Reference / values
Billing State	`Billing_State__c`	Text	
Billing Street	`Billing_Street__c`	Text	
Can Prescribe	`Can_Prescribe__c`	Checkbox	
Controlled Substance License	`Controlled_Substance_License__c`	Text	Drug-schedule licence needed to receive samples of a controlled substance.
Dedupe Checked At	`Dedupe_Checked_At__c`	Date/Time	When the duplicate scan last compared this record.
Dedupe Email Key	`Dedupe_Email_Key__c`	Text	System-maintained lower-cased email. Do not edit.
Dedupe Geo Key	`Dedupe_Geo_Key__c`	Text	System-maintained map grid cell (about 1 km) for HCOs. Do not edit.
Dedupe License Key	`Dedupe_License_Key__c`	Text	System-maintained normalised licence number. Do not edit.
Dedupe Name Key	`Dedupe_Name_Key__c`	Text	System-maintained normalised name used to find duplicate candidates. Do not edit.
Dedupe Phone Key	`Dedupe_Phone_Key__c`	Text	System-maintained last 10 digits of the phone number. Do not edit.
Dedupe Sound Key	`Dedupe_Sound_Key__c`	Text	System-maintained phonetic name key. Do not edit.
Degree 1	`Degree_1__c`	Text	
Degree 2	`Degree_2__c`	Text	
Degree 3	`Degree_3__c`	Text	
Degree 4	`Degree_4__c`	Text	
Degree 5	`Degree_5__c`	Text	
Email	`Email__c`	Email	
Emerging Expert	`Emerging_Expert__c`	Checkbox	
Experience Years	`Experience_Years__c`	Number	
External IDs	`External_Ids__c`	Long text	External identifiers for this HCP/HCO (e.g. NPI, MCI, GST, NABH), stored as JSON — {"NPI": "1234567890", "MCI": "MCI-9988"}. Mirrors the Fie
First Name	`First_Name__c`	Text	
Focus Area	`Focus_Area__c`	Text	
Geofence Radius (m)	`Geofence_Radius_M__c`	Number	Per-HCO override of the check-in geofence radius in metres (e.g. a large hospital campus). Blank uses the Geofence Setting default.
Geolocation	`Geolocation__c`	Geolocation	
Graduation Year	`Graduation_Year__c`	Number	
Guideline Count	`Guideline_Count__c`	Number	
HCO Type	`HCO_Type__c`	Picklist	Hospital, Clinic, Nursing Home, Pharmacy, Medical Shop, Chemist Shop, Stockist, Health System, Diagnostic Centre, Acaedemic Instituiton …
HCP Type	`HCP_Type__c`	Picklist	Physician, Surgeon, Consultant, General Practitioner, Other, Specialist, Super Specialist
Instagram URL	`Instagram_URL__c`	URL	
Is Merged	`Is_Merged__c`	Checkbox	True when this record was merged into another (the losing record). Merged records are hidden from the iPad and from search; their data and h
Last Name	`Last_Name__c`	Text	
Last Visit	`Last_Visit__c`	Date	
License Expiry Date	`License_Expiry_Date__c`	Date	
License Number	`License_Number__c`	Text	
License Verification Status	`License_Verification_Status__c`	Picklist	Unverified, Verified, Invalid, Expired, Pending
License Verified At	`License_Verified_At__c`	Date/Time	
License Verified By	`License_Verified_By__c`	Text	
Licensing Body	`Licensing_Body__c`	Text	


Field	API name	Type	Reference / values
Licensing Year	`Licensing_Year__c`	Number	
LinkedIn URL	`LinkedIn_URL__c`	URL	
Medical Council Registration Number	`Medical_Council_Reg_Number__c`	Text	
Merged At	`Merged_At__c`	Date/Time	
Merged Into	`Merged_Into__c`	Lookup	Lookup to Sciagen Account
Parent Account	`Parent_Account__c`	Lookup	Lookup to Sciagen Account
Phone	`Phone__c`	Phone	
Plus Code	`Plus_Code__c`	Text	
Prefix	`Prefix__c`	Text	
Primary Country	`Primary_Country__c`	Text	
Profile Summary	`Profile_Summary__c`	Long text	Rep-authored profile note (preferred topics, key insights), edited from the iPad HCP Profile tab.
Reach Flag	`Reach_Flag__c`	Picklist	Local, Regional, Global
Sample Eligible	`Sample_Eligible__c`	Formula	Calculated
Speciality	`Speciality__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Specialty	`Specialty__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Total Articles	`Total_Articles__c`	Number	
Total Citations	`Total_Citations__c`	Number	
Twitter URL	`Twitter_URL__c`	URL	
Type *	`Type__c`	Picklist	HCP, HCO
Unique Journal Count	`Unique_Journal_Count__c`	Number	
Website	`Website__c`	URL	
YouTube URL	`YouTube_URL__c`	URL	

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Promotional Items Data Model

Entities and relationships for promotional items (notepads, pens and similar) and the drops made on a visit.



Custom object (this module)

Custom object in another module (shown as a chip)

Entities/Objects Included

Call Visit Report, Product, Promotional Item, Promotional Item Drop

How it works in our org

- Promotional Item is the catalogue of items, optionally tied to a product.
- A Promo Drop records which item was given on which call report and how many.

Object and field details

Promotional Item `Promotional_Item__c`

9 fields

Master catalog of promotional / reminder items (pens, notepads, leaflets, gifts) that reps can leave with HCPs and HCOs during a call.

Sharing: Read

Field	API name	Type	Reference / values
Active	`Active__c`	Checkbox	
Description	`Description__c`	Long text	
Item Code	`Item_Code__c`	Text	Short unique code for the promotional item (SKU / catalog code).
Item Type *	`Item_Type__c`	Picklist	Pen, Notepad, Brochure / Leaflet, Calendar, Bag, Gift Item, Medical Aid, Other, Coffee Mug
Max Qty Per Call	`Max_Qty_Per_Call__c`	Number	Maximum units a rep may leave in a single call. Blank = no limit.
Related Product	`Product__c`	Lookup	Lookup to Product
Unit Cost	`Unit_Cost__c`	Currency	
Valid From	`Valid_From__c`	Date	
Valid To	`Valid_To__c`	Date	

Promotional Item Drop `Promo_Drop__c`

4 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Call Visit Report	`CVR__c`	Master-Detail	Master-detail to Call Visit Report
Item *	`Item__c`	Text	
Promotional Item	`Promotional_Item__c`	Lookup	Lookup to Promotional Item
Qty *	`Qty__c`	Number	

Call Visit Report `Call_Visit_Report__c`

48 fields

Sharing: Private

Field	API name	Type	Reference / values
Call Channel Type	`Activity_Type__c`	Picklist	In-person, Phone, Video, Email, Chat or Text, Other, Face to Face, Remote Meeting

Field	API name	Type	Reference / values
Call Category	`Call_Category__c`	Text	Call label as the iPad shows it (e.g. Call Only, Call with CLM). Stored as sent by the app.
Call Status	`Call_Status__c`	Picklist	Completed, Cancelled
Call Type	`Call_Type__c`	Picklist	Detailing, Sampling, Follow-up, Introductory, Group Call, Visit
Check-In GPS Accuracy (m)	`Check_In_Accuracy_M__c`	Number	Horizontal accuracy of the GPS fix, in metres, reported by the iPad at check-in.
Check-In At	`Check_In_At__c`	Date/Time	
Check-In Distance from HCO (m)	`Check_In_Distance_M__c`	Number	Distance in metres between the rep's check-in position and the HCO, computed on the iPad (works offline) from the HCO coordinates it had cac
Check-In Location	`Check_In_Location__c`	Geolocation	
Check-In Method	`Check_In_Method__c`	Text	How the check-in was captured: Manual (rep tapped Check in) or Arrival (rep accepted the arrival prompt).
Check-In Within Geofence	`Check_In_Within_Geofence__c`	Checkbox	True when the rep's check-in position was inside the HCO's geofence when the iPad recorded it.
Client Id	`Client_Id__c`	Text	iPad-generated local UUID. The app creates the record with PATCH /sobjects/Call_Visit_Report__c/Client_Id__c/{uuid} (upsert), so a retried p
Discussion Summary	`Discussion_Summary__c`	Long text	
Duration (min)	`Duration_Min__c`	Formula	Calculated
Email Sent	`Email_Sent__c`	Checkbox	
End Time	`End_Time__c`	Date/Time	
Group Attendees	`Group_Attendee_Count__c`	Number	Number of HCPs on the group call, the primary HCP included. Set by GroupCallService on the group call and on each attendee call.
HCO	`HCO__c`	Lookup	Lookup to Sciagen Account
HCP *	`HCP__c`	Lookup	Lookup to Sciagen Account
Has Samples	`Has_Samples__c`	Formula	Calculated
Group Call	`Is_Group_Call__c`	Checkbox	Set by GroupCallService: true on a call that had more than one HCP attendee (the parent call) and on every individual call created from it f
Linked Event Count	`Linked_Event_Count__c`	Number	
Next-Call Notes	`Next_Call_Notes__c`	Long text	
Next Visit Date	`Next_Visit_Date__c`	Date	
Next Visit Planned Call	`Next_Visit_Planned_Call__c`	Lookup	Lookup to Planned Call / Event
Parent Call	`Parent_Call__c`	Lookup	Lookup to Call Visit Report
Account Plan	`Plan__c`	Lookup	Lookup to Account Plan
Pre-Call Notes	`Pre_Call_Notes__c`	Long text	
Record Status	`Record_Status__c`	Picklist	Draft, Saved, Submitted
Record Type	`Record_Type_Label__c`	Picklist	Call Report
Rep	`Rep__c`	Text	
Sample Drop Count	`Sample_Drop_Count__c`	Roll-up	
Sample Total Value (INR)	`Sample_Total_Value__c`	Roll-up	
Signature Captured At	`Signature_Captured_At__c`	Date/Time	
Signature Captured	`Signature_Captured__c`	Checkbox	
Signature GPS	`Signature_GPS__c`	Geolocation	
Signature Image	`Signature_Image__c`	Text	ContentDocument Id of the signature image.
Signature Required Count	`Signature_Required_Count__c`	Roll-up	
Signature Required	`Signature_Required__c`	Formula	Calculated
Signee HCP	`Signee_Account__c`	Lookup	Lookup to Sciagen Account

Field	API name	Type	Reference / values
Signee Name	`Signee_Name__c`	Text	
Source Planned Call	`Source_Planned_Call__c`	Lookup	Lookup to Planned Call / Event
Start Time	`Start_Time__c`	Date/Time	
Territory	`Territory__c`	Lookup	Lookup to Territory
Times Unlocked	`Unlock_Count__c`	Number	
Unlock Request	`Unlock_Request__c`	Lookup	Lookup to Support Request
Unlocked At	`Unlocked_At__c`	Date/Time	
Unlocked By	`Unlocked_By__c`	Lookup	Lookup to User
Visit Date *	`Visit_Date__c`	Date	

Product `Product__c`

39 fields

Sharing: Read

Field	API name	Type	Reference / values
Active	`Active__c`	Checkbox	
Barcode Format	`Barcode_Format__c`	Text	
Brand Name	`Brand_Name__c`	Text	Only meaningful at the Brand and SKU hierarchy levels (see Level__c) -- Therapy Area and Molecule records leave this blank.
Competitor1	`Competitor1__c`	Text	Competitor Brand for the product
Controlled Substance Schedule	`Controlled_Substance_Schedule__c`	Text	
Description	`Description__c`	Long text	
Division	`Division__c`	Picklist	Oncology, Diabetes, Cardiology, Respiratory, Immunology
End Date	`End_Date__c`	Date	
Is Controlled Substance	`Is_Controlled_Substance__c`	Checkbox	
Is Detail Product	`Is_Detail_Product__c`	Checkbox	A promoted (detailed) product. Sample SKUs point at their detail product.
Is Restricted	`Is_Restricted__c`	Checkbox	Restricted products can't be sampled.
Is Sample Product	`Is_Sample_Product__c`	Checkbox	This SKU can be given to doctors as a free medical sample.
Launch Date	`Launch_Date__c`	Date	
Level *	`Level__c`	Picklist	Therapy Area, Molecule, Brand, SKU
Max Packs Per HCP Per Year	`Max_Packs_Per_HCP_Per_Year__c`	Number	UCPMP 2024 clause 5.1(ii)(b): no more than 12 sample packs per drug per practitioner per year.
Max Patients Per Pack	`Max_Patients_Per_Pack__c`	Number	A sample pack covers the prescribed course for at most three patients.
Max Sample Order Qty	`Max_Sample_Order_Qty__c`	Number	
Min Sample Order Qty	`Min_Sample_Order_Qty__c`	Number	
Pack Size (units)	`Pack_Size__c`	Number	Units in one pack: tablets, capsules, vials, grams or ml.
Parent Brand	`Parent_Brand__c`	Text	
Parent Detail Product	`Parent_Detail_Product__c`	Lookup	Lookup to Product
Parent Molecule	`Parent_Molecule__c`	Text	
Parent Product	`Parent_Product__c`	Lookup	Lookup to Product
Parent Therapy	`Parent_Therapy__c`	Text	
Product Code *	`Product_Code__c`	Text	


Field	API name	Type	Reference / values
Product Type	`Product_Type__c`	Text	
Requires Cold Chain	`Requires_Cold_Chain__c`	Checkbox	
Requires License Validation	`Requires_License_Validation__c`	Checkbox	
Requires Lot Number	`Requires_Lot_Number__c`	Checkbox	Off for alternative samples such as vouchers or co-pay cards.
Requires Signature	`Requires_Signature__c`	Checkbox	The doctor must sign for receipt when this product is sampled.
Restriction Reason	`Restriction_Reason__c`	Picklist	Hypnotic_Sedative_Tranquillizer, Regulatory_Hold, Supply_Shortage, Other
SKU Code	`SKUCode__c`	Formula	Calculated
SKU Code	`SKU_Code__c`	Text	
SKU	`SKU__c`	Text	
Sample Unit Value (INR)	`Sample_Unit_Value_INR__c`	Currency	Value of ONE unit (tablet, capsule, vial, gram, ml) for UCPMP expenditure: price to stockist for own manufacture, purchase price for bought-
Smallest Market Pack (units)	`Smallest_Market_Pack_Size__c`	Number	Units in the smallest pack sold in the market. A sample pack may not be larger (UCPMP 5.1(ii)(d)).
Start Date	`Start_Date__c`	Date	
Unit Value Per Strip	`Unit_Value_Per_Strip__c`	Number	Rupee value per strip/pack, set at the Molecule level. Used for RCPA potential-value calculations.
Valuation Method	`Valuation_Method__c`	Picklist	Stockist_Price, Purchase_Price

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

RCPA Audits Data Model

Entities and relationships for retail chemist prescription audits, competitor brands, personal order booking and audit targets.



Entities/Objects Included

Personal Order Booking Line, Product, RCPA Audit, RCPA Competitor Brand, RCPA Molecule Line, RCPA Target, Sciagen Account, Territory

How it works in our org

- An RCPA Audit is done at a chemist (an account) in a territory.
- Each audit has one Line per molecule and prescriber; each line lists Competitor brands with their quantities.
- POB Lines record the personal order booking taken during the audit. RCPA Target sets the HCPs to be audited.

Object and field details

RCPA Audit `RCPA_Audit__c`

12 fields

Sharing: Private

Field	API name	Type	Reference / values
Audit Date *	`Audit_Date__c`	Date	
Chemist OTP Verified	`Chemist_OTP_Verified__c`	Checkbox	
Chemist Signature	`Chemist_Signature__c`	Long text	Base64-encoded PNG data URL of the chemist's captured signature (from the RCPA audit form's signature pad).
Chemist Signer Name	`Chemist_Signer_Name__c`	Text	
Chemist (HCO) *	`Chemist__c`	Lookup	Lookup to Sciagen Account
Competitor Activity	`Competitor_Activity__c`	Long text	
General Remarks	`General_Remarks__c`	Long text	
POB Units	`POB_Units__c`	Number	
Rep	`Rep__c`	Text	
Status	`Status__c`	Picklist	Draft, Submitted
Stock Issues	`Stock_Issues__c`	Long text	
Territory	`Territory__c`	Lookup	Lookup to Territory

RCPA Molecule Line `RCPA_Line__c`

7 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
RCPA Audit	`Audit__c`	Master-Detail	Master-detail to RCPA Audit
Molecule *	`Molecule__c`	Text	
Own Brand	`Own_Brand__c`	Text	
Own Units Per Week	`Own_Units_Per_Week__c`	Number	
Prescriber	`Prescriber__c`	Lookup	Lookup to Sciagen Account
Remarks	`Remarks__c`	Long text	

Field	API name	Type	Reference / values
Rx Trend	`Trend__c`	Picklist	New Rx, Growing, Stable, Declining, Switched to competitor

RCPA Competitor Brand `RCPA_Competitor__c`

4 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Brand *	`Brand__c`	Text	
Company	`Company__c`	Text	
RCPA Line	`Line__c`	Master-Detail	Master-detail to RCPA Molecule Line
Units Per Week	`Units_Per_Week__c`	Number	

Personal Order Booking Line `POB_Line__c`

3 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
RCPA Audit	`Audit__c`	Master-Detail	Master-detail to RCPA Audit
Qty *	`Qty__c`	Number	
SKU *	`SKU__c`	Lookup	Lookup to Product

RCPA Target `RCPA_Target__c`

5 fields

Sharing: Private

Field	API name	Type	Reference / values
Molecule *	`Molecule__c`	Text	
Rep	`Rep__c`	Text	Plain-text rep name (UserInfo.getName()), same not-a-lookup convention used by RCPA_Audit__c.Rep__c.
HCP	`Target_HCP__c`	Lookup	Lookup to Sciagen Account
Target Key *	`Target_Key__c`	Text	Set explicitly by Apex as Rep__c + '|' + Molecule__c so saveRCPATarget can upsert atomically instead of a query-then-decide read/write.
Target Qty	`Target_Qty__c`	Number	Rep-entered per-molecule target quantity, backing the Master Matrix's editable Target Qty cell.

Sciagen Account `Sciagen_Account__c`

68 fields

Single source of truth for HCP and HCO accounts in Sciagen CRM. Replaces the Standard Account object (previously used with HCP/HCO RecordTypes) — Type__c now distinguishes HCP vs HCO.

Sharing: Private

Field	API name	Type	Reference / values
Account Code	`Account_Code__c`	Text	
Actively Published Years	`Actively_Published_Years__c`	Number	
Age	`Age__c`	Number	
Avg Citations Per Article	`Avg_Citations_Per_Article__c`	Number	
Avg Coauthors Per Article	`Avg_Coauthors_Per_Article__c`	Number	
Billing City	`Billing_City__c`	Text	
Billing Country	`Billing_Country__c`	Text	

Field	API name	Type	Reference / values
Billing Postal Code	`Billing_Postal_Code__c`	Text	
Billing State	`Billing_State__c`	Text	
Billing Street	`Billing_Street__c`	Text	
Can Prescribe	`Can_Prescribe__c`	Checkbox	
Controlled Substance License	`Controlled_Substance_License__c`	Text	Drug-schedule licence needed to receive samples of a controlled substance.
Dedupe Checked At	`Dedupe_Checked_At__c`	Date/Time	When the duplicate scan last compared this record.
Dedupe Email Key	`Dedupe_Email_Key__c`	Text	System-maintained lower-cased email. Do not edit.
Dedupe Geo Key	`Dedupe_Geo_Key__c`	Text	System-maintained map grid cell (about 1 km) for HCOs. Do not edit.
Dedupe License Key	`Dedupe_License_Key__c`	Text	System-maintained normalised licence number. Do not edit.
Dedupe Name Key	`Dedupe_Name_Key__c`	Text	System-maintained normalised name used to find duplicate candidates. Do not edit.
Dedupe Phone Key	`Dedupe_Phone_Key__c`	Text	System-maintained last 10 digits of the phone number. Do not edit.
Dedupe Sound Key	`Dedupe_Sound_Key__c`	Text	System-maintained phonetic name key. Do not edit.
Degree 1	`Degree_1__c`	Text	
Degree 2	`Degree_2__c`	Text	
Degree 3	`Degree_3__c`	Text	
Degree 4	`Degree_4__c`	Text	
Degree 5	`Degree_5__c`	Text	
Email	`Email__c`	Email	
Emerging Expert	`Emerging_Expert__c`	Checkbox	
Experience Years	`Experience_Years__c`	Number	
External IDs	`External_Ids__c`	Long text	External identifiers for this HCP/HCO (e.g. NPI, MCI, GST, NABH), stored as JSON — {"NPI": "1234567890", "MCI": "MCI-9988"}. Mirrors the Fie
First Name	`First_Name__c`	Text	
Focus Area	`Focus_Area__c`	Text	
Geofence Radius (m)	`Geofence_Radius_M__c`	Number	Per-HCO override of the check-in geofence radius in metres (e.g. a large hospital campus). Blank uses the Geofence Setting default.
Geolocation	`Geolocation__c`	Geolocation	
Graduation Year	`Graduation_Year__c`	Number	
Guideline Count	`Guideline_Count__c`	Number	
HCO Type	`HCO_Type__c`	Picklist	Hospital, Clinic, Nursing Home, Pharmacy, Medical Shop, Chemist Shop, Stockist, Health System, Diagnostic Centre, Acaedemic Instituiton …
HCP Type	`HCP_Type__c`	Picklist	Physician, Surgeon, Consultant, General Practitioner, Other, Specialist, Super Specialist
Instagram URL	`Instagram_URL__c`	URL	
Is Merged	`Is_Merged__c`	Checkbox	True when this record was merged into another (the losing record). Merged records are hidden from the iPad and from search; their data and h
Last Name	`Last_Name__c`	Text	
Last Visit	`Last_Visit__c`	Date	
License Expiry Date	`License_Expiry_Date__c`	Date	
License Number	`License_Number__c`	Text	
License Verification Status	`License_Verification_Status__c`	Picklist	Unverified, Verified, Invalid, Expired, Pending
License Verified At	`License_Verified_At__c`	Date/Time	
License Verified By	`License_Verified_By__c`	Text	

Field	API name	Type	Reference / values
Licensing Body	`Licensing_Body__c`	Text	
Licensing Year	`Licensing_Year__c`	Number	
LinkedIn URL	`LinkedIn_URL__c`	URL	
Medical Council Registration Number	`Medical_Council_Reg_Number__c`	Text	
Merged At	`Merged_At__c`	Date/Time	
Merged Into	`Merged_Into__c`	Lookup	Lookup to Sciagen Account
Parent Account	`Parent_Account__c`	Lookup	Lookup to Sciagen Account
Phone	`Phone__c`	Phone	
Plus Code	`Plus_Code__c`	Text	
Prefix	`Prefix__c`	Text	
Primary Country	`Primary_Country__c`	Text	
Profile Summary	`Profile_Summary__c`	Long text	Rep-authored profile note (preferred topics, key insights), edited from the iPad HCP Profile tab.
Reach Flag	`Reach_Flag__c`	Picklist	Local, Regional, Global
Sample Eligible	`Sample_Eligible__c`	Formula	Calculated
Speciality	`Speciality__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Specialty	`Specialty__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Total Articles	`Total_Articles__c`	Number	
Total Citations	`Total_Citations__c`	Number	
Twitter URL	`Twitter_URL__c`	URL	
Type *	`Type__c`	Picklist	HCP, HCO
Unique Journal Count	`Unique_Journal_Count__c`	Number	
Website	`Website__c`	URL	
YouTube URL	`YouTube_URL__c`	URL	

Territory `Territory__c`

3 fields

Sharing: Read

Field	API name	Type	Reference / values
Parent Territory	`Parent_Territory__c`	Lookup	Lookup to Territory
Territory Code	`Territory_Code__c`	Text	
Type *	`Type__c`	Picklist	Country, Region, Territory, North, South, East, West

Product `Product__c`

39 fields

Sharing: Read

Field	API name	Type	Reference / values
Active	`Active__c`	Checkbox	
Barcode Format	`Barcode_Format__c`	Text	
Brand Name	`Brand_Name__c`	Text	Only meaningful at the Brand and SKU hierarchy levels (see Level__c) -- Therapy Area and Molecule records leave this blank.
Competitor1	`Competitor1__c`	Text	Competitor Brand for the product


Field	API name	Type	Reference / values
Controlled Substance Schedule	`Controlled_Substance_Schedule__c`	Text	
Description	`Description__c`	Long text	
Division	`Division__c`	Picklist	Oncology, Diabetes, Cardiology, Respiratory, Immunology
End Date	`End_Date__c`	Date	
Is Controlled Substance	`Is_Controlled_Substance__c`	Checkbox	
Is Detail Product	`Is_Detail_Product__c`	Checkbox	A promoted (detailed) product. Sample SKUs point at their detail product.
Is Restricted	`Is_Restricted__c`	Checkbox	Restricted products can't be sampled.
Is Sample Product	`Is_Sample_Product__c`	Checkbox	This SKU can be given to doctors as a free medical sample.
Launch Date	`Launch_Date__c`	Date	
Level *	`Level__c`	Picklist	Therapy Area, Molecule, Brand, SKU
Max Packs Per HCP Per Year	`Max_Packs_Per_HCP_Per_Year__c`	Number	UCPMP 2024 clause 5.1(ii)(b): no more than 12 sample packs per drug per practitioner per year.
Max Patients Per Pack	`Max_Patients_Per_Pack__c`	Number	A sample pack covers the prescribed course for at most three patients.
Max Sample Order Qty	`Max_Sample_Order_Qty__c`	Number	
Min Sample Order Qty	`Min_Sample_Order_Qty__c`	Number	
Pack Size (units)	`Pack_Size__c`	Number	Units in one pack: tablets, capsules, vials, grams or ml.
Parent Brand	`Parent_Brand__c`	Text	
Parent Detail Product	`Parent_Detail_Product__c`	Lookup	Lookup to Product
Parent Molecule	`Parent_Molecule__c`	Text	
Parent Product	`Parent_Product__c`	Lookup	Lookup to Product
Parent Therapy	`Parent_Therapy__c`	Text	
Product Code *	`Product_Code__c`	Text	
Product Type	`Product_Type__c`	Text	
Requires Cold Chain	`Requires_Cold_Chain__c`	Checkbox	
Requires License Validation	`Requires_License_Validation__c`	Checkbox	
Requires Lot Number	`Requires_Lot_Number__c`	Checkbox	Off for alternative samples such as vouchers or co-pay cards.
Requires Signature	`Requires_Signature__c`	Checkbox	The doctor must sign for receipt when this product is sampled.
Restriction Reason	`Restriction_Reason__c`	Picklist	Hypnotic_Sedative_Tranquillizer, Regulatory_Hold, Supply_Shortage, Other
SKU Code	`SKUCode__c`	Formula	Calculated
SKU Code	`SKU_Code__c`	Text	
SKU	`SKU__c`	Text	
Sample Unit Value (INR)	`Sample_Unit_Value_INR__c`	Currency	Value of ONE unit (tablet, capsule, vial, gram, ml) for UCPMP expenditure: price to stockist for own manufacture, purchase price for bought-
Smallest Market Pack (units)	`Smallest_Market_Pack_Size__c`	Number	Units in the smallest pack sold in the market. A sample pack may not be larger (UCPMP 5.1(ii)(d)).
Start Date	`Start_Date__c`	Date	
Unit Value Per Strip	`Unit_Value_Per_Strip__c`	Number	Rupee value per strip/pack, set at the Molecule level. Used for RCPA potential-value calculations.
Valuation Method	`Valuation_Method__c`	Picklist	Stockist_Price, Purchase_Price

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Data Change Requests Data Model

Entities and relationships for requests to change account data, with approval comments.



Custom object (this module)

Custom object in another module (shown as a chip)

Entities/Objects Included

Data Change Request, Sciagen Account

How it works in our org

- A rep raises a DCR of type New HCP, New HCO, Edit HCP, Edit HCO or Territory Unassign. Key Account Manager edits to accounts also arrive as DCRs rather than saving directly.
- The requested values travel as a payload and a summary. An administrator reviews it and approves or rejects it with a reason; approval applies the change to the account.

Object and field details

Data Change Request `Data_Change_Request__c`

16 fields

Sharing: Private

Field	API name	Type	Reference / values
Approval Comment	`Approval_Comment__c`	Long text	Optional, human-entered by the steward when Status is set to Approved — mirrors Rejection_Reason__c's role for a Reject decision. Never set
City	`City__c`	Text	
Fields Payload (JSON)	`Fields_Payload__c`	Long text	
Full Address	`Full_Address__c`	Text	Composed from City/State/Pincode — kept as a plain Text field (not Long Text Area) so it can be added to list view columns, unlike City__c/S
Phone	`Phone__c`	Text	
Pincode	`Pincode__c`	Text	
Rejection Reason	`Rejection_Reason__c`	Long text	Human-entered by the steward when Status is set to Rejected, so the field rep knows what to fix before resubmitting. Never set by Apex.
Related HCO	`Related_HCO__c`	Lookup	Lookup to Sciagen Account
State	`State__c`	Text	
Status	`Status__c`	Picklist	Pending Approval, Approved, Rejected
Subject Account (if editing existing)	`Subject_Account__c`	Lookup	Lookup to Sciagen Account
Account Name (HCP/HCO) *	`Subject_Name__c`	Text	
Submitted At	`Submitted_At__c`	Date/Time	
Submitted By	`Submitted_By__c`	Text	
Summary	`Summary__c`	Long text	
Type *	`Type__c`	Picklist	New HCP, New HCO, Edit HCP, Edit HCO, Territory Unassign

Sciagen Account `Sciagen_Account__c`

68 fields

Single source of truth for HCP and HCO accounts in Sciagen CRM. Replaces the Standard Account object (previously used with HCP/HCO RecordTypes) — Type__c now distinguishes HCP vs HCO.

Sharing: Private

Field	API name	Type	Reference / values
Account Code	`Account_Code__c`	Text	
Actively Published Years	`Actively_Published_Years__c`	Number	
Age	`Age__c`	Number	
Avg Citations Per Article	`Avg_Citations_Per_Article__c`	Number	
Avg Coauthors Per Article	`Avg_Coauthors_Per_Article__c`	Number	
Billing City	`Billing_City__c`	Text	
Billing Country	`Billing_Country__c`	Text	
Billing Postal Code	`Billing_Postal_Code__c`	Text	
Billing State	`Billing_State__c`	Text	
Billing Street	`Billing_Street__c`	Text	
Can Prescribe	`Can_Prescribe__c`	Checkbox	
Controlled Substance License	`Controlled_Substance_License__c`	Text	Drug-schedule licence needed to receive samples of a controlled substance.
Dedupe Checked At	`Dedupe_Checked_At__c`	Date/Time	When the duplicate scan last compared this record.
Dedupe Email Key	`Dedupe_Email_Key__c`	Text	System-maintained lower-cased email. Do not edit.
Dedupe Geo Key	`Dedupe_Geo_Key__c`	Text	System-maintained map grid cell (about 1 km) for HCOs. Do not edit.
Dedupe License Key	`Dedupe_License_Key__c`	Text	System-maintained normalised licence number. Do not edit.
Dedupe Name Key	`Dedupe_Name_Key__c`	Text	System-maintained normalised name used to find duplicate candidates. Do not edit.
Dedupe Phone Key	`Dedupe_Phone_Key__c`	Text	System-maintained last 10 digits of the phone number. Do not edit.
Dedupe Sound Key	`Dedupe_Sound_Key__c`	Text	System-maintained phonetic name key. Do not edit.
Degree 1	`Degree_1__c`	Text	
Degree 2	`Degree_2__c`	Text	
Degree 3	`Degree_3__c`	Text	
Degree 4	`Degree_4__c`	Text	
Degree 5	`Degree_5__c`	Text	
Email	`Email__c`	Email	
Emerging Expert	`Emerging_Expert__c`	Checkbox	
Experience Years	`Experience_Years__c`	Number	
External IDs	`External_Ids__c`	Long text	External identifiers for this HCP/HCO (e.g. NPI, MCI, GST, NABH), stored as JSON — {"NPI": "1234567890", "MCI": "MCI-9988"}. Mirrors the Fie
First Name	`First_Name__c`	Text	
Focus Area	`Focus_Area__c`	Text	
Geofence Radius (m)	`Geofence_Radius_M__c`	Number	Per-HCO override of the check-in geofence radius in metres (e.g. a large hospital campus). Blank uses the Geofence Setting default.
Geolocation	`Geolocation__c`	Geolocation	
Graduation Year	`Graduation_Year__c`	Number	
Guideline Count	`Guideline_Count__c`	Number	
HCO Type	`HCO_Type__c`	Picklist	Hospital, Clinic, Nursing Home, Pharmacy, Medical Shop, Chemist Shop, Stockist, Health System, Diagnostic Centre, Acaedemic Instituiton …
HCP Type	`HCP_Type__c`	Picklist	Physician, Surgeon, Consultant, General Practitioner, Other, Specialist, Super Specialist
Instagram URL	`Instagram_URL__c`	URL	
Is Merged	`Is_Merged__c`	Checkbox	True when this record was merged into another (the losing record). Merged records are hidden from the iPad and from search; their data and h


Field	API name	Type	Reference / values
Last Name	`Last_Name__c`	Text	
Last Visit	`Last_Visit__c`	Date	
License Expiry Date	`License_Expiry_Date__c`	Date	
License Number	`License_Number__c`	Text	
License Verification Status	`License_Verification_Status__c`	Picklist	Unverified, Verified, Invalid, Expired, Pending
License Verified At	`License_Verified_At__c`	Date/Time	
License Verified By	`License_Verified_By__c`	Text	
Licensing Body	`Licensing_Body__c`	Text	
Licensing Year	`Licensing_Year__c`	Number	
LinkedIn URL	`LinkedIn_URL__c`	URL	
Medical Council Registration Number	`Medical_Council_Reg_Number__c`	Text	
Merged At	`Merged_At__c`	Date/Time	
Merged Into	`Merged_Into__c`	Lookup	Lookup to Sciagen Account
Parent Account	`Parent_Account__c`	Lookup	Lookup to Sciagen Account
Phone	`Phone__c`	Phone	
Plus Code	`Plus_Code__c`	Text	
Prefix	`Prefix__c`	Text	
Primary Country	`Primary_Country__c`	Text	
Profile Summary	`Profile_Summary__c`	Long text	Rep-authored profile note (preferred topics, key insights), edited from the iPad HCP Profile tab.
Reach Flag	`Reach_Flag__c`	Picklist	Local, Regional, Global
Sample Eligible	`Sample_Eligible__c`	Formula	Calculated
Speciality	`Speciality__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Specialty	`Specialty__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Total Articles	`Total_Articles__c`	Number	
Total Citations	`Total_Citations__c`	Number	
Twitter URL	`Twitter_URL__c`	URL	
Type *	`Type__c`	Picklist	HCP, HCO
Unique Journal Count	`Unique_Journal_Count__c`	Number	
Website	`Website__c`	URL	
YouTube URL	`YouTube_URL__c`	URL	

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Lists and Filters Data Model

Entities and relationships for custom HCP lists, saved views and rep preferences.



Entities/Objects Included

Custom List, Custom List Member, Rep Preference, Saved View, Sciagen Account

How it works in our org

- A Custom List groups HCPs; members are rows in Custom List Member.
- Saved Filters keep a rep's favourite views of the schedule and account browser; Rep Preference stores per-rep settings.

Object and field details

Custom List `Custom_List__c`

1 fields

Sharing: Private

Field	API name	Type	Reference / values
List Name *	`List_Name__c`	Text	

Custom List Member `Custom_List_Member__c`

2 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
HCP *	`HCP__c`	Lookup	Lookup to Sciagen Account
List	`List__c`	Master-Detail	Master-detail to Custom List

Saved View `Saved_Filter__c`

7 fields

Sharing: Private

Field	API name	Type	Reference / values
Filter Criteria (JSON)	`Filter_JSON__c`	Long text	Serialized FilterCriteria: specialties/cities/states/hcpTypes/hcoTypes/classifications/reachFlags/emergingOnly
Is Default	`Is_Default__c`	Checkbox	
Layout	`Layout__c`	Picklist	List, Table, Grid, Map
Sort Ascending	`Sort_Ascending__c`	Checkbox	
Sort Field	`Sort_Field__c`	Text	
Tile Fields	`Tile_Fields__c`	Text	Comma-delimited list of TileField values
View Name *	`View_Name__c`	Text	

Rep Preference `Rep_Preference__c`

4 fields

Sharing: Private

Field	API name	Type	Reference / values
HCO Tile Fields	`HCO_Tile_Fields__c`	Text	

Field	API name	Type	Reference / values
HCP Tile Fields	`HCP_Tile_Fields__c`	Text	
Nav Collapsed	`Nav_Collapsed__c`	Checkbox	
User Id *	`User_Id__c`	Text	

Sciagen Account `Sciagen_Account__c`

68 fields

Single source of truth for HCP and HCO accounts in Sciagen CRM. Replaces the Standard Account object (previously used with HCP/HCO RecordTypes) — Type__c now distinguishes HCP vs HCO.

Sharing: Private

Field	API name	Type	Reference / values
Account Code	`Account_Code__c`	Text	
Actively Published Years	`Actively_Published_Years__c`	Number	
Age	`Age__c`	Number	
Avg Citations Per Article	`Avg_Citations_Per_Article__c`	Number	
Avg Coauthors Per Article	`Avg_Coauthors_Per_Article__c`	Number	
Billing City	`Billing_City__c`	Text	
Billing Country	`Billing_Country__c`	Text	
Billing Postal Code	`Billing_Postal_Code__c`	Text	
Billing State	`Billing_State__c`	Text	
Billing Street	`Billing_Street__c`	Text	
Can Prescribe	`Can_Prescribe__c`	Checkbox	
Controlled Substance License	`Controlled_Substance_License__c`	Text	Drug-schedule licence needed to receive samples of a controlled substance.
Dedupe Checked At	`Dedupe_Checked_At__c`	Date/Time	When the duplicate scan last compared this record.
Dedupe Email Key	`Dedupe_Email_Key__c`	Text	System-maintained lower-cased email. Do not edit.
Dedupe Geo Key	`Dedupe_Geo_Key__c`	Text	System-maintained map grid cell (about 1 km) for HCOs. Do not edit.
Dedupe License Key	`Dedupe_License_Key__c`	Text	System-maintained normalised licence number. Do not edit.
Dedupe Name Key	`Dedupe_Name_Key__c`	Text	System-maintained normalised name used to find duplicate candidates. Do not edit.
Dedupe Phone Key	`Dedupe_Phone_Key__c`	Text	System-maintained last 10 digits of the phone number. Do not edit.
Dedupe Sound Key	`Dedupe_Sound_Key__c`	Text	System-maintained phonetic name key. Do not edit.
Degree 1	`Degree_1__c`	Text	
Degree 2	`Degree_2__c`	Text	
Degree 3	`Degree_3__c`	Text	
Degree 4	`Degree_4__c`	Text	
Degree 5	`Degree_5__c`	Text	
Email	`Email__c`	Email	
Emerging Expert	`Emerging_Expert__c`	Checkbox	
Experience Years	`Experience_Years__c`	Number	
External IDs	`External_Ids__c`	Long text	External identifiers for this HCP/HCO (e.g. NPI, MCI, GST, NABH), stored as JSON — {"NPI": "1234567890", "MCI": "MCI-9988"}. Mirrors the Fie
First Name	`First_Name__c`	Text	
Focus Area	`Focus_Area__c`	Text	

Field	API name	Type	Reference / values
Geofence Radius (m)	`Geofence_Radius_M__c`	Number	Per-HCO override of the check-in geofence radius in metres (e.g. a large hospital campus). Blank uses the Geofence Setting default.
Geolocation	`Geolocation__c`	Geolocation	
Graduation Year	`Graduation_Year__c`	Number	
Guideline Count	`Guideline_Count__c`	Number	
HCO Type	`HCO_Type__c`	Picklist	Hospital, Clinic, Nursing Home, Pharmacy, Medical Shop, Chemist Shop, Stockist, Health System, Diagnostic Centre, Acaedemic Instituiton …
HCP Type	`HCP_Type__c`	Picklist	Physician, Surgeon, Consultant, General Practitioner, Other, Specialist, Super Specialist
Instagram URL	`Instagram_URL__c`	URL	
Is Merged	`Is_Merged__c`	Checkbox	True when this record was merged into another (the losing record). Merged records are hidden from the iPad and from search; their data and h
Last Name	`Last_Name__c`	Text	
Last Visit	`Last_Visit__c`	Date	
License Expiry Date	`License_Expiry_Date__c`	Date	
License Number	`License_Number__c`	Text	
License Verification Status	`License_Verification_Status__c`	Picklist	Unverified, Verified, Invalid, Expired, Pending
License Verified At	`License_Verified_At__c`	Date/Time	
License Verified By	`License_Verified_By__c`	Text	
Licensing Body	`Licensing_Body__c`	Text	
Licensing Year	`Licensing_Year__c`	Number	
LinkedIn URL	`LinkedIn_URL__c`	URL	
Medical Council Registration Number	`Medical_Council_Reg_Number__c`	Text	
Merged At	`Merged_At__c`	Date/Time	
Merged Into	`Merged_Into__c`	Lookup	Lookup to Sciagen Account
Parent Account	`Parent_Account__c`	Lookup	Lookup to Sciagen Account
Phone	`Phone__c`	Phone	
Plus Code	`Plus_Code__c`	Text	
Prefix	`Prefix__c`	Text	
Primary Country	`Primary_Country__c`	Text	
Profile Summary	`Profile_Summary__c`	Long text	Rep-authored profile note (preferred topics, key insights), edited from the iPad HCP Profile tab.
Reach Flag	`Reach_Flag__c`	Picklist	Local, Regional, Global
Sample Eligible	`Sample_Eligible__c`	Formula	Calculated
Speciality	`Speciality__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Specialty	`Specialty__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Total Articles	`Total_Articles__c`	Number	
Total Citations	`Total_Citations__c`	Number	
Twitter URL	`Twitter_URL__c`	URL	
Type *	`Type__c`	Picklist	HCP, HCO
Unique Journal Count	`Unique_Journal_Count__c`	Number	
Website	`Website__c`	URL	
YouTube URL	`YouTube_URL__c`	URL	

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Product Management Data Model

Entities and relationships for the product catalogue, product hierarchy, divisions, molecules, targets and secondary sales.



Entities/Objects Included

Division, Molecule, Product, Product Master, Sales Target, Sales Transaction, Sciagen Account, Territory

How it works in our org

- Product is the working catalogue with a parent product and a parent detail product.
- Product Master holds the master data; Division and Molecule are custom metadata used by pickers.
- Sales Target sets a target per product and territory; Sales Transaction records secondary sales through a stockist.

Object and field details

Product `Product__c` 39 fields

Sharing: Read

Field	API name	Type	Reference / values
Active	`Active__c`	Checkbox	
Barcode Format	`Barcode_Format__c`	Text	
Brand Name	`Brand_Name__c`	Text	Only meaningful at the Brand and SKU hierarchy levels (see Level__c) -- Therapy Area and Molecule records leave this blank.
Competitor1	`Competitor1__c`	Text	Competitor Brand for the product
Controlled Substance Schedule	`Controlled_Substance_Schedule__c`	Text	
Description	`Description__c`	Long text	
Division	`Division__c`	Picklist	Oncology, Diabetes, Cardiology, Respiratory, Immunology
End Date	`End_Date__c`	Date	
Is Controlled Substance	`Is_Controlled_Substance__c`	Checkbox	
Is Detail Product	`Is_Detail_Product__c`	Checkbox	A promoted (detailed) product. Sample SKUs point at their detail product.
Is Restricted	`Is_Restricted__c`	Checkbox	Restricted products can't be sampled.
Is Sample Product	`Is_Sample_Product__c`	Checkbox	This SKU can be given to doctors as a free medical sample.
Launch Date	`Launch_Date__c`	Date	
Level *	`Level__c`	Picklist	Therapy Area, Molecule, Brand, SKU
Max Packs Per HCP Per Year	`Max_Packs_Per_HCP_Per_Year__c`	Number	UCPMP 2024 clause 5.1(ii)(b): no more than 12 sample packs per drug per practitioner per year.
Max Patients Per Pack	`Max_Patients_Per_Pack__c`	Number	A sample pack covers the prescribed course for at most three patients.
Max Sample Order Qty	`Max_Sample_Order_Qty__c`	Number	
Min Sample Order Qty	`Min_Sample_Order_Qty__c`	Number	
Pack Size (units)	`Pack_Size__c`	Number	Units in one pack: tablets, capsules, vials, grams or ml.
Parent Brand	`Parent_Brand__c`	Text	
Parent Detail Product	`Parent_Detail_Product__c`	Lookup	Lookup to Product
Parent Molecule	`Parent_Molecule__c`	Text	

Field	API name	Type	Reference / values
Parent Product	`Parent_Product__c`	Lookup	Lookup to Product
Parent Therapy	`Parent_Therapy__c`	Text	
Product Code *	`Product_Code__c`	Text	
Product Type	`Product_Type__c`	Text	
Requires Cold Chain	`Requires_Cold_Chain__c`	Checkbox	
Requires License Validation	`Requires_License_Validation__c`	Checkbox	
Requires Lot Number	`Requires_Lot_Number__c`	Checkbox	Off for alternative samples such as vouchers or co-pay cards.
Requires Signature	`Requires_Signature__c`	Checkbox	The doctor must sign for receipt when this product is sampled.
Restriction Reason	`Restriction_Reason__c`	Picklist	Hypnotic_Sedative_Tranquillizer, Regulatory_Hold, Supply_Shortage, Other
SKU Code	`SKUCode__c`	Formula	Calculated
SKU Code	`SKU_Code__c`	Text	
SKU	`SKU__c`	Text	
Sample Unit Value (INR)	`Sample_Unit_Value_INR__c`	Currency	Value of ONE unit (tablet, capsule, vial, gram, ml) for UCPMP expenditure: price to stockist for own manufacture, purchase price for bought-
Smallest Market Pack (units)	`Smallest_Market_Pack_Size__c`	Number	Units in the smallest pack sold in the market. A sample pack may not be larger (UCPMP 5.1(ii)(d)).
Start Date	`Start_Date__c`	Date	
Unit Value Per Strip	`Unit_Value_Per_Strip__c`	Number	Rupee value per strip/pack, set at the Molecule level. Used for RCPA potential-value calculations.
Valuation Method	`Valuation_Method__c`	Picklist	Stockist_Price, Purchase_Price

Product Master `Product_Master__c`

13 fields

Master catalog of products, imported from the Product Master reference file (brand, molecule, therapy area, sampling limits, and lifecycle dates).

Sharing: Read

Field	API name	Type	Reference / values
Active	`Active__c`	Checkbox	
Description	`Description__c`	Long text	
End Date	`End_Date__c`	Date	
Launch Date	`Launch_Date__c`	Date	
Max Sample Order Qty	`Max_Sample_Order_Qty__c`	Number	
Min Sample Order Qty	`Min_Sample_Order_Qty__c`	Number	
Parent Brand	`Parent_Brand__c`	Text	
Parent Molecule	`Parent_Molecule__c`	Text	
Parent Therapy	`Parent_Therapy__c`	Text	
Product Code *	`Product_Code__c`	Text	
Product Type	`Product_Type__c`	Text	
SKU	`SKU__c`	Text	
Start Date	`Start_Date__c`	Date	

Division `Division__mdt`

2 fields

Field	API name	Type	Reference / values
Division Name *	`Division_Name__c`	Text	
Therapeutic Area	`Therapeutic_Area__c`	Picklist	Cardiology, Diabetes, ENT, Immunology, Oncology, Respiratory

Molecule `Molecule__mdt`

3 fields

Field	API name	Type	Reference / values
Own Brand *	`Own_Brand__c`	Text	
Therapy Area	`Therapy_Area__c`	Picklist	Oncology, Diabetes, Cardiology, Respiratory, Immunology, General
Unit Value Per Strip	`Unit_Value_Per_Strip__c`	Number	

Sales Target `Sales_Target__c`

6 fields

Monthly sales target, one row per SKU x Territory x Period. Loaded the same way as Sales_Transaction__c, upserting on Target_Key__c. The mobile app only ever reads this object.

Sharing: Read

Field	API name	Type	Reference / values
Period	`Period__c`	Text	Calendar month this target covers, as "YYYY-MM".
Product	`Product__c`	Lookup	Lookup to Product
Target Key *	`Target_Key__c`	Text	Set by the flat-file load as Product__r.SKU_Code__c + '|' + Territory__r.Territory_Code__c + '|' + Period__c (Territory_Code blank for an or
Target Units	`Target_Units__c`	Number	Unit target, not a value target -- the app multiplies by Product__c.Unit_Value_Per_Strip__c at read time so price only ever lives in one pla
Target Value	`Target_Value__c`	Formula	Calculated
Territory	`Territory__c`	Lookup	Lookup to Territory

Sales Transaction `Sales_Transaction__c`

8 fields

Primary (company to stockist) and Secondary (stockist to retail) monthly sales, one row per SKU x Stockist x Period. Loaded via flat-file (Data Import Wizard / Bulk API) upserting on Sales_Key__c; a future SAP feed can write to the same object/key with no schema change. The mobile app only ever reads this object.

Sharing: Read

Field	API name	Type	Reference / values
Period	`Period__c`	Text	Calendar month this row covers, as "YYYY-MM" (e.g. "2026-08").
Primary Units	`Primary_Units__c`	Number	Units dispatched company to stockist this period.
Primary Value	`Primary_Value__c`	Formula	Calculated
Product	`Product__c`	Lookup	Lookup to Product
Sales Key *	`Sales_Key__c`	Text	Set by the flat-file load as Product__r.SKU_Code__c + '|' + Stockist__r.Account_Code__c + '|' + Period__c, so a corrected re-upload of the s
Secondary Units	`Secondary_Units__c`	Number	Units moved stockist to retail (offtake) this period.
Secondary Value	`Secondary_Value__c`	Formula	Calculated
Stockist	`Stockist__c`	Lookup	Lookup to Sciagen Account

Territory `Territory__c`

3 fields

Sharing: Read

Field	API name	Type	Reference / values
Parent Territory	`Parent_Territory__c`	Lookup	Lookup to Territory

Field	API name	Type	Reference / values
Territory Code	`Territory_Code__c`	Text	
Type *	`Type__c`	Picklist	Country, Region, Territory, North, South, East, West

Sciagen Account `Sciagen_Account__c`

68 fields

Single source of truth for HCP and HCO accounts in Sciagen CRM. Replaces the Standard Account object (previously used with HCP/HCO RecordTypes) — Type__c now distinguishes HCP vs HCO.

Sharing: Private

Field	API name	Type	Reference / values
Account Code	`Account_Code__c`	Text	
Actively Published Years	`Actively_Published_Years__c`	Number	
Age	`Age__c`	Number	
Avg Citations Per Article	`Avg_Citations_Per_Article__c`	Number	
Avg Coauthors Per Article	`Avg_Coauthors_Per_Article__c`	Number	
Billing City	`Billing_City__c`	Text	
Billing Country	`Billing_Country__c`	Text	
Billing Postal Code	`Billing_Postal_Code__c`	Text	
Billing State	`Billing_State__c`	Text	
Billing Street	`Billing_Street__c`	Text	
Can Prescribe	`Can_Prescribe__c`	Checkbox	
Controlled Substance License	`Controlled_Substance_License__c`	Text	Drug-schedule licence needed to receive samples of a controlled substance.
Dedupe Checked At	`Dedupe_Checked_At__c`	Date/Time	When the duplicate scan last compared this record.
Dedupe Email Key	`Dedupe_Email_Key__c`	Text	System-maintained lower-cased email. Do not edit.
Dedupe Geo Key	`Dedupe_Geo_Key__c`	Text	System-maintained map grid cell (about 1 km) for HCOs. Do not edit.
Dedupe License Key	`Dedupe_License_Key__c`	Text	System-maintained normalised licence number. Do not edit.
Dedupe Name Key	`Dedupe_Name_Key__c`	Text	System-maintained normalised name used to find duplicate candidates. Do not edit.
Dedupe Phone Key	`Dedupe_Phone_Key__c`	Text	System-maintained last 10 digits of the phone number. Do not edit.
Dedupe Sound Key	`Dedupe_Sound_Key__c`	Text	System-maintained phonetic name key. Do not edit.
Degree 1	`Degree_1__c`	Text	
Degree 2	`Degree_2__c`	Text	
Degree 3	`Degree_3__c`	Text	
Degree 4	`Degree_4__c`	Text	
Degree 5	`Degree_5__c`	Text	
Email	`Email__c`	Email	
Emerging Expert	`Emerging_Expert__c`	Checkbox	
Experience Years	`Experience_Years__c`	Number	
External IDs	`External_Ids__c`	Long text	External identifiers for this HCP/HCO (e.g. NPI, MCI, GST, NABH), stored as JSON — {"NPI": "1234567890", "MCI": "MCI-9988"}. Mirrors the Fie
First Name	`First_Name__c`	Text	
Focus Area	`Focus_Area__c`	Text	
Geofence Radius (m)	`Geofence_Radius_M__c`	Number	Per-HCO override of the check-in geofence radius in metres (e.g. a large hospital campus). Blank uses the Geofence Setting default.

Field	API name	Type	Reference / values
Geolocation	`Geolocation__c`	Geolocation	
Graduation Year	`Graduation_Year__c`	Number	
Guideline Count	`Guideline_Count__c`	Number	
HCO Type	`HCO_Type__c`	Picklist	Hospital, Clinic, Nursing Home, Pharmacy, Medical Shop, Chemist Shop, Stockist, Health System, Diagnostic Centre, Acaedemic Instituiton …
HCP Type	`HCP_Type__c`	Picklist	Physician, Surgeon, Consultant, General Practitioner, Other, Specialist, Super Specialist
Instagram URL	`Instagram_URL__c`	URL	
Is Merged	`Is_Merged__c`	Checkbox	True when this record was merged into another (the losing record). Merged records are hidden from the iPad and from search; their data and h
Last Name	`Last_Name__c`	Text	
Last Visit	`Last_Visit__c`	Date	
License Expiry Date	`License_Expiry_Date__c`	Date	
License Number	`License_Number__c`	Text	
License Verification Status	`License_Verification_Status__c`	Picklist	Unverified, Verified, Invalid, Expired, Pending
License Verified At	`License_Verified_At__c`	Date/Time	
License Verified By	`License_Verified_By__c`	Text	
Licensing Body	`Licensing_Body__c`	Text	
Licensing Year	`Licensing_Year__c`	Number	
LinkedIn URL	`LinkedIn_URL__c`	URL	
Medical Council Registration Number	`Medical_Council_Reg_Number__c`	Text	
Merged At	`Merged_At__c`	Date/Time	
Merged Into	`Merged_Into__c`	Lookup	Lookup to Sciagen Account
Parent Account	`Parent_Account__c`	Lookup	Lookup to Sciagen Account
Phone	`Phone__c`	Phone	
Plus Code	`Plus_Code__c`	Text	
Prefix	`Prefix__c`	Text	
Primary Country	`Primary_Country__c`	Text	
Profile Summary	`Profile_Summary__c`	Long text	Rep-authored profile note (preferred topics, key insights), edited from the iPad HCP Profile tab.
Reach Flag	`Reach_Flag__c`	Picklist	Local, Regional, Global
Sample Eligible	`Sample_Eligible__c`	Formula	Calculated
Speciality	`Speciality__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Specialty	`Specialty__c`	Picklist	Cardiology, Endocrinology, Oncology, Pulmonology, Immunology, General Physician, Internal Medicine, Nephrology, Neurology, ENT …
Total Articles	`Total_Articles__c`	Number	
Total Citations	`Total_Citations__c`	Number	
Twitter URL	`Twitter_URL__c`	URL	
Type *	`Type__c`	Picklist	HCP, HCO
Unique Journal Count	`Unique_Journal_Count__c`	Number	
Website	`Website__c`	URL	
YouTube URL	`YouTube_URL__c`	URL	

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Expenses and Leave Data Model

Entities and relationships for daily expense claims, travel patches, monthly allowance claims and leave requests.



Entities/Objects Included

Daily Expense Bill, Daily Expense Claim, Expense Rate Card, Expense Travel Patch, Leave Entitlement, Leave Request, Monthly Allowance Claim, Monthly Claim Bill

How it works in our org

- A Daily Expense Claim has bills and travel patches. A Monthly Allowance Claim has bills for the month.
- Rates and leave entitlements come from custom metadata. A Leave Request goes to a manager for approval.

Object and field details

Daily Expense Claim `Daily_Expense__c`

15 fields

Sharing: Private

Field	API name	Type	Reference / values
Approved Amount	`Approved_Amount__c`	Currency	
Claim Override	`Claim_Override__c`	Currency	
Day Type	`Day_Type__c`	Picklist	Field Working, Non-Field Working
Date *	`Expense_Date__c`	Date	
HO Passed Amount	`HO_Passed_Amount__c`	Currency	
Inter-Patch Approved	`Inter_Patch_Approved__c`	Checkbox	
Inter-Patch KM	`Inter_Patch_KM__c`	Number	
Inter-Patch Travel Mode	`Inter_Patch_Mode__c`	Picklist	2W, 4W, Bus, Train
Manager Remark	`Manager_Remark__c`	Long text	
Non-Field Activity	`Non_Field_Activity__c`	Picklist	Meeting, Admin Work, Transit, Training
Place of Work	`Place_Of_Work__c`	Text	
Remarks	`Remarks__c`	Long text	
Rep	`Rep__c`	Text	
Status	`Status__c`	Picklist	Draft, Submitted, Manager Approved, HO Passed, Rejected
Worked Areas	`Worked_Areas__c`	Text	

Daily Expense Bill `Daily_Expense_Bill__c`

5 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Amount	`Amount__c`	Currency	
Category	`Category__c`	Picklist	Fuel, Toll, Lodging, Mobile-Internet, Miscellaneous
Daily Expense	`Daily_Expense__c`	Master-Detail	Master-detail to Daily Expense Claim
Remark	`Remark__c`	Long text	

Field	API name	Type	Reference / values
Title *	`Title__c`	Text	

Expense Travel Patch `Expense_Patch__c`

5 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Daily Expense	`Daily_Expense__c`	Master-Detail	Master-detail to Daily Expense Claim
One-Way KM	`One_Way_KM__c`	Number	
Name *	`Patch_Name__c`	Text	
Station Type	`Station_Type__c`	Picklist	HQ, EX, OS
Travel Mode	`Travel_Mode__c`	Picklist	2W, 4W, Bus, Train

Monthly Allowance Claim `Monthly_Claim__c`

8 fields

Sharing: Private

Field	API name	Type	Reference / values
Approved Amount	`Approved_Amount__c`	Currency	
HO Passed Amount	`HO_Passed_Amount__c`	Currency	
Mobile/Internet	`Mobile_Internet__c`	Currency	
Month *	`Month_Anchor__c`	Date	
Petrol	`Petrol__c`	Currency	
Remarks	`Remarks__c`	Long text	
Rep	`Rep__c`	Text	
Status	`Status__c`	Picklist	Draft, Submitted, Manager Approved, HO Passed, Rejected

Monthly Claim Bill `Monthly_Claim_Bill__c`

5 fields

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Amount	`Amount__c`	Currency	
Category	`Category__c`	Picklist	Fuel, Toll, Lodging, Mobile-Internet, Miscellaneous
Monthly Claim	`Monthly_Claim__c`	Master-Detail	Master-detail to Monthly Allowance Claim
Remark	`Remark__c`	Long text	
Title *	`Title__c`	Text	

Expense Rate Card `Expense_Rate_Card__mdt`

3 fields

Field	API name	Type	Reference / values
Amount	`Amount__c`	Number	
Code	`Code__c`	Text	e.g. HQ/EX/OS for allowance, 2W/4W/Bus/Train for travel

Field	API name	Type	Reference / values
Rate Type *	`Rate_Type__c`	Picklist	Station Allowance, Travel Rate

Leave Request `Leave_Request__c`

10 fields

Sharing: Private

Field	API name	Type	Reference / values
Comments	`Comments__c`	Long text	
Decided At	`Decided_At__c`	Date/Time	
From Date *	`From_Date__c`	Date	
Manager Comment	`Manager_Comment__c`	Long text	
Manager	`Manager__c`	Lookup	Lookup to User
Reason	`Reason__c`	Long text	
Status	`Status__c`	Picklist	Pending, Approved, Rejected, Cancelled
Submitted At	`Submitted_At__c`	Date/Time	
To Date *	`To_Date__c`	Date	
Type *	`Type__c`	Picklist	Casual Leave, Sick Leave, Earned / Privilege, Compensatory Off, Loss of Pay

Leave Entitlement `Leave_Entitlement__mdt`

2 fields


Field	API name	Type	Reference / values
Annual Days	`Annual_Days__c`	Number	
Leave Type *	`Leave_Type__c`	Picklist	Casual Leave, Sick Leave, Earned / Privilege, Compensatory Off, Loss of Pay

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Support Center Data Model

Entities and relationships for in-app support requests, comments, support settings and device reset requests.



Entities/Objects Included

Call Visit Report, Device Reset Request, Support Comment, Support Request, Support Setting

How it works in our org

- A rep raises a Support Request from the app in a category such as Unlock Submitted Call, Unlock Monthly Plan, Data Correction, Sync Problem, App Issue or Access or Login. It has a priority, an SLA due time and an awaiting-whom marker.
- A request can point at a call report or a monthly plan; an unlock request that is resolved as Unlocked reopens that record.
- Comments form the thread. Support Settings hold SLA hours, auto-close days, daily limits and notification switches.
- Device Reset Request lets a rep ask to wipe local app data; the manager approves it and a one-time code is issued.

Object and field details

Support Request `Support_Request__c` 33 fields

A rep or manager asking the Business Admin team for help. The rep's manager is copied in.
Sharing: Private

Field	API name	Type	Reference / values
Assigned To	`Assigned_To__c`	Lookup	Lookup to User
Attachment Count	`Attachment_Count__c`	Number	
Awaiting	`Awaiting__c`	Picklist	Support, Requester, Nobody
Call Summary	`Call_Summary__c`	Text	
Call Report	`Call_Visit_Report__c`	Lookup	Lookup to Call Visit Report
Category *	`Category__c`	Picklist	Unlock Submitted Call, Unlock Monthly Plan, Data Correction, Sync Problem, App Issue, Access or Login, Samples or Inventory, Expenses or Leave, Territory or Alignment, How Do I …
Client Id	`Client_Id__c`	Text	Generated by the device so a retried create never makes a duplicate.
Closed At	`Closed_At__c`	Date/Time	
Comment Count	`Comment_Count__c`	Number	
Description	`Description__c`	Long text	
Device Info	`Device_Info__c`	Text	
First Response	`First_Response_At__c`	Date/Time	
First Response (minutes)	`First_Response_Minutes__c`	Number	
Is Open	`Is_Open__c`	Checkbox	True while New, Open or Waiting on Rep. Kept by a trigger so lists can filter on it.
Last Activity	`Last_Activity_At__c`	Date/Time	
Last Requester Comment	`Last_Requester_Comment_At__c`	Date/Time	
Last Support Comment	`Last_Support_Comment_At__c`	Date/Time	
Manager (CC)	`Manager__c`	Lookup	Lookup to User
Monthly Plan	`Monthly_Call_Plan__c`	Lookup	Lookup to Monthly Call Plan

Field	API name	Type	Reference / values
Priority	`Priority__c`	Picklist	Low, Normal, High, Urgent
Reopen Count	`Reopen_Count__c`	Number	
Requester Last Read	`Requester_Last_Read_At__c`	Date/Time	
Requester Territory	`Requester_Territory__c`	Text	
Requester	`Requester__c`	Lookup	Lookup to User
Time to Resolve (minutes)	`Resolution_Minutes__c`	Number	
Resolution	`Resolution_Type__c`	Picklist	Fixed, Answered, Unlocked, Declined, Duplicate, No Response, Cannot Reproduce
Resolved At	`Resolved_At__c`	Date/Time	
First Response Due	`SLA_Due_At__c`	Date/Time	
Source	`Source__c`	Picklist	iPad, Web, Admin
Status	`Status__c`	Picklist	New, Open, Waiting on Rep, Resolved, Closed, Cancelled
Subject *	`Subject__c`	Text	
Support Last Read	`Support_Last_Read_At__c`	Date/Time	
Unlock Outcome	`Unlock_Outcome__c`	Picklist	Unlocked, Declined

Support Comment `Support_Comment__c`

8 fields

One message or system event in a support request's conversation.

Sharing: ControlledByParent

Field	API name	Type	Reference / values
Attachment Count	`Attachment_Count__c`	Number	
Author Role	`Author_Role__c`	Picklist	Requester, Support, Manager, System
Author	`Author__c`	Lookup	Lookup to User
Message	`Body__c`	Long text	
Client Id	`Client_Id__c`	Text	
Kind	`Kind__c`	Picklist	Message, Event
Sent Via	`Sent_Via__c`	Picklist	iPad, Web, System
Request	`Support_Request__c`	Master-Detail	Master-detail to Support Request

Support Setting `Support_Setting__c`

11 fields

Service targets, hygiene and notification switches for Help & Support requests.

Field	API name	Type	Reference / values
Auto-assign New Requests	`Auto_Assign__c`	Checkbox	Give each new request to the Business Admin with the fewest open requests.
Close Resolved Requests After (days)	`Auto_Close_Resolved_Days__c`	Number	
Close Waiting Requests After (days)	`Auto_Close_Waiting_Days__c`	Number	
Max Messages per User per Day	`Max_Comments_Per_Day__c`	Number	
Max New Requests per Rep per Day	`Max_Requests_Per_Day__c`	Number	
Rep Can Reopen For (days)	`Reopen_Window_Days__c`	Number	

Field	API name	Type	Reference / values
Send Email Notifications	`Send_Emails__c`	Checkbox	
First Response Target: High (hours)	`Sla_High_Hours__c`	Number	
First Response Target: Low (hours)	`Sla_Low_Hours__c`	Number	
First Response Target: Normal (hours)	`Sla_Normal_Hours__c`	Number	
First Response Target: Urgent (hours)	`Sla_Urgent_Hours__c`	Number	

Device Reset Request `Device_Reset_Request__c`

7 fields

A rep's request to wipe local app data on their iPad (Profile > Reset Local Data). Requires the rep's manager to approve via Salesforce's own Approval Process before a one-time code is generated and handed to the rep (by phone or email) -- the app only proceeds with the wipe once that code is entered correctly. Private sharing: a rep can only see their own requests; the approver sees it via the approval process's temporary access grant.

Sharing: Private

Field	API name	Type	Reference / values
Code Attempts	`Attempts__c`	Number	Wrong reset codes entered so far. Counted by DeviceResetVerifyApi; the request locks after 5. Reset to 0 when a new code is minted on approv
Manager	`Manager__c`	Lookup	Lookup to User
One-Time Code Expires	`OTP_Expires__c`	Date/Time	Set by DeviceResetRequestTrigger to 24 hours after approval, alongside OTP__c. The app refuses a code entered after this time, so an approve
One-Time Code	`OTP__c`	Text	Blank until the manager approves -- DeviceResetRequestTrigger generates a random 6-digit code the moment Status__c becomes Approved, so it c
Reason for Reset	`Reason__c`	Text area	Optional note from the rep explaining why they need to wipe local app data (e.g., "Switching devices", "App data corrupted after upgrade", "
Status *	`Status__c`	Picklist	Pending Approval, Approved, Rejected, Used
Verified	`Verified__c`	Checkbox	Set true by DeviceResetVerifyApi (POST /sciagen/v1/device-reset/verify) when the rep enters the matching, unexpired one-time code -- alongsi

Call Visit Report `Call_Visit_Report__c`

48 fields

Sharing: Private

Field	API name	Type	Reference / values
Call Channel Type	`Activity_Type__c`	Picklist	In-person, Phone, Video, Email, Chat or Text, Other, Face to Face, Remote Meeting
Call Category	`Call_Category__c`	Text	Call label as the iPad shows it (e.g. Call Only, Call with CLM). Stored as sent by the app.
Call Status	`Call_Status__c`	Picklist	Completed, Cancelled
Call Type	`Call_Type__c`	Picklist	Detailing, Sampling, Follow-up, Introductory, Group Call, Visit
Check-In GPS Accuracy (m)	`Check_In_Accuracy_M__c`	Number	Horizontal accuracy of the GPS fix, in metres, reported by the iPad at check-in.
Check-In At	`Check_In_At__c`	Date/Time	
Check-In Distance from HCO (m)	`Check_In_Distance_M__c`	Number	Distance in metres between the rep's check-in position and the HCO, computed on the iPad (works offline) from the HCO coordinates it had cac
Check-In Location	`Check_In_Location__c`	Geolocation	
Check-In Method	`Check_In_Method__c`	Text	How the check-in was captured: Manual (rep tapped Check in) or Arrival (rep accepted the arrival prompt).
Check-In Within Geofence	`Check_In_Within_Geofence__c`	Checkbox	True when the rep's check-in position was inside the HCO's geofence when the iPad recorded it.
Client Id	`Client_Id__c`	Text	iPad-generated local UUID. The app creates the record with PATCH /sobjects/Call_Visit_Report__c/Client_Id__c/{uuid} (upsert), so a retried p
Discussion Summary	`Discussion_Summary__c`	Long text	
Duration (min)	`Duration_Min__c`	Formula	Calculated
Email Sent	`Email_Sent__c`	Checkbox	
End Time	`End_Time__c`	Date/Time	
Group Attendees	`Group_Attendee_Count__c`	Number	Number of HCPs on the group call, the primary HCP included. Set by GroupCallService on the group call and on each attendee call.


Field	API name	Type	Reference / values
HCO	`HCO__c`	Lookup	Lookup to Sciagen Account
HCP *	`HCP__c`	Lookup	Lookup to Sciagen Account
Has Samples	`Has_Samples__c`	Formula	Calculated
Group Call	`Is_Group_Call__c`	Checkbox	Set by GroupCallService: true on a call that had more than one HCP attendee (the parent call) and on every individual call created from it f
Linked Event Count	`Linked_Event_Count__c`	Number	
Next-Call Notes	`Next_Call_Notes__c`	Long text	
Next Visit Date	`Next_Visit_Date__c`	Date	
Next Visit Planned Call	`Next_Visit_Planned_Call__c`	Lookup	Lookup to Planned Call / Event
Parent Call	`Parent_Call__c`	Lookup	Lookup to Call Visit Report
Account Plan	`Plan__c`	Lookup	Lookup to Account Plan
Pre-Call Notes	`Pre_Call_Notes__c`	Long text	
Record Status	`Record_Status__c`	Picklist	Draft, Saved, Submitted
Record Type	`Record_Type_Label__c`	Picklist	Call Report
Rep	`Rep__c`	Text	
Sample Drop Count	`Sample_Drop_Count__c`	Roll-up	
Sample Total Value (INR)	`Sample_Total_Value__c`	Roll-up	
Signature Captured At	`Signature_Captured_At__c`	Date/Time	
Signature Captured	`Signature_Captured__c`	Checkbox	
Signature GPS	`Signature_GPS__c`	Geolocation	
Signature Image	`Signature_Image__c`	Text	ContentDocument Id of the signature image.
Signature Required Count	`Signature_Required_Count__c`	Roll-up	
Signature Required	`Signature_Required__c`	Formula	Calculated
Signee HCP	`Signee_Account__c`	Lookup	Lookup to Sciagen Account
Signee Name	`Signee_Name__c`	Text	
Source Planned Call	`Source_Planned_Call__c`	Lookup	Lookup to Planned Call / Event
Start Time	`Start_Time__c`	Date/Time	
Territory	`Territory__c`	Lookup	Lookup to Territory
Times Unlocked	`Unlock_Count__c`	Number	
Unlock Request	`Unlock_Request__c`	Lookup	Lookup to Support Request
Unlocked At	`Unlocked_At__c`	Date/Time	
Unlocked By	`Unlocked_By__c`	Lookup	Lookup to User
Visit Date *	`Visit_Date__c`	Date	

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

App Alerts Data Model

Entities and relationships for alerts shown to reps in the app.



Entities/Objects Included

Content Alert, Presentation, Sciagen Alert

How it works in our org

- Sciagen Alert is a message with a title, type (Company, Content or DCR), priority, audience (All users, a profile or specific users) and active dates.
- Content Alert flags a presentation as New, Updated or Expiring.

Object and field details

Sciagen Alert `Sciagen_Alert__c`

11 fields

Sharing: Read

Field	API name	Type	Reference / values
Activation Date *	`Activation_Date__c`	Date/Time	
Audience Type *	`Audience_Type__c`	Picklist	All Users, Profile, User
Expiration Date *	`Expiration_Date__c`	Date/Time	
Is Active	`Is_Active__c`	Checkbox	
Message	`Message__c`	Long text	
Priority *	`Priority__c`	Picklist	Urgent, Important, Normal
Target Profile Ids	`Target_Profile__c`	Text	Comma-delimited list of Profile Ids, wrapped in leading/trailing commas (",id1,id2,") for safe LIKE '%,id,%' matching (not a Lookup — Salesf
Target User	`Target_User__c`	Lookup	Lookup to User
Target User Id List	`Target_Users__c`	Text	Comma-delimited list of User Ids, wrapped in leading/trailing commas (",id1,id2,") for safe LIKE '%,id,%' matching, set when Audience_Type__
Title *	`Title__c`	Text	
Type *	`Type__c`	Picklist	Company, Content, DCR

Content Alert `Content_Alert__c`

4 fields

Sharing: Read

Field	API name	Type	Reference / values
Detail	`Detail__c`	Long text	
Kind *	`Kind__c`	Picklist	New, Updated, Expiring
Presentation	`Presentation__c`	Lookup	Lookup to Presentation
Title *	`Title__c`	Text	

Presentation `Presentation__c`

10 fields

Sharing: Read


Field	API name	Type	Reference / values
Approval Status	`Approval_Status__c`	Picklist	Draft, Medical Approval, Regulatory Approval, Legal & Compliance Approval, Approved Promotional, Expired, Approved Non Promotional
Brand	`Brand__c`	Picklist	ACAROID, ALLERGOVIT, NOVO-HELISEN, NOVO-HELISEN DEPOT, BioNX, Cardiace, Emrok, Glaritus, Miqnaf, Neutraline …
CMS Document Id	`CMS_Document_Id__c`	Text	Sciagen CMS document number, e.g. Wockhardt_P-2026-0001
Expiry Date	`Expiry_Date__c`	Date	
Is Custom (rep-built)	`Is_Custom__c`	Checkbox	
Is Training	`Is_Training__c`	Checkbox	
MLR Reference	`MLR_Reference__c`	Text	
Name *	`Presentation_Name__c`	Text	
Product	`Product__c`	Lookup	Lookup to Product
Version	`Version__c`	Text	

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.

Mobile Sync and System Data Model

Entities and relationships for the iPad sync log, per-object sync configuration, geocoding and application configuration.



Entities/Objects Included

Geocoding Config, Sciagen App Config, Sync Object Config, Sync Tracking

How it works in our org

- Sync Tracking records one row per record the iPad pushes, with its status (Pending, Synced, Failed, Deleted or Skipped), the error text and the Salesforce id; rows older than the retention window are purged.
- Sync Object Config is custom metadata saying, per object family, whether it syncs, in which direction (Salesforce to iPad, iPad to Salesforce, or both), the sync window and who wins a conflict. App Config and Geocoding Config hold global settings.

Object and field details

Sync Tracking `Sync_Tracking__c`

8 fields

Sharing: Private

Field	API name	Type	Reference / values
Error Message	`Error_Message__c`	Long text	
Label	`Label__c`	Text	
Local Record Id	`Local_Record_Id__c`	Text	
Occurred At	`Occurred_At__c`	Date/Time	
Record Type *	`Record_Type__c`	Text	
Rep	`Rep__c`	Text	
Salesforce Record Id	`Salesforce_Record_Id__c`	Text	
Status	`Status__c`	Picklist	Pending, Synced, Failed, Deleted, Skipped

Sync Object Config `Sync_Object_Config__mdt`

5 fields

Sync-direction gateway for the iPad app. One record per Salesforce object family the app can sync — controls whether it syncs at all, in which direction (Salesforce to iPad, iPad to Salesforce, or Bi-Directional), and which side wins if the same record changed on both sides. Editable here in Setup with no deployment — the app always reads current values from these records rather than assuming any policy in code.

Field	API name	Type	Reference / values
Conflict Resolution	`Conflict_Resolution__c`	Picklist	Salesforce Wins, iPad Wins
Is Active	`Is_Active__c`	Checkbox	Master on/off switch for this object's sync. When false, the iPad app skips this object entirely — no fetch, no push — regardless of Sync Di
Object API Name *	`Object_API_Name__c`	Text	The Salesforce object API name this config record governs, e.g. "Sciagen_Account__c". The iPad app looks up its gateway config by this value
Sync Direction *	`Sync_Direction__c`	Picklist	Salesforce to iPad Only, iPad to Salesforce Only, Bi-Directional
Sync Window (Days)	`Sync_Window_Days__c`	Number	How many days back a Bi-Directional or Salesforce-to-iPad object's history is pulled down on every sync (e.g. 90 = only calls from the last

Sciagen App Config `Sciagen_App_Config__mdt`

22 fields

App-wide (not per-object) settings for the iPad app, e.g. how long on-device logs are kept. A single "Default" record. Editable here in Setup with no deployment — the app always reads the current value from this record rather than assuming any policy in code.

Field	API name	Type	Reference / values
Allow Past Month Freeze	`Allow_Past_Month_Freeze__c`	Checkbox	A past month may be frozen by the rep, or unlocked by a Business Admin. Off keeps past months as they are.
Call Day End Hour	`Call_Day_End_Hour__c`	Number	Hour (1-24, exclusive) by which planned calls must have started. Default 18. Blank = the default.
Call Day Start Hour	`Call_Day_Start_Hour__c`	Number	First hour (0-23, inclusive) a planned call may start. Enforced by PlannedCallScheduleGuardService, the iPad and the web schedule. Default 9
Catch-All Brands	`Catch_All_Brands__c`	Text	Brand values that mean no real brand (e.g. Other): Detailing Priority does not use them as a product name. Comma separated. Default Other.
Expenses Module Enabled	`Expenses_Module_Enabled__c`	Checkbox	Per-org module licensing switch -- whether this customer's subscription includes the Expenses module. When false, the Expenses tab is hidden
Follow-up Call Hour	`Follow_Up_Call_Hour__c`	Number	Hour of the planned call created from a call report's Next Visit Date. Kept inside the call day. Blank = 10.
Go Online Destination URL	`Go_Online_URL__c`	Text	Where the app's "Go Online" screen (embedded browser) navigates to. A relative Salesforce path (e.g. "/lightning/o/Report/home") opens signe
Group Call Mirrored Fields	`Group_Call_Mirrored_Fields__c`	Text	Call_Visit_Report__c fields copied from a group call onto each attendee call, comma separated API names. Blank = the default set.
Group Calls Enabled	`Group_Calls_Enabled__c`	Checkbox	Extra HCP attendees on a call get their own attendee call (GroupCallService).
HCP/HCO Cache Limit	`HCP_HCO_Cache_Limit__c`	Number	Combined max HCPs + HCOs kept in the on-device offline cache (the budget is split fairly between the two lists, not applied per-list). Left
Leave Module Enabled	`Leave_Module_Enabled__c`	Checkbox	Per-org module licensing switch -- whether this customer's subscription includes the Leave module. When false, the Leave tab is hidden from
Non-Working Days	`Non_Working_Days__c`	Text	Weekdays on which calls can not be planned, comma separated English names (e.g. Sunday or Saturday,Sunday). Default Sunday.
Plan Freeze Enabled	`Plan_Freeze_Enabled__c`	Checkbox	Reps can freeze their monthly call plan (iPad Scheduler).
Plan Freeze Minimum Calls	`Plan_Freeze_Min_Calls__c`	Number	Fewest planned calls a month needs before it can be frozen. Default 1. Blank = the default.
Plan vs Actual Grace Days	`Plan_Vs_Actual_Grace_Days__c`	Number	How many days before/after the month a visit may still be matched to a plan. Default 14. Blank = the default.
Scheduler Call Minutes	`Planner_Call_Minutes__c`	Number	Length of each call the iPad Scheduler creates. Default 30. Blank = the default.
Scheduler Default Call Type	`Planner_Default_Call_Type__c`	Text	Call_Type__c of the calls the iPad Scheduler creates. Default Detailing.
Scheduler Gap Minutes	`Planner_Gap_Minutes__c`	Number	Free time the iPad Scheduler keeps between calls (travel). Default 30. Blank = the default.
Scheduler Slot Step Minutes	`Planner_Slot_Step_Minutes__c`	Number	Start times the iPad Scheduler tries, every N minutes from the day start. Default 30. Blank = the default.
Published Dashboards Folder Name	`Published_Dashboards_Folder_Name__c`	Text	Developer Name of the dashboard folder whose dashboards the iPad shows under Reports → Published Dashboards. Share the folder (and the folde
Published Reports Folder Name	`Published_Reports_Folder_Name__c`	Text	Developer Name of the Report Folder the Live Reports tab lists from (SELECT Id, Name, Description FROM Report WHERE FolderName = ...). Visib
Sync Log Retention (Days)	`Sync_Log_Retention_Days__c`	Number	How many days of Sync Log history the app keeps on-device before automatically purging older entries, regardless of status. Left blank means

Geocoding Config `Geocoding_Config__mdt`

1 fields

Holds the Google Maps Geocoding API key used by HCOGeocodingQueueable to turn an HCO's billing address into Geolocation__c coordinates. Deliberately not granted to any rep-facing permission set — only Apex (system mode) ever reads it. A single "Default" record; set Google_Maps_API_Key__c here in Setup after deployment (never via a metadata deploy, so the key is never in source control).

Field	API name	Type	Reference / values
Google Maps API Key	`Google_Maps_API_Key__c`	Text	Server-side API key for the Google Maps Geocoding API (maps.googleapis.com). Set this in Setup, not via deploy — leave blank in source contr

More Info

Sciagen CRM Data Model overview · How do I read these diagrams? See the notation page.