

**Name: Sciddhanto Sinha**

**Roll no: 2213111**

**Batch: A**

Exp 12: Display a popup on mouse over of link and add two text boxes and button to that popup.

**Code:**

```
<!DOCTYPE html>

<html>
<head>
<div class="center">
<title>Popup on Mouseover with Bootstrap</title>
</div>
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css">
<style>
.popup {
position: relative;
display: inline-block;
cursor: pointer;
}
.popup .popup-content {
display: none;
position: absolute;
z-index: 1;
padding: 10px;
background-color: #f9f9f9;
border: 1px solid #ccc;
```

```
border-radius: 5px;  
width: 200px;  
}  
.popup:hover .popup-content {  
display: block;  
}  
</style>  
</head>  
<body>  
<h1>Popup on Mouseover with Bootstrap</h1>  
<div class="popup">  
<a href="#">Hover over me</a>  
<div class="popup-content">  
<div class="form-group">  
<label for="textbox1">Text Box 1:</label>  
<input type="text" class="form-control" id="textbox1">  
</div>  
<div class="form-group">  
<label for="textbox2">Text Box 2:</label>  
<input type="text" class="form-control" id="textbox2">  
</div>  
<button class="btn btn-primary">Submit</button>  
</div>  
</div>  
<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>  
<script  
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></sc  
ript>
```

```
</body>
```

```
</html>
```

**Output (Screenshots):**

